

**POVIDONE-IODINE PREP STERILE- povidone-iodine sponge**  
**Cardinal Health 200 LLC**

-----  
**Povidone-Iodine Prep Sponge Sticks Sterile**

**Drug Facts**

**Active ingredient**

Povidone-Iodine USP 10%

**Purpose**

Antiseptic

**Use**

• For preparation prior to surgery • Helps to reduce bacteria that can potentially cause skin infection.

**Warnings**

For external use only.

**Do not apply to persons allergic to iodine**

**Do not use**

• in the eyes

**Ask a doctor before use if injuries are**

• deep wounds • puncture wounds • serious burns

**Stop use and ask a doctor if**

• irritation and redness develop • condition persists for more than 72 hours • infection occurs

**Avoid pooling beneath the patient.**

Prolonged exposure to wet solution may cause skin irritation.

**Keep out of reach of children.**

If swallowed or gets in eyes, get medical help or contact a Poison Control Center right away.

## Directions

Clean the area. Apply product to the operative site prior to surgery using sponge sticks to prep desired area.

## Other information

- 1% titratable iodine • latex free • for hospital or professional use only

## Inactive ingredients


Citric Acid, Alkyl Glucoside, Hydroxyethyl Cellulose, Nonoxynol-10, Glycerin, Sodium Hydroxide, Potassium Iodide, Purified Water

## Product Label



NDC 63517-658-11

**Povidone-Iodine  
Prep Sponge Sticks**

sterile • 8-inch  
povidone-iodine 10%  
2 sponge sticks



<b>Drug Facts</b>	
<b>Active ingredient</b> .....	<b>Purpose</b>
Povidone-Iodine USP 10% .....	Antiseptic
<b>Use</b> • For preparation prior to surgery • Helps to reduce bacteria that can potentially cause skin infection.	
<b>Warnings</b> For external use only.	
Do not apply to persons allergic to iodine	
Do not use • in the eyes	
Ask a doctor before use if injuries are • deep wounds • puncture wounds • serious burns	
Stop use and ask a doctor if • irritation and redness develop • condition persists for more than 72 hours • infection occurs	
Avoid pooling beneath the patient. Prolonged exposure to wet solution may cause skin irritation.	
Keep out of reach of children. If swallowed or gets in eyes, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> Clean the area. Apply product to the operative site prior to surgery using sponge sticks to prep desired area.	
<b>Other information</b> • 1% titratable iodine • latex free • for hospital or professional use only	
<b>Inactive ingredients</b> Citric Acid, Alkyl Glucoside, Hydroxyethyl Cellulose, Nonoxynol-10, Glycerin, Sodium Hydroxide, Potassium Iodide, Purified Water	


      Not Made with Natural Rubber Latex

Cat. AS-PVPSBSP

Distributed by  
**Cardinal Health**  
Waukegan, IL 60085 USA 04/15  
cardinalhealth.com  
Made in China

Lot No.:  
Exp. Date:

© 2015 Cardinal Health. All Rights Reserved. CARDINAL HEALTH and the Cardinal Health LOGO are trademarks or registered trademarks of Cardinal Health.



(01)10885380102448

**POVIDONE-IODINE PREP STERILE**

povidone-iodine sponge

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63517-658
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>NONOXYNOL-10</b> (UNII: K7O76887AP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63517-658-11	80 g in 1 POUCH; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug	04/30/2015	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	505G(a)(3)	04/30/2015	

**Labeler** - Cardinal Health 200 LLC (961027315)

Revised: 11/2023

Cardinal Health 200 LLC