

GAS RELIEF EXTRA STRENGTH- simethicone capsule, liquid filled Walgreens

Drug Facts

Active ingredient (in each softgel)

Simethicone 125 mg

Purpose

Antigas

Uses

for the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

Other information

- store between 20-25°C (68-77°F)
- do not refrigerate
- protect from light, heat, and moisture

Inactive ingredients

D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, mannitol, peppermint oil, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Gas-X® Extra Strength Softgels††

Gas Relief

SIMETHICONE 125 mg / ANTI-GAS

Extra Strength

- For fast relief of pressure, bloating & fullness

SOFTGELS

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

††This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas- X® Extra Strength Softgels.

DISTRIBUTED BY: WALGREEN CO.

DEERFIELD, IL 60015

Product Label

NDC 0363-8970-20

Drug Facts

Active ingredient (in each softgel) **Purpose**
 Simethicone 125 mg.....Antigas

Uses For the relief of pressure, bloating, and fullness commonly referred to as gas.

Warnings

If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children.

Directions

■ adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
 ■ do not exceed 4 softgels in 24 hours except under the advice and supervision of a physician

Other information

■ store between 20-25°C (68-77°F)
 ■ do not refrigerate
 ■ protect from light, heat, and moisture

Inactive ingredients D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, mannitol, peppermint oil, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Walgreens



Compare to the active ingredient in Gas-X® Extra Strength Softgels™

Gas Relief

SIMETHICONE 125 mg / ANTI-GAS

Extra Strength

- Fast relief of pressure, bloating & fullness



Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength Softgels.

DISTRIBUTED BY: WALGREEN CO. DEERFIELD, IL 60015
 ITEM 444488 W11042-0623-L

100% SATISFACTION GUARANTEED
 walgreens.com
 ©2023 Walgreen Co. PRODUCT OF INDIA

20 SOFTGELS



ACTUAL SIZE

W3ORG0223-F
 REV-0623

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
 P.L.D. H597A FCI08739 KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Lot No.:
 Exp. Date:

WALGREENS Gas Relief

GAS RELIEF EXTRA STRENGTH

simethicone capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-8970
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	125 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZ B9127XOA)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	

PEPPERMINT OIL (UNII: AV092KU4JH)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O921CV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MANNITOL (UNII: 3OWL53L36A)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	PO
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-8970-72	72 in 1 CARTON	11/29/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-8970-50	50 in 1 CARTON	11/29/2019	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-8970-20	20 in 1 CARTON	11/29/2019	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	11/29/2019	

Labeler - Walgreens (008965063)

Revised: 6/2024

Walgreens