

**NU SKIN SUNRIGHT 50 BROAD SPECTRUM SPF 50- avobenzone, homosalate, octinoxate, octisalate, and octocrylene lotion**

**NSE Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Nu Skin® Sunright® 50 Broad Spectrum SPF 50**

***Drug Facts***

**Active Ingredient**

Avobenzone 3.0%, Homosalate 10.0%, Octinoxate 7.5%, Octisalate 5%, Octocrylene 6.5%.

**Purpose**

Sunscreen

**Use**

- Helps prevent sunburn. Higher SPF gives more sunburn protection.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- **For external use only.**
- **Do not use** on damaged or broken skin
- **Stop use and ask a doctor if** rash occurs
- **When using this product,** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - After 40 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients**

Acrylates Copolymer, Allantoin, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, Bisabolol, Butylene Glycol, Caprylic/Capric Triglyceride, Carbomer, Caprylyl Glycol, Carthamus Tinctorius (Safflower) Seed Oil, Cetyl Alcohol, Chlorphenesin, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethicone/Vinyltrimethylsiloxysilicate Crosspolymer, Disodium EDTA, Fragrance (Parfum), Glyceryl Stearate, Haematococcus Pluvialis Extract, 1,2-Hexanediol, Panthenol, PEG-100 Stearate, Phenoxyethanol, Physalis Angulata Extract, Polyacrylate-13, Polyisobutene, Polysorbate 20, Steareth-2, Steareth-21, Titanium Dioxide, Tocopherol, Water (Aqua), Xanthan Gum.

#### **Other Information**

- Protect this product from excessive heat and direct sun.

#### **Questions?**

**1-888-742-7626**

#### **PRINCIPAL DISPLAY PANEL - 100 mL Bottle Carton**

NU SKIN®

SUNRIGHT® 50

BROAD SPECTRUM

SPF 50

Face & Body

Sunscreen

Water Resistant

(80 minutes)

100 ml e (3.4 fl. oz.)

## Drug Facts

### Active Ingredient

Avobenzone 3.0%, Homosalate 10.0%, Octinoxate 7.5%, Octisalate 5%, Octocrylene 6.5%

### Purpose

Sunscreen

### Use

- Helps prevent sunburn. Higher SPF gives more sunburn protection.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

- For external use only. ■ Do not use on damaged or broken skin ■ Stop use and ask a doctor if rash occurs ■ When using this product, keep out of eyes. Rinse with water to remove. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - After 40 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months: Ask a doctor
- Sunprotection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. to 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

### Inactive Ingredients

Acrylates Copolymer, Allantoin, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, Bisabolol, Butylene Glycol, Caprylyl/ Capric Triglyceride, Carbomer, Caprylyl Glycol, Carthamus Tinctorius (Safflower) Seed Oil, Cetyl Alcohol, Chlorphenesin, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethicone, Vinyltrimethylsiloxyethylsilicate Crosspolymer, Disodium EDTA, Fragrance (Parfum), Glyceryl Stearate, Haematooccus Pluvialis Extract, 1,2-Hexanediol, Panthenol, PEG-100 Stearate, Phenoxethanol, Physalis Angulata Extract, Polyacrylate-13, Polyisobutene, Polysorbate 20, Steareth-2, Steareth-21, Titanium Dioxide, Tocopherol, Water (Aqua), Xanthan Gum.

### Other Information

- Protect this product from excessive heat and direct sun.

### Questions?

1-888-742-7626



NU SKIN®



SUNRIGHT® 50

BROAD SPECTRUM  
SPF 50

Face & Body  
Sunscreen  
Water Resistant  
(80 minutes)

100 ml e (3.4 fl. oz.)

SAFETY-ALLERGY-DERMATOLOGIST TESTED  
Sunright® Face & Body Sunscreen Water Resistant with a sun protection factor (SPF) of 50 shields your skin from UVA/UVB rays. Formulated with Avobenzone to provide protection from UVA rays, which may contribute to skin damage and premature aging.

SOLD EXCLUSIVELY BY NU SKIN ENTERPRISES  
AUTHORIZED DISTRIBUTORS  
MANUFACTURED IN THE U.S.A. EXCLUSIVELY  
FOR NSE PRODUCTS, INC., PROVO, UT 84601  
©2013 NSE PRODUCTS, INC., NUSKIN.COM  
01 001345 94503297/1

0.031<sup>R</sup>

45°



## NU SKIN SUNRIGHT 50 BROAD SPECTRUM SPF 50

avobenzone, homosalate, octinoxate, octisalate, and octocrylene lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62839-1345
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Avobenzone</b> (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 mL
<b>Homosalate</b> (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	100 mg in 1 mL
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 mL
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 mL
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	65 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Allantoin</b> (UNII: 344S277G0Z)	
<b>Aloe Vera Leaf</b> (UNII: ZY81Z83H0X)	
<b>Aminomethylpropanol</b> (UNII: LU49E6626Q)	
<b>Levomenol</b> (UNII: 24WE03BX2T)	
<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)	
<b>Medium-Chain Triglycerides</b> (UNII: C9H2L21V7U)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Safflower Oil</b> (UNII: 65UEH262IS)	
<b>Cetyl Alcohol</b> (UNII: 936JST6JCN)	
<b>Chlorphenesin</b> (UNII: I670DAL4SZ)	
<b>Cyclomethicone 6</b> (UNII: XHK3U310BA)	
<b>Cyclomethicone 5</b> (UNII: 0THT5PC10R)	
<b>Edetate Disodium</b> (UNII: 7FLD91C86K)	
<b>Glyceryl Monostearate</b> (UNII: 230OU9XXE4)	
<b>Haematococcus Pluvialis</b> (UNII: 31T0FF0472)	
<b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)	
<b>Panthenol</b> (UNII: WV9CM0O67Z)	
<b>PEG-100 Stearate</b> (UNII: YD01N1999R)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Physalis Angulata</b> (UNII: W4TKW9D5GG)	
<b>Steareth-2</b> (UNII: V56DFE46J5)	
<b>Steareth-21</b> (UNII: 53J3F32P58)	
<b>Polysorbate 20</b> (UNII: 7T1F30V5YH)	
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP)	

<b>Tocopherol</b> (UNII: R0ZB2556P8)	
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Xanthan Gum</b> (UNII: TTV12P4NEE)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-1345-1	1 in 1 CARTON	06/02/2014	
1		100 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/02/2014	

**Labeler** - NSE Products, Inc. (803486393)

Revised: 12/2019

NSE Products, Inc.