

**ISOPROPYL ALCOHOL 70 PERCENT- isopropyl alcohol liquid
TOP CARE (Topco Associates LLC)**

Drug Facts

Active ingredient (by volume)

Isopropyl alcohol (70% conc.)

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only.

- if taken internally, serious gastric disturbance will result

Flammable, keep away from fire or flame.

- **use only in a well-ventilated area; fumes may be toxic**

Ask a doctor before use if you have

- deep or puncture wounds, animal bites or serious burns.

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient

purified water

Questions or comments?

Call toll free **1-888-423-0139**

Principal Display Panel**70% Isopropyl Alcohol**

FIRST AID ANTISEPTIC

Helps prevent the risk of infection in:

- Minor cuts
- Minor scrapes
- Minor burns

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

topcare@topco.com

Package Label

NDC 36800-275-32



70% Isopropyl Alcohol

FIRST AID ANTISEPTIC

Helps Prevent the Risk of Infection in:

- Minor Cuts
- Minor Scrapes
- Minor Burns

32 FL OZ (1 QT) 946 mL

PLD-H226C LB005164

Drug Facts

Active ingredient (by volume)	Purpose
Isopropyl alcohol (70% conc.).....	First aid antiseptic

Uses first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

- if taken internally, serious gastric disturbances will result
- Flammable, keep away from fire or flame.**
- use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

- When using this product**
- do not get into eyes
 - do not apply over large areas of the body
 - do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient purified water

Questions or comments? Call toll free 1-888-423-0139

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007 ©TOPCO PLVA0521 QUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com

✓ QUALITY GUARANTEED



Scan here for more information or call 1-888-423-0139



TOPCARE HEALTH 70% Isopropyl Alcohol

ISOPROPYL ALCOHOL 70 PERCENT

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-275
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-275-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2014	
2	NDC:36800-275-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/31/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	10/31/2014	

Labeler - TOP CARE (Topco Associates LLC) (006935977)

Revised: 4/2025

TOP CARE (Topco Associates LLC)