

**SUPHEDRINE PE SINUS PLUS ALLERGY- chlorpheniramine maleate,
phenylephrine hcl tablet
ARMY AND AIR FORCE EXCHANGE SERVICE**

Exchange Select 44-462

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg
Phenylephrine HCl 10 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
 - sinus congestion and pressure
 - nasal congestion

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

exchange ✓ **select™**

SINUS

**SUPHEDRINE PE
SINUS + ALLERGY**

Chlorpheniramine maleate 4 mg, Phenylephrine HCl 10 mg
Antihistamine, Nasal Decongestant

- **Sneezing**
- **Itchy Eyes**
- **Runny Nose**
- **Sinus Pressure**
- **Congestion**

Actual Size

24 Tablets

**TAMPER EVIDENT: DO NOT USE
IF PACKAGE IS OPENED OR
IF BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY
SIGNS OF TAMPERING**

50844 REV0319D46208

"SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.

Hauppauge, NY 11788

1-800-426-9391

exchange select

SUPHEDRINE PE

SINUS + ALLERGY

SINUS

SUPHEDRINE PE

SINUS + ALLERGY

Chlorpheniramine maleate 4 mg, Phenylephrine HCl 10 mg
Antihistamine, Nasal Decongestant

- Sneezing
- Itchy Eyes
- Runny Nose
- Sinus Pressure
- Congestion

24 Actual Size Tablets

TAMPER EVIDENT: DO NOT USE
IF PACKAGE IS OPENED OR
IF BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY
SIGNS OF TAMPERING

No print area
Lot no./Exp date

B-0066E-462-08-R
REV0319D46208

50844 REV0319D46208



6 14299 40441 0

"SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges
Distributed by: LNK International, Inc.
Hauppauge, NY 11788
1-800-426-6391

<p>Drug Facts (continued)</p> <p>Active ingredients (in each tablet) Chlorpheniramine maleate 4 mg.....Antihistamine Phenylephrine HCl 10 mg.....Nasal decongestant</p> <p>Uses temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies: itchy, watery eyes; runny nose; itching of the nose or throat; nasal congestion; sneezing; sinus congestion and pressure</p> <p>Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropic or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. Ask a doctor before use if you have high blood pressure, heart disease, thyroid disease, diabetes, glaucoma, difficulty in urination due to enlargement of the prostate gland, or a breathing problem such as emphysema or chronic bronchitis. Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product do not exceed recommended dosage; excitability may occur, especially in children; drowsiness may occur.</p>	<p>Drug Facts</p> <p>Directions adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours. children under 12 years: do not use</p> <p>Other information TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F). see end flap for expiration date and lot number</p> <p>Inactive ingredients magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid</p> <p>Questions or comments? 1-800-426-9391</p>
<p>KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION</p>	

Exchange Select 44-462

SUPHEDRINE PE SINUS PLUS ALLERGY
chlorpheniramine maleate, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-462
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;462
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-462-08	1 in 1 CARTON	06/09/2005	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/09/2005	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55301-462) , pack(55301-462)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55301-462)

Revised: 12/2024

ARMY AND AIR FORCE EXCHANGE SERVICE