

**DR.JART DIS-A-PORE BEAUTY BALM 01- titanium dioxide, octinoxate, octisalate cream**  
**Have & Be Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Dr.Jart Dis-A-Pore Beauty Balm 01**

Titanium Dioxide 15.97%

Octinoxate 4.99%

Octisalate 3.00%

Sunscreen

Helps prevent sunburn

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 am - 2 pm
  - Wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months: Ask a doctor

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.


Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

WATER, CYCLOPENTASILOXANE, DIMETHICONE/VINYL DIMETHICONECROSSPOLYMER, ISODODECANE, LAURYL PEG-10TRIS(TRIMETHYLSILOXY)SILYLETHYLDIMETHICONE, DIMETHICONE, NIACINAMIDE, METHYLPROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, IRON OXIDES(CI 77492), SYNTHETIC FLUORPHLOGOPITE, DISTEARDIMONIUM HECTORITE, GLYCERIN, MAGNESIUM SULFATE, ISOPROPYL PALMITATE, HDI/TRIMETHYLOL HEXYLLACTONECROSSPOLYMER, TRIETHOXYCAPRYLYLSILANE,

DIPENTAERYTHRITYLHEXAHYDROXYSTEARATE/HEXASTEARATE/HEXAROSINATE, POLYGLYCERYL-4 ISOSTEARATE, ALUMINUM HYDROXIDE, IRON OXIDES(CI 77491), CAPRYLYL GLYCOL, IRON OXIDES(CI 77499), GLYCERYL CAPRYLATE, TRIHYDROXYSTEARIN, ETHYLHEXYLGLYCERIN, PINUS SYLVESTRIS LEAF OIL, CITRUS AURANTIUM BERGAMIA (BERGAMOT)FRUIT OIL, SILICA, ADENOSINE, BHT, TOCOPHEROL, BUTYLENE GLYCOL, ALCOHOL, 1,2-HEXANEDIOL, LECITHIN, PISTACIA LENTISCUS (MASTIC) GUM

Protect the product in this container from excessive heat and direct sunlight.

43.5/28.5/146



**Drug Facts**

Active Ingredients	Purposes
Titanium Dioxide 15.97%	Sunscreen
Octinoxate 4.99%	Sunscreen
Octisalate 3.00%	Sunscreen

**Uses**

- Helps prevent sunburn.

**Directions**

- Apply liberally 15 minutes before sun exposure. Reapply at least every two hours.
- See protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses.
- Ask a doctor to use for children under 6 months.

**Warnings**

- For external use only.
- Do not use on damaged or broken skin.
- Stop using and ask a doctor if rash occurs.
- When using this product, keep out of eyes. Rinse with water to remove.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Inactive Ingredients**

Water, Cyclopentasiloxane, Dimethicone/Vinyl Dimethiconocrosspolymer, Isododecane, Lauryl PEG-10 Dimethylsilyloxy Dimethylmethicone, Dimethicone, Niacinamide, Methylparabenolol, Butylene Glycol Dicaprylate/Dicaprate, Iron Oxides (CI 77499), Synthetic Fluorophlogopite, Disodiummonium Hectorite, Glycerin, Magnesium Sulfate, Isopropyl Palmistate, 1,2-Hexanediol, Hexyldecylacrylate, Triethoxycaprylate, Dipentaerythrylhexahydroxysebacate/Hexastearate/Hexarosinate, Polyglyceryl-4 Isostearate, Aluminum Hydroxide, Iron Oxides (CI 77491), Caprylyl Glycol, Iron Oxides (CI 77499), Caprylyl Caprylate, Trihydroxyethyl, Ethylhexylglycerin, Pinus Sylvestris Leaf Oil, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Silica, Adenosine, BHT, Tocopherol, Butylene Glycol, Alcohol, 1,2-Hexanediol, Lecithin, Pistacia Lentiscus (Mastic) Gum, Hibiscus Saccharinus Fruit Extract, Hapagamerium

**Other information**

- Protect the product in this container from excessive heat and direct sunlight.

**Questions & Comments?**  
hello@drjart.com

**Dr.Jart Dis-A-Pore Beauty Balm 01 Light-Medium**  
Pore care BB cream that covers pores and defects, for smooth and clean skin

**Product Description**  
Pore Care  
Flawless Coverage  
+ Conceals and minimizes pores  
+ Evens tone and smoothes texture  
+ Removes excess oil  
| Dermatologist tested |

**Dr.Jart Dis-A-Pore Beauty Balm 01 Clair-Moyon**  
BB crème soin des pores qui couvre les pores et les défauts, pour une peau lisse et propre

**Description du produit**  
Crème soin des pores  
Soin de pores  
Couverture optimale  
+ Cache et minimise les pores  
+ Unifie et lisse la texture  
+ Elimine l'excès d'huile

**Free of 10 Ingredients**  
Parabens, Mineral oil, Petroleum, Synthetic dye, Talc, DEA, Sulfate, Triclosan, Fluorescent material, Formaldehyde

광합성  
클리어 메딕  
비 워터 타입

광합성 메딕 비워터 타입  
클리어 메딕 비워터 타입  
비워터 타입  
Developed by Dr.Jart  
Developé par Dr.Jart

**Dr.Jart+**

**Dr.Jart+**

**BB**  
Dis-A-Pore  
Dis-A-Pore  
Broad Spectrum  
SPF 50+ Sunscreen  
50 mL / 1.69 fl. oz.

**PORE LABEL 01 Light-Medium**

**SKIN. SCIENCE. ART.**

**H**  
HANESE USA, INC.  
100 Fifth Avenue,  
New York, NY 10010 USA  
us.drjart.com  
drjart.com  
Made in Korea  
Fabricado en Corea

88096427 12812

# DR.JART DIS-A-PORE BEAUTY BALM 01

titanium dioxide, octinoxate, octisalate cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49404-145
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	6.388 mg in 40 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.996 mg in 40 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	1.2 mg in 40 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNQ)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49404-145-02	1 in 1 CARTON	11/07/2019	
1	NDC:49404-145-01	40 mL in 1 CONTAINER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/07/2019	

**Labeler** - Have & Be Co., Ltd. (690400408)

**Registrant** - Have & Be Co., Ltd. (690400408)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Kolmar Korea Co., Ltd.		689512611	manufacture(49404-145)

Revised: 12/2022

Have & Be Co., Ltd.