

NITROUS OXIDE- nitrous oxide gas
Corrigan Propane LLC dba Blue Water Industrial Products

Nitrous Oxide

NITROUS OXIDE USP LABEL

NITROUS OXIDE USP UN1070

NON-FLAMMABLE GAS 2 OXIDIZER 5.1

CONTENTS: _____ LITERS ____ CU FT ____

Rx only.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE.

Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only equipment cleaned for oxygen and rated for cylinder pressure. Do not get liquid in eyes, on skin, and clothing. Cylinder temperatures should not exceed 52C (125F). Open valve slowly. Close valve after each use and when empty. Use back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED: Remove person to fresh air. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL.

BLUEWATER INDUSTRIAL PRODUCTS INC.

37280 GREEN ST • NEW BALTIMORE, MI 48047

(586) 725-6300

477636

(R 06/08)

NITROUS OXIDE USP

UN1070



CONTENTS: _____

CU FT ☐

LITERS ☐

R_x Only.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: HIGH PRESSURE, OXIDIZING LIQUID AND GAS.
VIGOROUSLY ACCELERATES COMBUSTION.
CAN CAUSE RAPID SUFFOCATION
CAN CAUSE ANESTHETIC EFFECTS.
MAY CAUSE FROSTBITE.

Avoid breathing gas.

Store and use with adequate ventilation.

Keep oil and grease away.

Use only with equipment cleaned for oxygen and rated for cylinder pressure.

Do not get liquid in eyes, on skin or clothing.

Cylinder temperature should not exceed 52°C (125°F).

Open valve slowly.

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the **Material Safety Data Sheet (MSDS)**.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL

BLUEWATER INDUSTRIAL PRODUCTS INC.

37280 GREEN ST. • NEW BALTIMORE, MI 48047

(586) 725-6300

47735
(R 06/08)

NITROUS OXIDE USP

UN1070



CONTENTS: _____

CU FT ☐
LITERS ☐

R_x Only.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: HIGH PRESSURE, OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE.

Avoid breathing gas.
Store and use with adequate ventilation.
Keep oil and grease away.
Use only with equipment cleaned for oxygen and rated for cylinder pressure.
Do not get liquid in eyes, on skin or clothing.
Cylinder temperature should not exceed 52°C (125°F).
Open valve slowly.
Close valve after each use and when empty.
Use a back flow preventive device in the piping.
Use in accordance with the **Material Safety Data Sheet (MSDS)**.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL

BLUEWATER INDUSTRIAL PRODUCTS INC.

37280 GREEN ST. • NEW BALTIMORE, MI 48047

(586) 725-6300

47735
(R 06/08)

NITROUS OXIDE USP LABEL

NITROUS OXIDE USP UN1070

NON-FLAMMABLE GAS 2 DO NOT REMOVE THIS LABEL OXIDIZER 5.1

34436(12/14)

R_x only.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. **DANGER:** HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only equipment cleaned for oxygen and rated for cylinder pressure.

Do not get liquid in eyes, on skin, and clothing. Cylinder temperatures should not exceed 52C (125F). Open valve slowly. Close valve after each use and when empty. Use back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS). **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. **WARNING:** This product contains a chemical known to the state of California to cause birth defects or other reproductive harm. CAS: 10024-97-2

BLUEWATER INDUSTRIAL PRODUCTS INC.

37280 GREEN ST • NEW BALTIMORE, MI 48047

(586) 725-6300



NITROUS OXIDE

nitrous oxide gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:44517-020
Route of Administration	RESPIRATORY (INHALATION)		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength

NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)			NITROUS OXIDE	99 L in 100 L
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44517-020-01	940 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/2008	
2	NDC:44517-020-02	1590 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/2008	
3	NDC:44517-020-03	246 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/2008	
4	NDC:44517-020-04	5046 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/2008	
5	NDC:44517-020-05	7900 L in 1 CYLINDER; Type 0: Not a Combination Product	12/01/2008	
6	NDC:44517-020-06	12340 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/2008	
7	NDC:44517-020-07	13800 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/2008	
8	NDC:44517-020-08	14800 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/2008	
9	NDC:44517-020-09	15800 L in 1 DEWAR; Type 0: Not a Combination Product	12/01/2008	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA		NDA209989	12/01/2008	

Labeler - Corrigan Propane LLC dba Blue Water Industrial Products (105410989)

Registrant - Corrigan Propane LLC dba Blue Water Industrial Products (117163181)

Establishment

Name	Address	ID/FEI	Business Operations
Corrigan Propane LLC dba Blue Water Industrial Products		117163181	manufacture(44517-020)

Revised: 10/2024

Corrigan Propane LLC dba Blue Water Industrial Products