

**WAL-PHED PE- phenylephrine hcl tablet, film coated**  
**Walgreen Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Walgreens 44-453**

***Active ingredient (in each tablet)***

Phenylephrine HCl 10 mg

***Purpose***

Nasal decongestant

***Uses***

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

**Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

**Questions or comments?**

1-800-426-9391

**Principal Display Panel****Walgreens**

Compare to Sudafed PE®

Congestion active ingredient<sup>††</sup>

NDC 0363-0453-23

NON-DROWSY

**Wal-Phed® PE**

NASAL DECONGESTANT

PHENYLEPHRINE HCl 10 mg / NASAL DECONGESTANT

MAXIMUM STRENGTH

- Relieves sinus pressure & congestion
- Pseudoephedrine free

72 TABLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**DOES NOT CONTAIN GLUTEN**

Walgreens Pharmacist Recommended

Walgreens Pharmacist Survey

<sup>††</sup>This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed PE® Congestion.

50844 ORG011845323

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

**Walgreens**  
**100% SATISFACTION**  
**GUARANTEED**  
walgreens.com ©2018 Walgreen Co.

ORG0318-F

50844 ORG011845323  
Walgreens Pharmacist Recommended  
This product is not manufactured or  
distributed by Johnson & Johnson  
trademark Sudaed PE Congestion.

100% SATISFACTION  
Walgreens  
DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
walgreens.com ©2018 Walgreen Co.

ITEM 885141 W00000-0000-0  
3 119171999 3

DOES NOT CONTAIN GLUTEN

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

**Drug Facts**  
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredient (in each tablet)**  
Phenylephrine HCl 10 mg ..... Nasal decongestant

**Uses**  
Temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies  
Temporarily relieves sinus congestion and pressure

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
Ask a doctor before use if you have heart disease, diabetes, thyroid disease, high blood pressure, difficulty in urination due to enlargement of the prostate gland.  
When using this product do not exceed recommended dosage.  
Stop use and ask a doctor if:  
symptoms do not improve within 7 days or occur with fever  
If pregnant or breast-feeding, ask a health professional before use.

**Directions**  
adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.  
children under 12 years: ask a doctor

**Other information**  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
see end flap for expiration date and lot number

**Inactive ingredients**  
croscarmellose sodium, dextrose monohydrate, basic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

**(Questions or comments?)** 1-800-426-9391

**Drug Facts (continued)**  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

NO PRINT / NO VARNISH AREA  
LOT NO. & EXPIRE

B-2201-453-23-H  
ORG011845323

NON-DROWSY  
**Wal-Phed® PE**  
NASAL DECONGESTANT



NON-DROWSY  
**Wal-Phed® PE**  
NASAL DECONGESTANT  
PHENYLEPHRINE HCl 10 mg / NASAL DECONGESTANT

Compare to Sudafed® PE  
Congestion active ingredient††

NDC 0363-0453-23

**MAXIMUM STRENGTH**

- Relieves sinus pressure & congestion
- Pseudoephedrine free

**72** TABLETS



**WAL-PHED PE**

phenylephrine hcl tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0453
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DEXTROSE MONOHYDRATE</b> (UNII: LX22YL083G)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	

**Product Characteristics**

<b>Color</b>	RED	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	44;453
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0453-07	2 in 1 CARTON	01/14/2005	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0453-44	1 in 1 CARTON	01/14/2005	
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-0453-23	4 in 1 CARTON	01/14/2005	
3		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:0363-0453-	15 in 1 CARTON	01/14/2005	

90	18 in 1 CARTON	01/14/2005	
4	18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:0363-0453-91 3 in 1 CARTON	01/14/2005	
5	18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	01/14/2005	

**Labeler** - Walgreen Company (008965063)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(0363-0453)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(0363-0453)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(0363-0453)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(0363-0453)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(0363-0453)

Revised: 5/2020

Walgreen Company