

**CALCIUM GLUCONATE- calcium gluconate injection, solution**  
**Covetrus**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**CALCIUM GLUCONATE 23%**

**INDICATIONS:**

For use in cattle as an aid in treating uncomplicated milk fever (parturient paresis).

**DOSAGE AND ADMINISTRATION:**

Administer to cattle 200-500 mL intravenously. Dosage may be repeated in 8 to 12 hour intervals as needed. Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

**TAKE TIME OBSERVE LABEL DIRECTIONS**

NDC 11695-6411-5

Calcium gluconate 23%

Sterile Solution

Net Contents: 16.91 fl oz (500 mL)

Questions? (855) 724-3461

Reorder #069167

18-802

RMS 92-1174

Made in the USA

AH-069167-L-02

REV: 0523

Lot No.

Exp. Date

Distributed by:

Covetrus North America

400 Metro Place North

Dublin, OH 43017

covetrus.com

Manufactured by:  
Nova-Tech, Inc.  
Grand Island, NE 68801

**Composition:**

Each 500 mL contains:

**Active ingredients:**

Calcium Gluconate ..... 23% w/v  
(provides 10.71 g of Calcium\* per 500 mL)

\* Present as salts or boryl esters of gluconic acid.

**Inactive ingredients:**

Water for injection ..... q.s.  
Contains boric acid as a solubilizing agent.

**Store between 15°-30°C (59°-86°F).**

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**Caution:**

Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon opening, as this product contains no preservatives. Discard any unused portion. Do not use if solution is cloudy or contains precipitate.



**Indications:** For use in cattle as an aid in treating uncomplicated milk fever (parturient paresis).

**Dosage and administration:**  
Administer to cattle 200-500 mL intravenously. Dosage may be repeated in 8 to 12 hour intervals as needed. Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

**Caution:** Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon opening, as this product contains no preservatives. Discard any unused portion. Do not use if solution is cloudy or contains precipitate.

NDC: 11695-6411-5

**Calcium gluconate 23%**

Sterile solution

**FOR ANIMAL USE ONLY  
KEEP OUT OF REACH OF CHILDREN**

**Net contents: 16.91 fl oz (500 mL)**

**Reorder #069167**

**Composition:**  
Each 500 mL contains:

**Active ingredients:**  
Calcium Gluconate ..... 23% w/v  
(provides 10.71 g of Calcium\* per 500 mL)  
\* Present as salts or boryl esters of gluconic acid.

**Inactive ingredients:**  
Water for Injection ..... q.s.  
Contains boric acid as a solubilizing agent.

**Store between 15°-30°C (59°-86°F).**

**Questions?**  
(855) 724-3461

**Manufactured by:**  
Nova-Tech, Inc.  
Grand Island, NE 68801

**Made in the USA**  
AH-069167-L-02  
REV: 0523

**Distributed by:**  
Covetrus North America  
400 Metro Place North  
Dublin, OH 43017  
covetrus.com

18-802  
RMS 92-1174

Lot No.

Exp. Date



# CALCIUM GLUCONATE

calcium gluconate injection, solution

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:11695-6411
<b>Route of Administration</b>	INTRAVENOUS		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CALCIUM GLUCONATE</b> (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE	23 g in 100 mL

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:11695-6411-5	500 mL in 1 BOTTLE, PLASTIC		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		03/16/2020	

**Labeler** - Covetrus (603750329)

Revised: 4/2024

Covetrus