

## **MEIJER ITCH AND RASH RELIEF- hydrocortisone ointment**

**Meijer Distribution Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**meijer™**

**Itch & Rash Relief**

***Drug Facts***

### **Active ingredient**

Hydrocortisone 1%

### **Purpose**

Anti-itch ointment

### **Uses**

- temporary relief of itching associated with minor skin irritations and rashes due to
  - eczema
  - insect bites
  - poison ivy, poison oak, or poison sumac
  - soaps
  - detergents
  - cosmetics
  - jewelry
  - seborrheic dermatitis
  - psoriasis
  - external genital and anal itching
- other uses of this product should be only under the advice and supervision of a doctor

### **Warnings**

**For external use only**

#### **Do not use**

- in the eyes
- by putting this product into the rectum by using fingers or any mechanical device or applicator

#### **Ask a doctor before use if you have**

- a vaginal discharge
- rectal bleeding
- diaper rash

**When using this product** consult a doctor before exceeding recommended dosage

#### **Stop use and ask a doctor if**

- condition gets worse
- condition persists for more than 7 days

- condition clears up and occurs again within a few days. Do not begin to use any other hydrocortisone product unless you have consulted a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

Adults and children 2 years of age and older:

- apply to affected area not more than 3 to 4 times daily

Children under 2 years of age: do not use. consult a doctor

### **For external anal itching**

- Adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product

Children under 12 years of age: consult a doctor

### **Other information**

- To open: unscrew cap, pull tab to remove foil seal, and screw cap back onto tube
- store at room temperature
- see carton or tube crimp for lot number and expiration date

### **Inactive ingredients**

Fractionated Coconut Oil, Methylparaben, Propylparaben, White Petrolatum

### **Questions?**

Call **1-866-923-4914**

**DIST. BY MEIJER DISTRIBUTION, INC.**

**2929 WALKER AVE NW**

**GRAND RAPIDS, MI 49544**

**PRINCIPAL DISPLAY PANEL - 28.4 Tube Carton**

**meijer™**

**Maximum Strength**

**Itch & Rash Relief**

**Hydrocortisone 1% Ointment Antipruritic**

NET WT 1 OZ (28.4 g)

meijer

Compare to Cortizone-10® active ingredient\*

### Itch & Rash Relief

Hydrocortisone 1% Ointment Antipruritic

Effective Relief of Itches and Rashes Due To:  
Insect Bites, Poison Ivy, Oak, Sumac,  
External Genital and Anal Itching,  
Eczema, Seborrheic Dermatitis, Psoriasis,  
Soaps, Cosmetics, Detergents, Jewelry

LPK-5534-2  
0411-2  
M88

meijer

Maximum Strength

## Itch & Rash Relief

Hydrocortisone 1% Ointment Antipruritic

meijer

Maximum Strength

## Itch & Rash Relief

Hydrocortisone 1% Ointment Antipruritic

NET WT 1 OZ (28.4 g)

T28



**Drug Facts (continued)**  
**Other information**  
• To open, unscrew cap, pull tab to remove foil seal, and screw cap back onto tube  
• Store at room temperature  
• See carton or tube cap for lot number and expiration date  
**Inactive ingredients** Fractonate d Coconut Oil, Methylparaben, Propylparaben, White Petrolatum  
Questions? Call 1-800-923-4914

NO COPY ON THIS FLAP  
FOR LOT # AND EXPIRY  
DATE PRINT ONLY



DIST. BY MEIJER  
DISTRIBUTION, INC.  
2929 WALKER AVE NW  
GRAND RAPIDS, MI 49504  
www.meijer.com  
Made in Canada.

This product is not  
manufactured or  
distributed by Pfizer  
Consumer Healthcare,  
owner of the  
registered trademark  
Cortizone-10®.

**Drug Facts**  
**Active ingredient** Hydrocortisone 1%  
**Purpose** Anti-itch ointment  
**Uses**  
• Temporary relief of itching associated with minor skin irritations and rashes due to  
• eczema • insect bites • poison ivy, poison oak, or poison sumac • soaps • detergents • cosmetics  
• jewelry • seborrheic dermatitis • psoriasis • external genital and anal itching  
• other uses of this product should be only under the advice and supervision of a doctor  
**Warnings**  
For external use only  
Do not use  
• in the eyes  
• by putting this product into the rectum by using fingernails or any mechanical device or applicator  
Ask a doctor before use if you have  
• a vaginal discharge • rectal bleeding • diaper rash  
When using this product, consult a doctor before exceeding recommended dosage  
Stop use and ask a doctor if  
• condition gets worse • condition persists for more than 7 days  
• condition clears up and occurs again within a few days. Do not begin to use another hydrocortisone product  
until you have consulted a doctor  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
Adults and children 2 years of age and older:  
• apply to affected area not more than 3 to 4 times daily  
Children under 2 years of age: do not use, consult a doctor  
For external anal itching:  
• Adults: when practical, clean the affected area with mild soap and warm water and reapply ointment  
• gently dry by patting or blotting with soft tissue or a soft cloth before application of the product  
Children under 12 years of age: consult a doctor

## MEIJER ITCH AND RASH RELIEF

hydrocortisone ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-018
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Hydrocortisone</b> (UNII: W14X0X7BPJ) (Hydrocortisone - UNII:W14X0X7BPJ)	Hydrocortisone	1 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>Medium-chain triglycerides</b> (UNII: C9H2L21V7U)	
<b>Methylparaben</b> (UNII: A2I8C7HI9T)	
<b>Propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>Petrolatum</b> (UNII: 4T6H12BN9U)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:41250-018-02	1 in 1 CARTON		
1		28.4 g in 1 TUBE		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH NOT FINAL	part348	10/03/1989	

**Labeler** - Meijer Distribution Inc (006959555)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41250-018)

Revised: 2/2013

Meijer Distribution Inc