SENNA S- docusate sodium, sennosides tablet Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg Sennosides 8.6 mg

Purpose

Stool softener

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a periodof 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

Directions

• take preferably at bedtime or as directed by a doctor

| age | starting dosage | maximum dosage |
|---|-----------------------|-----------------------|
| adults and children 12 years of age or over | 2 tablets once a day | 4 tablets twice a day |
| children 6 to under 12 years | 1 tablet once a day | 2 tablets twice a day |
| children 2 to under 6 years | 1/2 tablet once a day | 1 tablet twice a day |
| children under 2 years | ask a doctor | ask a doctor |

Other information

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Senokot-S®^{††}

Senna-S

DOCUSATE SODIUM 50 mg /

STOOL SOFTENER

SENNOSIDES 8.6 mg / LAXATIVE

DUAL ACTION

- Natural Vegetable Laxative
- Gently relieves constipation

TABLETS

††This product is not manufactured or distributed by Avrio Health L.P., owner of the

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.


KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: WALGREENS CO

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Product Labeling



| Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Reep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions age starting age starting age starting adults and children 12 2 tablets years of age and over once a day children 6 to 1 tablet under 12 years ask a doctor each tablet contains: calcium 30 mg twice a day children 2 to 1/2 tablet under 6 years ask a doctor ask a doctor ask a doctor store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F) Inactive ingredients croscarmellose sodium, 6 mg LOW SODIUM store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F) Inactive ingredients caluminum take, hypromellose, magnesium staarate, aniurinum dioxide Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST | Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST | Inactive ingredients croscarmellose sodium dibasic calcium phosphate dihydrate, FD&C yellow aluminum lake, hypromellose, magnesium stearate microcrystalline cellulose, polyethylene glycol, silic dioxide, talc, titanium dioxide | Other information ■ each tablet contains: calcium 30 mg ■ each tablet contains: sodium 6 mg L ■ store at 25°C (77°F); excursions perm 15-30°C (59-86°F) | children under 2 years | under 6 years | children 2 to | under 12 years | years or age and over | adults and children 12 | | age | Directions ■ take preferably at bedtim | Keep out of reach of child medical help or contact a P | If pregnant or breast-feed | Drug Facts (continued) |
|--|---|--|---|------------------------|---------------|---------------|----------------|-----------------------|------------------------|--------|----------|---|---|----------------------------|------------------------|
| hh professional werdose, get anter right away. by a doctor dosage 4 tablets twice a day 2 tablets twice a day 1 tablet twice a day 2 soblut twice a day ask a doctor ask a doctor ask a doctor ask a doctor ask a doctor between & C yellow #6 am stearate, alycol, silicon | 1ents? day-Friday 9AM | S croscarmelle e dihydrate, FD lose, magnesiu , polyethylene (xide | alcium 30 mg odium 6 mg LOV ursions permitte | ask a doctor | once a day | 1/2 tablet | once a day | once a day | 2 tablets | dosage | starting | ne or as directed | iren. In case of o bison Control Ce | ding, ask a heat | ed) |
| | -5PM EST | ose sodium, &C yellow #6 m stearate, glycol, silicon | v SODIUM ad between | ask a doctor | twice a day | 1 tablet | twice a day | TWICE a day | 4 tablets | dosage | maximum | by a doctor | overdose, get enter right away. | th professional | |

WALGREENS Senna-S

SENNA S

docusate sodium, sennosides tablet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0363-0883

| | ctive Ingred | lient/Act | ive Moiety | | | | | |
|-------------|--|---------------------------|-----------------------------------|----------------------|-------------------------|----------|----------|--|
| | | Ingredient Name | | | Basis of S | Strength | Strengt | |
| DC | CUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P271 | | | ATE - UNII:M7P27195A | G) DOCUSATE S | ODIUM | 50 mg | |
| SE | NNOSIDES (UN | II: 3FYP5M0 | JX) (SENNOSIDES - U | INII:3FYP5M0IJX) | SENNOSIDES | | 8.6 mg | |
| | | | | | | | | |
| In | active Ingr | edients | | | | | | |
| | | | Ingredie | nt Name | | 9 | Strength | |
| | | | I (UNII: M28OL1HH48 | | | | | |
| | | | ATE DIHYDRATE (UN | NII: O7TSZ97GEP) | | | | |
| | &C YELLOW N | | | | | | | |
| | PROMELLOSES | | | | | | | |
| | AGNESIUM STE | | | | | | | |
| | | | LLINE (UNII: OP1R32 | | | | | |
| | LICON DIOXIDE | | NSPECIFIED (UNII: 3 | SVIJQUSDVIA) | | | | |
| | LICON DIOXIDE | | 207004) | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | roduct Char | acterist | | - | | no score | | |
| | olor | | orange | Score | | | | |
| | аре | | ROUND | Size | 10mm | | | |
| | avor | | | Imprint Code | | PSD22 | | |
| Co | ontains | | | | | | | |
| | | | | | | | | |
| Pa | ackaging | | | | | | | |
| # | Item Code | | Package Desc | ription | Marketing Start Date | | | |
| 1 | NDC:0363- 0883-12 | 1 in 1 BOX | | | 11/29/2019 | | | |
| - | | 120 in 1 BC Combinatio | OTTLE, PLASTIC; Typ on Product | e 0: Not a | | | | |
| T | NDC:0363- 0883-60 | 1 in 1 BOX | | | 11/29/2019 | | | |
| 1 2 | | 60 in 1 BO | TTLE, PLASTIC; Type | 0: Not a | | | | |
| 2 | | Combinatio | | | | | | |
| 2 | NDC:0363- 0883-20 | | OTTLE, PLASTIC; Typ | e 0: Not a | 11/29/2019 | | | |
| 2 | | 220 in 1 B | OTTLE, PLASTIC; Typ | e 0: Not a | 11/29/2019 | | | |
| 2 2 3 | | 220 in 1 BC Combinatio | OTTLE, PLASTIC; Typ on Product | e 0: Not a | 11/29/2019 | | | |

11/29/2019

Labeler - Walgreens (008965063)

Revised: 11/2022

Walgreens