

**NEUTROGENA INVISIBLE DAILY DEFENSE FACE SERUM SUNSCREEN BROAD SPECTRUM SPF 60 PLUS- avobenzone, homosalate, octisalate, and octocrylene lotion**  
Kenvue Brands LLC

-----

**Neutrogena® Invisible Daily defense face serum sunscreen BROAD SPECTRUM SPF 60+**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Avobenzone 3%	Sunscreen
Homosalate 13.5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- May stain some fabrics

## **Inactive ingredients**

Water, Butyloctyl Salicylate, Glycerin, Alcohol Denat., Silica, Dimethicone, Aluminum Starch Octenylsuccinate, Polyurethane-62, Phenoxyethanol, Pentylene Glycol, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Acrylates/Dimethicone Copolymer, Glyceryl Stearate, Chlorphenesin, Styrene/Acrylates Copolymer, Zingiber Officinale (Ginger) Root Extract, Menthyl Lactate, Tocopheryl Acetate, Disodium EDTA, Trideceth-6, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice, Sodium Hydroxide, Yellow 5, Red 40

## **Questions?**

Call toll-free **800-299-4786** or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**JOHNSON & JOHNSON  
CONSUMER INC.**

Skillman, NJ 08558

## **PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton**

Neutrogena®

DERMATOLOGIST

RECOMMENDED BRAND

Invisible Daily

defense

face serum

sunscreen

BROAD SPECTRUM

SPF 60+

**60+**

**sun + environment**

oxybenzone free

water resistant (80 minutes)

1.7 FL OZ (50 mL)

Neutrogena®

Neutrogena®

DERMATOLOGIST  
RECOMMENDED BRAND

Invisible Daily  
defense  
face serum

sunscreen

BROAD SPECTRUM  
SPF 60+

60+

sun + environment  
oxybenzone free

water resistant (80 minutes)

1.7 FL OZ (50 mL)

Neutrogena  
Invisible Daily™  
defense  
face serum



helioplex®+  
broad spectrum uva-uvb  
+ antioxidant complex

- Invisible on all skin tones
- Infused with Ginger to improve skin radiance
- Helps even skin tone
- Antioxidant Complex helps fight environmental aggressors such as cold, ozone, & pollution
- Oil-free, non-greasy
- Fragrance Free

**Drug Facts**

**Active ingredients Purpose**

Avobenzone (3%).....	Sunscreen
Homosalate (13.5%) ..	Sunscreen
Octisalate (5%) .....	Sunscreen
Octocrylene (10%) .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and

**Drug Facts** (continued)

early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

■ apply liberally 15 minutes before sun exposure

■ reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

■ Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

ACTUAL SIZE

**Drug Facts** (continued)

■ children under 6 months of age: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- May stain some fabrics

**Inactive ingredients**

Water, Butyloctyl Salicylate, Glycerin, Alcohol Denat., Silica, Dimethicone, Aluminum Starch Octenylsuccinate, Polyurethane-62, Phenoxyethanol, Pentylene Glycol, Sodium Acryloyldimethyltaurate/VP Crosspolymer, Acrylates /Dimethicone Copolymer, Glyceryl Stearate, Chlorphenesin, Styrene /Acrylates Copolymer, Zingiber Officinale (Ginger) Root Extract, Menthyl Lactate, Tocopheryl Acetate, Disodium EDTA, Trideceth-6, Chrysanthemum Parthenium (Feverfew) Flower /Leaf/Stem Juice, Sodium Hydroxide, Yellow 5, Red 40

**Questions?**

Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:  
**JOHNSON & JOHNSON  
CONSUMER INC.**  
Skillman, NJ 08558  
© J&JCI 2022  
Pat. [www.jjciipats.com](http://www.jjciipats.com)  
30052191

LOT/EXP



# NEUTROGENA INVISIBLE DAILY DEFENSE FACE SERUM SUNSCREEN BROAD SPECTRUM SPF 60 PLUS

avobenzone, homosalate, octisalate, and octocrylene lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0681
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	135 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW)</b> (UNII: S7ZA3CCJ4M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>GINGER</b> (UNII: C5529G5JPQ)	
<b>MENTHYL LACTATE, (-)-</b> (UNII: 2BF9E65L7I)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>TRIDECETH-6</b> (UNII: 3T5PCR2H0C)	
<b>FEVERFEW</b> (UNII: Z64FK7P217)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POLYURETHANE-62</b> (UNII: TBK645J3J8)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0681-2	1 in 1 CARTON	10/05/2020	
1		50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:69968-0681-1	14 mL in 1 TUBE; Type 0: Not a Combination Product	10/05/2020	12/26/2026

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/05/2020	

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 1/2026

Kenvue Brands LLC