

MAXIMUM STRENGTH LAXATIVE- sennosides tablet, coated
CVS HEALTH

195R-CVS MAXIMUM STRENGTH LAXATIVE

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product do not use for a period longer than 1 week

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- swallow tablet (s) with a glass of water.
- swallow tablet (s) whole, do not crush, break or chew.

adults and children 12 years of age and older	2 tablets once or twice daily
children 6 to under 12 years of age	1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

- **each tablet contains:** calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)
- store between 20°-25°C (68°-77°F)

Inactive ingredients acacia, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin,

Coating/Print Omit Area
Lot No. _____
Exp. Date: _____

SENNOSIDES USP 25 mg
Laxative Pills
MAXIMUM STRENGTH
CVS Health

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts

Active ingredient (in each tablet)
Sennosides USP 25 mg, Stimulant Laxative

Uses
relieves occasional constipation (irregularity)
generally produces bowel movement in 6 to 12 hours

Warnings
Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

Ask a doctor before use if you have
noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you
are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product
do not use for a period longer than 1 week

Stop use and ask a doctor if
rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
Swallow tablet(s) with a glass of water.
Swallow tablet(s) whole, do not crush, break, or chew.
adults and children 12 years of age and older take 2 tablets once or twice daily
children 6 to under 12 years of age take 1 tablet once or twice daily
children under 6 years of age ask a doctor

Other information
each tablet contains: calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)
store between 20°-25°C (68°-77°F)

Inactive ingredients acacia, calcium sulfite anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid, sugar, talc, titanium dioxide

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

*This product is not manufactured or distributed by Novartis, owner of the registered trademark ex-lax®. 195R 0920

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2021 CVS/pharmacy
CVS.com® 1-800-SHOP CVS V-37103

#318266
FPO 80%
UPC# 050428424834
X XXXXXX XXXXXX X

CVS Health
Compare to the active ingredient in ex-lax® Maximum Strength*
NDC 69842-195-09

MAXIMUM STRENGTH
Laxative Pills
SENNOSIDES USP 25 mg
Stimulant laxative
Gentle, dependable
Overnight relief



90 TABLETS

CVS Health
Compare to the active ingredient in ex-lax® Maximum Strength*
NDC 69842-195-09

MAXIMUM STRENGTH
Laxative Pills
SENNOSIDES USP 25 mg
Stimulant laxative
Gentle, dependable
Overnight relief



90 TABLETS

Coating/Print Omit Area

E1323R1

Coating/Print Omit Area

CVS Health NDC 69842-195-09

MAXIMUM STRENGTH

Laxative Pills

SENNOSIDES USP 25 mg

- Stimulant laxative
- Gentle, dependable
- Overnight relief

90 TABLETS

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts
Active ingredient (in each tablet)
Sennosides USP 25 mg, Stimulant Laxative

Uses
relieves occasional constipation (irregularity)
generally produces bowel movement in 6 to 12 hours

Warnings
Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor

Ask a doctor before use if you have
noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you
are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product
do not use for a period longer than 1 week

Stop use and ask a doctor if
rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
Swallow tablet(s) with a glass of water.
Swallow tablet(s) whole, do not crush, break, or chew.
adults and children 12 years of age and older take 2 tablets once or twice daily
children 6 to under 12 years of age take 1 tablet once or twice daily
children under 6 years of age ask a doctor

Other information
TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING
each tablet contains: calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)
store between 20°-25°C (68°-77°F)

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2021 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-37103

Lot No. _____
Exp. Date: _____

Varnish Omit Area

Adhesive Area

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Swallow tablet(s) with a glass of water.
- Swallow tablet(s) whole; do not crush, break or chew.

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

- each tablet contains: calcium 40 mg, sodium 2 mg (VERY LOW SODIUM)
- store between 20° -25°C (68° -77°)

Inactive ingredients acacia, calcium sulfate anhydrous, carmelum wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C Blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide-yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polydextrose, stearic acid, stearic acid, stearic acid, titanium dioxide



Compare to the active ingredient in ex-lax® Maximum Strength*
NDC 69842-195-25

MAXIMUM STRENGTH

Laxative Pills

SENNOSIDES USP 25 mg

- Stimulant laxative
- Gentle, dependable
- Overnight relief



Actual
Size

250 TABLETS

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet) Purpose
Sennosides USP, 25 mg Stimulant Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

- do not use for a period longer than 1 week

Stop use and ask a doctor if

- rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

Drug Facts (continued under label)

* This product is not manufactured or distributed by Novartis, owner of the registered trademark ex-lax®. 195R 02/20

Distributed by:
CVS Pharmacy, Inc.
 One CVS Drive
 Woonsocket, RI 02895
 © 2021 CVS Pharmacy
 1-800-SHOP CVS
 CVS.com® #965887 X XXXXX XXXXX X
 V-37103

Lot No.: **Warrish Omit Area**
 Exp. Date: 

MAXIMUM STRENGTH LAXATIVE

sennosides tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-195
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
KAOLIN (UNII: 24H4NWX5CO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)
CARNAUBA WAX (UNII: R12CBM0EIZ)
MAGNESIUM STEARATE (UNII: 70097M6I30)
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)
STEARIC ACID (UNII: 4ELV7Z65AP)
SUCROSE (UNII: C151H8M554)
TALC (UNII: 7SEV7J4R1U)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
STARCH, CORN (UNII: O8232NY3SJ)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
POVIDONE (UNII: FZ989GH94E)
SHELLAC (UNII: 46N107B71O)
ACACIA (UNII: 5C5403N26O)
IRON OXIDES (UNII: 1K09F3G675)

Product Characteristics

Color	blue	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	TCL083
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-195-24	24 in 1 BLISTER PACK; Type 0: Not a Combination Product	12/01/2020	
2	NDC:69842-195-09	90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/2020	
3	NDC:69842-195-25	250 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	12/01/2020	

Labeler - CVS HEALTH (062312574)

Registrant - TIME CAP LABS,INC (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(69842-195)

