

**CHILDRENS DIBROMM COLD AND ALLERGY- brompheniramine maleate,
phenylephrine hcl liquid
Fred's Inc**

Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate 2 mg

Phenylephrine HCl 5 mg

Purposes

Antihistamine

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland

- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- shake well before using

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- **each 10 mL contains:** sodium 5 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red # 40, flavor, glycerin, propylene glycol,

purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

6 + YEARS

CHILDREN'S

COLD & ALLERGY

BROMPHENIRAMINE MALEATE 2 mg

Antihistamine

PHENYLEPHRINE HCl 5 mg

Nasal Decongestant

Relieves:

- Itchy, Watery Eyes
- Runny Nose
- Sneezing
- Stuffy Nose
- Itchy Nose or Throat

GRAPE FLAVOR

Alcohol free

*Compare To Active Ingredients in Children's Dimetapp® Cold & Allergy

FL OZ (mL)

Dosing Cup Included

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Children's Dimetapp® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: fred's Inc.

4300 NEW GETWELL RD, MEMPHIS, TN 38118

www.fredsinc.com

Package Label

Drug Facts (continued)	
Age	Dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use
Other information	
■ each 10 mL contains: sodium 5 mg	
■ store between 20-25°C (68-77°F). Do not refrigerate.	
Inactive ingredients citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose	
Questions or comments? Call 1-877-753-3835 Monday-Friday 9AM-5PM EST	

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Children's Dimetapp® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



Dosing Cup Included

100% satisfaction guaranteed
Questions or comments:
1-855-331-FRED (3733)

DISTRIBUTED BY: fred's, Inc.
4300 NEW GETWELL RD, MEMPHIS, TN 38118
www.fredsinc.com

NDC 55315-312-04

fred's
Pharmacy

6+ YEARS

CHILDREN'S COLD & ALLERGY

BROMPHENIRAMINE MALEATE 2mg
Antihistamine
PHENYLEPHRINE HCl 5mg
Nasal Decongestant

Relieves:
• Itchy, Watery Eyes
• Runny Nose
• Sneezing
• Stuffy Nose
• Itchy Nose or Throat



GRAPE FLAVOR
Alcohol Free

4 FL OZ (118 mL)

*Compare To Active Ingredients in
Children's Dimetapp®
Cold & Allergy

NDC 55315-312-04

fred's
Pharmacy

6+ YEARS

CHILDREN'S COLD & ALLERGY

BROMPHENIRAMINE MALEATE 2mg
Antihistamine
PHENYLEPHRINE HCl 5mg
Nasal Decongestant

Relieves:
• Itchy, Watery Eyes
• Runny Nose
• Sneezing
• Stuffy Nose
• Itchy Nose or Throat



GRAPE FLAVOR
Alcohol Free

4 FL OZ (118 mL)

*Compare To Active Ingredients in
Children's Dimetapp®
Cold & Allergy

Drug Facts	
Active ingredients (in each 10 mL)	Purposes
Brompheniramine maleate 2 mg	Antihistamine
Phenylephrine HCl 5 mg	Nasal decongestant
Uses	
■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies	
■ temporarily relieves these symptoms due to hay fever (allergic rhinitis)	
■ runny nose	■ itchy, watery eyes
■ sneezing	■ itching of the nose or throat
■ temporarily restores freer breathing through the nose	
Warnings	
Do not use	
■ to sedate a child or to make a child sleepy	
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	
Ask a doctor before use if you have	
■ heart disease	■ high blood pressure
■ diabetes	■ thyroid disease
■ trouble urinating due to an enlarged prostate gland	
■ a breathing problem such as emphysema or chronic bronchitis	
Ask a doctor or pharmacist before use if you are	
■ taking any other oral nasal decongestant or stimulant	
■ taking sedatives or tranquilizers	
When using this product	
■ do not use more than directed	
■ drowsiness may occur	
■ avoid alcoholic beverages	
■ alcohol, sedatives, and tranquilizers may increase drowsiness	
■ be careful when driving a motor vehicle or operating machinery	
■ excitability may occur, especially in children	
Stop use and ask a doctor if	
■ nervousness, dizziness or sleeplessness occur	
■ symptoms do not get better within 7 days or are accompanied by fever	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions	
■ do not take more than 6 doses in any 24-hour period	
■ measure only with dosing cup provided. Do not use any other dosing device.	
■ keep dosing cup with product	
■ shake well before using	
■ mL = milliliter	



PLD-A260C F0004694

Lot No.:

Exp. Date:

FRED'S PHARMACY Children's Cold & Allergy

CHILDRENS DIBROMM COLD AND ALLERGY

brompheniramine maleate, phenylephrine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-312
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9Z N03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-312-04	1 in 1 BOX	07/31/2015	07/31/2024
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/31/2015	07/31/2024

Labeler - Freds Inc (005866116)

Revised: 11/2023

Freds Inc