

SEA AND SKI SPF 50- avobenzone, homosalate, octisalate, octocrylene lotion Cross Brands Contract Filling

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sea & Ski Sport Sunscreen Lotion SPF 50 1.5oz Reef Friendly

Active Ingredients

Reef-Friendly

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%	Sunscreen
<p>Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</p> <p>Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.</p> <p>Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68°- 77° F).</p> <p>Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water</p> <p>Questions or comments? Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com</p>	

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulding Healthcare (JP) Holdings, Inc. and is used under license.

Made in U.S.A.

8 17013 02154 6

Avobenzone 3.0%, Homsalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%

Purpose

Reef-Friendly

Drug Facts						
<table border="0"> <tr> <td style="vertical-align: top;">Active ingredients</td> <td style="font-size: 3em; vertical-align: middle;">}</td> <td style="vertical-align: middle;">Purpose</td> </tr> <tr> <td colspan="2">Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%</td> <td>Sunscreen</td> </tr> </table>	Active ingredients	}	Purpose	Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%		Sunscreen
Active ingredients	}	Purpose				
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%		Sunscreen				
<p>Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</p>						
<p>Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>						
<p>Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.</p>						
<p>Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).</p>						
<p>Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexyl glycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water</p>						
<p>Questions or comments? Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com</p>						

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulding Healthcare (IP) Holdings, Inc. and is used under license.



8 17013 02154 6

Sunscreen

Uses

Reef-Friendly

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%	Sunscreen
<p>Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</p>	
<p>Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p>Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.</p>	
<p>Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).</p>	
<p>Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water</p>	
<p>Questions or comments? Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com</p>	

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (PI) Holdings, Inc. and is used under license.



Made in U.S.A.



8 17013 02154 6

helps prevent sunburn. if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

Reef-Friendly

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 7.0%, Octocrylene 8.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).

Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water

Questions or comments?

Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (F) Holdings, Inc. and is used under license.



For External Use Only

Do Not Use

Reef-Friendly

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 7.0%, Octocrylene 8.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).

Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate copolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water

Questions or comments?

Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (F) Holdings, Inc. and is used under license.



Made in U.S.A.



8 17013 02154 6

on damaged or broken skin.

When Using This Product

Reef-Friendly

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 7.0%, Octocrylene 8.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).

Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water

Questions or comments?

Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (F) Holdings, Inc. and is used under license.



Made in U.S.A.



8 17013 02154 6

Keep out of eyes. Rinse with water to remove

Stop Use and Ask a Doctor if

Reef-Friendly

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 7.0%, Octocrylene 8.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).

Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water

Questions or comments?

Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (PI) Holdings, Inc. and is used under license.



rash occurs

Keep out of reach of children

Reef-Friendly

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 7.0%, Octocrylene 8.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).

Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate copolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water

Questions or comments?

Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (F) Holdings, Inc. and is used under license.



Made in U.S.A.



8 17013 02154 6

If swallowed, get medical help or contact a Poison Control Cener right away.

Directions

Reef-Friendly

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%	Sunscreen
Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • apply liberally 15 minutes before sun exposure • reapply: <ul style="list-style-type: none"> ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> ■ Limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor. 	
Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).	
Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water	
Questions or comments? Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com	

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (PI) Holdings, Inc. and is used under license.

Made in U.S.A.

8 17013 02154 6

apply liberally 15 minutes before sun exposure. reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p. m.
- wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: Ask a doctor.

Other information

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Reef-Friendly

Drug Facts				
<table border="0"><tr><td>Active ingredients</td><td>Purpose</td></tr><tr><td>Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%</td><td>Sunscreen</td></tr></table>	Active ingredients	Purpose	Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%	Sunscreen
Active ingredients	Purpose			
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%	Sunscreen			
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun				
Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children . If swallowed, get medical help or contact a Poison Control Center right away.				
Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.				
Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).				
Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water				
Questions or comments? Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com				

Sea & Ski is a trademark of Faulking Healthcare (P) Holdings, Inc. and is used under license.

Made in U.S.A.



protect this product from excessive heat and direct sun
may stain some fabrics, wood, plastics, vinyl
for use on skin only
store between 20°-25°C (68°-77°F).

Inactive

Reef-Friendly

Drug Facts	
Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 15.0%, Octisalate 7.0%, Octocrylene 8.0%	Sunscreen
<p>Uses • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</p>	
<p>Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p>Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.</p>	
<p>Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).</p>	
<p>Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water</p>	
<p>Questions or comments? Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com</p>	

Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (PI) Holdings, Inc. and is used under license.

Made in U.S.A.

8 17013 02154 6

acrylates copolymer, acrylates/c10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/ acrylates copolymer, triethanolamine, water

Questions or comments?

Reef-Friendly

Drug Facts

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%,
Octisalate 7.0%, Octocrylene 8.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours • **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ Children under 6 months: Ask a doctor.

Other information • protect this product from excessive heat and direct sun • may stain some fabrics, wood, plastics, vinyl • for use on skin only • Store between 20° - 25° C (68° - 77° F).

Inactive ingredients • acrylates copolymer, acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/acrylates copolymer, triethanolamine, water

Questions or comments?

Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com


Manufactured and Distributed by: Cross-Brands Contract Filling, LLC | 1938 Murrell Road, Rockledge, FL 32955

Sea & Ski is a trademark of Faulkling Healthcare (PI) Holdings, Inc. and is used under license.



Call 855-sea-n-ski (855-732-6754) or visit www.seaNski.com

Front Label



SEA AND SKI SPF 50

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73440-2154
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.275 g in 42.5 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	6.375 g in 42.5 g

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.975 g in 42.5 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	3.4 g in 42.5 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	20.59 g in 42.5 g

Product Characteristics

Color	white (Opaque)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73440-2154-1	42.5 g in 1 TUBE; Type 0: Not a Combination Product	09/25/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/25/2020	

Labeler - Cross Brands Contract Filling (117871824)

Establishment

Name	Address	ID/FEI	Business Operations
Cross Brands Contract Filling		117871824	label(73440-2154) , manufacture(73440-2154) , pack(73440-2154)

Revised: 2/2021

Cross Brands Contract Filling