

CARBON DIOXIDE- carbon dioxide gas
NexAir, LLC

Carbon Dioxide

UN1013

CARBON DIOXIDE, USP

DO NOT REMOVE THIS LABEL


WARNING! CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. MAY INCREASE RESPIRATION AND HEART RATE. Do not handle until all safety precautions have been read and understood. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Wear protective gloves, protective clothing, and either eye or face protection. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. WARNING: The administration of carbon dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of carbon dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. Rx ONLY.

IN CASE OF EMERGENCY: CALL 1-888-639-2474

CAS: 124-38-9

nexAir

Distributed by nexAir, LLC, 1350 Concourse Ave., Suite 103, Memphis, TN 38104



UN2187

CARBON DIOXIDE, REFRIGERATED LIQUID USP

WARNING!

CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY INCREASE RESPIRATION AND HEART RATE.

IN CASE OF EMERGENCY: CALL 1-888-639-2474

CAS: 124-38-9

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

DO NOT CHANGE OR FORCE-FIT CONNECTIONS

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. DO NOT change or force fit connections. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Always keep container in upright position. Never put cylinders into unventilated areas of passenger vehicles. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

WARNING: The administration of carbon dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of carbon dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. Rx ONLY.

DO NOT REMOVE THIS LABEL.

nexAir

Distributed by nexAir, LLC, 1350 Concourse Ave., Suite 103, Memphis, TN 38104

<h1>UN2187</h1> <p>CARBON DIOXIDE, REFRIGERATED LIQUID USP</p>		<p>↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION ↑</p> <p>DO NOT CHANGE OR FORCE-FIT CONNECTIONS</p>
<p>WARNING!</p> <p>CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY INCREASE RESPIRATION AND HEART RATE.</p>	<p>Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. DO NOT change or force fit connections. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Always keep container in upright position. Never put cylinders into unventilated areas of passenger vehicles. Read and follow the Safety Data Sheet (SDS) before use..</p> <p>FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.</p> <p>IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.</p> <p>WARNING: The administration of carbon dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of carbon dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. Rx ONLY.</p>	
<p>IN CASE OF EMERGENCY: CALL 1-888-639-2474 CAS: 124-38-9</p>		
<p>MDB-0017-NXA (Rev. 01)</p>	<p>DO NOT REMOVE THIS LABEL.</p>	<p>Distributed by nexAir, LLC, 1350 Concourse Ave., Suite 103, Memphis, TN 38104</p>

CARBON DIOXIDE

carbon dioxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:12213-900
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBON DIOXIDE (UNII: 142M471B3J) (CARBON DIOXIDE - UNII:142M471B3J)	CARBON DIOXIDE	991 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:12213-900-11	566 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
2	NDC:12213-900-12	12385 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022

3	NDC:12213-900-13	990 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
4	NDC:12213-900-19	24750 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
5	NDC:12213-900-53	1238 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
6	NDC:12213-900-58	1584 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
7	NDC:12213-900-27	180 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1996	
8	NDC:12213-900-28	4951 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
9	NDC:12213-900-25	24678 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
10	NDC:12213-900-26	12339 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
11	NDC:12213-900-29	18564 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
12	NDC:12213-900-30	1641 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA215007	06/01/1996	

Labeler - NexAir, LLC (927024422)

Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		010263301	manufacture(12213-900)

Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR CARBONIC, LLC		117524580	manufacture(12213-900)

Establishment

Name	Address	ID/FEI	Business Operations
NexAir, LLC		927024422	manufacture(12213-900)

Establishment

Name	Address	ID/FEI	Business Operations
NexAir, LLC		969017086	manufacture(12213-900)