

**SUN LOGIC CREME SOLAIRE VISAGE ET CORPS SPF 30- avobenzone, homosalate, octinoxate, octisalate, octocrylene lotion**  
**Guinot**

-----  
**Sun Logic Creme Solaire Visage et corps SPF 30**

***Drug Facts***

***Active ingredients***

Avobenzone 2.85%

Homosalate 14.00%

Octinoxate 7.12%

Octisalate 4.75%

Octocrylene 9.50%

***purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

- For external use only

***Do not use***

on damaged or broken skin

***When using this product***

keep out of eyes. Rinse with water to remove

***Stop use and ask***

a doctor if rash occurs

***Keep out of reach of children.***

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. to 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses
    - Children under 6 months: Ask a doctor.

### ***Other information***

- Protect this product from excessive heat and direct sun
- Store below 30°C/86°F

### ***Inactive ingredients***

Water/Eau (Aqua), Diisopropyl Adipate, Cetearth-20, Propanediol, Caprylyl Methicone, Arachidyl Alcohol, Pentylene Glycol, Behenyl Alcohol, Sclerotium Gum, Fragrance (Parfum), Propylene Glycol, Arachidyl Glucoside, Glyceryl Caprylate, Potassium Cetyl Phosphate, Tocopheryl Acetate, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Glycerin, Betaine, Limonene, Pectin, Melanin, Sodium Chloride, Polysorbate 60, Sorbitan Isostearate, DNA, Sucrose, Alpha-Isomethyl Ionone, Glyceryl Acrylate/Acrylic Acid Copolymer, Ethylhexylglycerin, Capryloyl Glycine, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Sodium Hyaluronate, Triticum Vulgare (Wheat) Germ Protein, Caprylyl Glycol, Xanthan Gum. 01

### **Package Labeling:**



**GUINOT**  
INSTITUT • PARIS

**SUN LOGIC**



**HAUTE • HIGH  
PROTECTION**  
LARGE SPECTRE • BROAD SPECTRUM

**CRÈME SOLAIRE  
VISAGE ET CORPS  
SUNSCREEN CREAM  
FACE AND BODY**

e 50 ml - NET WT 1.4 OZ

**Information  
sur le médicament  
(suite)**

**Mode d'emploi**

■ Appliquer généreusement 15 minutes avant l'exposition au soleil.

■ Appliquer de nouveau au moins toutes les 2 heures.

■ Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration.

■ Mesures de protection contre le soleil: Passer du temps au soleil augmente le risque de cancer de la peau et de vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un F.P.S à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que :

- limiter le temps passé au soleil, notamment entre 10 et 14 heures; et

- porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil.

■ Pour les enfants âgés de moins de 6 mois, consulter un professionnel de la santé.

**Autres renseignements**

■ Protéger ce produit de la chaleur excessive et du contact direct avec le soleil.

■ Conserver à une température inférieure à 30°C.

**Ingrédients inactifs**

Voir Inactive ingredients

**Information  
sur le médicament**

**Ingrédients actifs.... Utilité**

Voir Active ingredients ..... Ecrans solaires

**Usages**

■ Aide à prévenir les coups de soleil.

■ Si le produit est utilisé selon les instructions et avec d'autres mesures de protection contre le soleil [voir le Mode d'emploi], le risque de cancer de la peau et de vieillissement prématuré de la peau causé par le soleil est réduit.

**Mise en garde**

■ Pour usage externe seulement.

■ Ne pas utiliser sur la peau endommagée ou présentant des lésions.

■ Eviter tout contact avec les yeux. Rincer à l'eau le cas échéant.

■ En présence d'une éruption cutanée, cesser l'utilisation et consulter un professionnel de la santé.

■ Garder hors de portée des enfants. En cas d'ingestion, consulter un médecin immédiatement ou appeler un centre anti-poison.



L XXXXXXXX  
EXP MM YYYY



3 500465 145218

**Drug Facts**

**Active ingredients**

Active ingredients	purpose
Avobenzon 2.85%	Sunscreen
Homosalate 14.00%	Sunscreen
Octinoxate 7.12%	Sunscreen
Octisalate 4.75%	Sunscreen
Octocrylene 9.50%	Sunscreen

**Uses**

■ Helps prevent sunburn  
■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

■ For external use only  
■ Do not use on damaged or broken skin  
■ When using this product keep out of eyes. Rinse with water to remove  
■ Stop use and ask a doctor if rash occurs  
■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

■ Apply liberally 15 minutes before sun exposure  
■ Reapply at least every 2 hours  
■ Use a water resistant sunscreen if swimming or sweating  
■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
- Limit time in the sun, especially from 10 a.m. to 2 p.m.  
- Wear long-sleeve shirts, pants, hats, and sunglasses  
■ Children under 6 months: Ask a doctor.

**Other information**

■ Protect this product from excessive heat and direct sun  
■ Store below 30°C/86°F

Imported by LACHMAN IMPORTS  
(800) 523-1030

Réf. 0514521  
Guinot, 120 av. Charles de Gaulle 92200 Neuilly-sur-Seine  
Made in France - 77190 Dammarie

**Inactive ingredients**

Water/Eau (Aqua), Diisopropyl Adipate, Ceteareth-20, Propanediol, Caprylyl Methicone, Arachidyl Alcohol, Pentylene Glycol, Behenyl Alcohol, Sclerotium Gum, Fragrance (Parfum), Propylene Glycol, Arachidyl Glucoside, Glyceryl Caprylate, Potassium Cetyl Phosphate, Tocopheryl Acetate, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Glycerin, Betaine, Limonene, Pectin, Melanin, Sodium Chloride, Polysorbate 60, Sorbitan Isostearate, DNA, Sucrose, Alpha-Isomethyl Ionone, Glyceryl Acrylate/Acrylic Acid Copolymer, Ethylhexylglycerin, Caprylyl Glycoline, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Sodium Hyaluronate, Triticum Vulgare (Wheat) Germ Protein, Caprylyl Glycol, Xanthan Gum. 01

**GUINOT**  
INSTITUT • PARIS

SUN LOGIC



HAUTE • HIGH  
PROTECTION  
LARGE SPECTRE • BROAD SPECTRUM

CRÈME SOLAIRE  
VISAGE ET CORPS  
SUNSCREEN CREAM  
FACE AND BODY

**Usage**

- Aide à prévenir les coups de soleil.

**Mode d'emploi**

- Appliquer généreusement 15 minutes avant l'exposition au soleil.
- Appliquer de nouveau au moins toutes les 2 heures.
- Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration.
- Pour les enfants âgés de moins de 6 mois, consulter un professionnel de la santé.

**Use**

- Helps prevent sunburns

**Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months: ask a doctor

**Active ingredients / Ingrédients actifs**

Avobenzone 2.85%  
Homosalate 14.00%  
Octinoxate 7.12%  
Octisalate 4.75%  
Octocrylene 9.50%

Imported by LACHMAN IMPORTS - (800) 523-1030  
L XXXXXXXX  
EXP MM YYYY

e 50 ml - NETWT 1.4 OZ

Guinot, 120 av. Charles de Gaulle  
92200 Neuilly-sur-Seine  
Made in France - 77190 Dammarie

**SUN LOGIC CREME SOLAIRE VISAGE ET CORPS SPF 30**

avobenzone, homosalate, octinoxate, octisalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54181-011
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	28.5 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	140 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	71.2 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	47.5 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	95 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>BETASIZOFIRAN</b> (UNII: 2X51AD1X3T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6jVW35JOOJ)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BETAINE</b> (UNII: 3SCV180C9W)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>PECTIN</b> (UNII: 89NA02M4RX)	
<b>MELANIN SYNTHETIC (TYROSINE, PEROXIDE)</b> (UNII: 00CV1RMR44)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CAPRYLOYL GLYCINE</b> (UNII: 8TY5YO42NJ)	
<b>HAMAMELIS VIRGINIANA LEAF</b> (UNII: T07U1161SV)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>WHEAT</b> (UNII: 4J2I0SN84Y)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54181-011-00	1 in 1 BOX	12/23/2017	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M020	12/23/2017	
--------------------	------	------------	--

**Labeler -** Guinot (763667185)

**Establishment**

Name	Address	ID/FEI	Business Operations
Guinot		763667185	manufacture(54181-011)

Revised: 12/2025

Guinot