

**GENE 16 WHITENING FACTOR- allantoin tablet, soluble**  
**Shanghai Liang Liang International Inc**

-----  
**Shanghai Liang Liang International Inc**

**Active Ingredient**

Allantoin 0.5%

**Purpose**

Allantoin    Skin Lightener  
                  Skin Protectant

**Warning**

For External Use Only.

**Use**

Apply moderate amount of the product on the skin.

**Stop Using the Product if**

Stop using the product when you have skin problems or the product disagrees with your skin.

- ☐ Stop using the product immediately and consult a dermatologist if you have redness, swelling, itching or irritation on the skin while or after using the product.
- ☐ If the product gets into the eyes, don't rub but rinse with water.

**Keep Out of Reach of Children**

Keep out of reach of children.

**When Using the Product**

Mix one tablet with water in palm to dissolve before applying to skin. Two tablets two times a day. One after face cleanse in the morning; and one before bed.

**Other Information**

Keep in a dry, cool place away from direct sunlight. Store at room temperature.

**Contact the Manufacturer or Distributor**

Manufactured by Shanghai Liang Liang International Inc.  
 No. 876, TaoGan Road, Sheshan Town, Songjiang District, Shanghai 201602, China  
 (86)21-57794082

Distributed by Shanghai Liang Liang International Inc (USA)

## Inactive Ingredients

HYALURONIC ACID, TREHALOSE, MANNITOL, GLYCYRRHIZA GLABRA, CENTELLA ASIATICA, RESVERATROL, ARBUTIN, NIACINAMIDE, LECITHIN SOYBEAN, CERAMIDE 3, TOCOPHEROL, ASTAXANTHIN, PUNICA GRANATUM WHOLE

## Drug Facts

**Drug Facts**

**Active Ingredient Purpose**  
 Allantoin 0.5% Allantoin: Skin Lightener (whitening)  
 Skin Protectant

**Uses:**  
 Apply moderate amount of the product on the skin.

**Warnings:**  
 For External Use Only.

**When using this product**  
 Mix one tablet with water in palm to dissolve before applying to skin. Two tablets two times a day. One after face cleanse in the morning; and one before bed.

**Stop using the product if**

- Stop using the product when you have skin problems or the product disagrees with your skin.
- Stop using the product immediately and consult a dermatologist if you have redness, swelling, itching or irritation on the skin while or after using the product.
- If the product gets into the eyes, don't rub but rinse with water.

**Keep Out of Reach of Children**  
 Keep out of reach of children.

**Other Information**  
 Keep in a dry, cool place away from direct sunlight. Store at room temperature.

**Inactive Ingredients**  
 HYALURONIC ACID, TREHALOSE, MANNITOL, GLYCYRRHIZA GLABRA, CENTELLA ASIATICA, RESVERATROL, ARBUTIN, NIACINAMIDE, LECITHIN SOYBEAN, CERAMIDE 3, TOCOPHEROL, ASTAXANTHIN, PUNICA GRANATUM WHOLE

**GENE 16  
 WHITENING FACTOR**  
 Allantoin tablet, soluble

Helps maintain skin moisture  
 Net weight: 70mg/Tablet, 10pieces/plate

Shanghai Liang Liang International Inc.  
 Manufactured by Shanghai Liang Liang International Inc.  
 No. 876, TaoGan Road, Sheshan Town, Songjiang District,  
 Shanghai 201602, China(86)21-57794082  
 Distributed by Shanghai Liang Liang International Inc ( USA )

**Administration**

**Step 1.**  
 Keep hands clean before peeling off the lid (covering) foil.

**Step 2.**  
 Softly push out the tablet from the aluminum cavity.

**Step 3.**  
 Drip 3 to 4 drops of mineral water onto tablet until tablet is well absorbed and soft.

**Step 4.**  
 Apply and gently massage on face in a circular motion.

**Tips:**

1. Please do not push the aluminum cavity before peeling off the lidding (covering) foil.
2. If tablet broken due to improper handling, the effect of tablet would not be harmed.
3. One tablet at a time, once daily before bedtime would render maximum absorption of the active ingredients.
4. Avoid sunshine and keep at cool place.

## GENE 16 WHITENING FACTOR

allantoin tablet, soluble

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69764-001
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.5 mg in 100 mg

**Inactive Ingredients**

Ingredient Name	Strength
HYALURONIC ACID (UNII: S270N0TRQY)	
TREHALOSE (UNII: B8WCK70T7I)	
MANNITOL (UNII: 3OWL53L36A)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
RESVERATROL (UNII: Q369O8926L)	
ARBUTIN (UNII: C5INA23HXF)	
NIACINAMIDE (UNII: 25X51I8RD4)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CERAMIDE 3 (UNII: 4370DF050B)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ASTAXANTHIN (UNII: 8XPW32PR7I)	
PUNICA GRANATUM WHOLE (UNII: O2ZTS50U5E)	

**Product Characteristics**

Color	white	Score	no score
Shape	OVAL	Size	8mm
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69764-001-10	1 in 1 PACKAGE	09/25/2014	
1		7 mg in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	09/25/2014	

**Labeler** - Shanghai Liang Liang International Inc (547834726)**Registrant** - Shanghai Liang Liang International Inc (547834726)

## Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Liang Liang International Inc		547834726	manufacture(69764-001)

Revised: 12/2023

Shanghai Liang Liang International Inc