

**DR. RECKEWEG R68 HERPEZOSTIN COMBINATION PRODUCT- mezereum 3x, croton tiglium 6x, rhus toxicodendron 4x, natrum muriaticum 6x liquid
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DR. RECKEWEG R68 Herpezostin

Active ingredients

Mezereum 3X 5 g, Croton tiglium 6X 2 g, Rhus toxicodendron 4X 2 g, Natrum muriaticum 6X 1 g in 10 g.

Purpose

Relieves symptoms associated with cold sores, zona, burning and itching irritations of the skin

Uses

For the temporary relief of minor symptoms associated with:

- Cold sores
- Zona
- Burning and itching irritations of the skin

Warnings

Do not use

- if hypersensitive to poison sumac.

When using this product

- in very rare cases, gastrointestinal complaints may occur after use. In this case discontinue use of product.
- in very rare cases, skin reactions may occur after use. In this case discontinue use of product.

Stop use and ask a doctor if symptoms persist, get worse, or if new symptoms occur.

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children.

Directions

Adults and children \geq 12 years 5-10 drops, children (6-11 years) 3-7 drops, all ages take 1-3 times daily in a little water or undiluted or as recommended.

Other information


- Tamper resistant: do not use if safety ring at base of cap is broken.
- Retain outer carton for full product information.

Inactive ingredients

Ethanol, purified water.

Questions?

Call 1-800-361-7872 or email questions@reckeweg.com




R 68

US GELB V0413

The statements on this package are supported by traditional homeopathic principles. The Food and Drug Administration does not evaluate homeopathic products.

Distributed by:
Dr. Reckeweg America Inc.
QC Canada H9P 2T8

Made in Germany



Drug Facts

Active ingredients (in 10 g)
Mezereum 3X 5 g, Croton tiglium 6X 2 g, Rhus toxicodendron 4X 2 g, Natrum muriaticum 6X 1 g.

Purpose
Relieves symptoms associated with cold sores, zona, burning and itching irritations of the skin

Uses
For the temporary relief of minor symptoms associated with:

- Cold sores
- Zona
- Burning and itching irritations of the skin

Warnings
Do not use ■ if hypersensitive to poison sumac.

When using this product ■ in very rare cases, gastrointestinal complaints may occur after use. In this case discontinue use of product. ■ in very rare cases, skin reactions may occur after use. In this case discontinue use of product.

NDC# 53346-1368-5


R 68

Herpezostin

Homeopathic preparation for the temporary relief of minor symptoms associated with:

- Cold sores
- Zona
- Burning and itching irritations of the skin

1.68 fl oz (50 ml)



Drug Facts (continued)

Stop use and ask a doctor if symptoms persist, get worse, or if new symptoms occur.

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and over	5-10 drops
Children (6-11 years)	3-7 drops

■ All ages take 1-3 times daily in a little water or undiluted or as recommended.

Other information


- Tamper resistant: do not use if safety ring at base of cap is broken.
- Retain outer carton for full product information.

Inactive ingredients
Ethanol, purified water.

Questions?
Call 1.800.361.7872 or email questions@reckeweg.com

Manufactured by:
Dr. Reckeweg & Co. GmbH
D-64625 Bensheim · Germany

Dr. Reckeweg



NDC# 53346-1368-5

Dr. Reckeweg R68 Herpezostin

Homeopathic preparation for the temporary relief of minor symptoms associated with:

- Cold sores
- Zona
- Burning and itching irritations of the skin

Manufactured by:

Dr. Reckeweg Co. GmbH

D-64625 Bensheim

Germany

**1.68 fl oz
(50 ml)**

DR. RECKEWEG R68 HERPEZOSTIN COMBINATION PRODUCT

mezereum 3x, croton tiglium 6x, rhus toxicodendron 4x, natrum muriaticum 6x liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53346-1368
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DAPHNE MEZEREUM BARK (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV)	DAPHNE MEZEREUM BARK	3 [hp_X] in 50 mL
CROTON TIGLIUM SEED (UNII: 0HK2GZK66E) (CROTON TIGLIUM SEED - UNII:0HK2GZK66E)	CROTON TIGLIUM SEED	6 [hp_X] in 50 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	4 [hp_X] in 50 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37, CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	6 [hp_X] in 50 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53346-1368-5	50 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/1986	

Labeler - PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO (318602612)**Establishment**

Name	Address	ID/FEI	Business Operations
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO		318602612	manufacture(53346-1368)

Revised: 4/2013

PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO