

MEDLINE- benzalkonium chloride, lidocain hydrochloride spray
Medline Industries, LP

919 Medline Burn Spray

Active ingredient

Benzalkonium chloride 0.13% w/w

Lidocaine HCl 4% w/w

Purpose

First aid antiseptic

Topical pain reliever

Uses

- first aid to help prevent the risk of bacterial contamination in minor cuts, scrapes, and burns
- for the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites, and minor skin irritations

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week, unless directed by a doctor
- in large quantities, particularly over raw surfaces or blistered areas

Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

When using this product

- contents under pressure
- do not puncture or incinerate
- store at temperatures between 45°-130°F (7°-54°C), avoid excessive heat

Stop use and consult a doctor if

- condition persists or gets worse

Keep out of reach of children.

If accidentally ingested, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- spray a small amount of this product on the area 1 to 3 times a day
- may be covered with a sterile bandage
- if bandaged, let dry first

Inactive ingredients

aloe vera gel, camphor, propylene glycol, purified water USP, sodium hydroxide

Questions or comments?

1-800-MEDLINE Monday-Friday 8:30 a.m.-5:00 p.m. EST

Manufacturing Information

Manufactured for: Medline Industries, Inc.

Three Lakes Drive, Northfield, IL 60093 USA

Made in USA of foreign and domestic materials

www.medline.com

1-800-MEDLINE

REF: MDSBURN4

V3RH22WIP

Package Label

REF MDSBURN4

www.medline.com ©2022 Medline Industries, LP
 Made in USA of Foreign and Domestic Materials.
 Manufactured for Medline Industries, LP,
 Three Lakes Drive, Northfield, IL 60093 USA.
 1-800-MEDLINE V3 RH22WIP



Drug Facts

Active ingredients

Benzalkonium chloride 0.13%.....First aid antiseptic
 Lidocaine HCl 4%.....Topical pain reliever

Purpose

Uses ■ First aid to help prevent the risk of bacterial contamination in minor cuts, scrapes, and burns ■ for the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites, and minor skin irritations.

Warnings

For external use only.

Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week, unless directed by a doctor ■ in large quantities, particularly over raw surfaces or blistered areas.

Ask a doctor before use if you have ■ deep puncture wounds, animal bites, or serious burns

When using this product ■ contents under pressure ■ do not puncture or incinerate ■ store at temperatures between 45°-130°F (7°-54°C) avoid excessive heat ■ keep out of reach of children.

Stop use and consult a doctor if ■ condition persists or gets worse.


Directions ■ clean the affected area ■ spray a small amount of this product on the area 1 to 3 times a day ■ may be covered with a sterile bandage ■ if bandaged, let dry first.

Inactive ingredients aloe vera gel, camphor, propylene glycol, purified water USP, sodium hydroxide

Questions or comments?

1-800-MEDLINE Monday-Friday 8:30 a.m.-5:00 p.m. EST

NDC: 53329-919-04



Burn Spray

No-Sting
 First Aid Antiseptic
 Pain Relieving



Moisturizing

Sunburn & itch relief
 Kills germs



Soothing
 Aloe Vera

NET WT 4 OZ (113 g)

MEDLINE

benzalkonium chloride, lidocain hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-919
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-919-04	113 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	05/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	05/01/2021	

Labeler - Medline Industries, LP (025460908)

Revised: 9/2025

Medline Industries, LP