# TUSSIN DM- dextromethorphan hbr, guaifenesin solution Chain Drug Marketing Association, Inc.

-----

**Quality Choice 44-030** 

# Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg Guaifenesin 400 mg

### **Purpose**

Cough suppressant Expectorant

### Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

### Warnings

### Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

# Stop use and ask a doctor if

cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- do not take more than directed
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

### Other information

- each 20 mL contains: sodium 16 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

# Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

### Questions or comments?

1-800-426-9391

# **Principal Display Panel**

QC Quality Choice ®

NDC 83324-324-04

Compare to the Active Ingredients in Robitussin® Maximum Strength Cough+Chest Congestion DM\*

### **Tussin DM**

# **Maximum Strength**

Dextromethorphan HBr Guaifenesin Cough Suppressant Expectorant

**Oral Solution** 

Controls Cough Relieves Chest Congestion Thins & Loosens Mucus

For Ages 12 Years & Over

Menthol-Berry Flavored

4 FL OZ (118 mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING

\*This product is not manufactured or distributed by Haleon US Holdings LLC, owner of the registered trademark Robitussin® MAXIMUM STRENGTH Cough+Chest Congestion DM.

50844 ORG032503036

Distributed by CDMA, Inc. Novi, MI 48375 www.qualitychoice.com Questions: 800-935-2362



# **Tussin DM**

### KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

### **Drug Facts**

Purpose

- temporarily relieves cough due to minor throat and bronchial
- irritation as may occur with a cold

  helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric. or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
  persistent or chronic cough such as occurs with smoking,
- asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough persists more than 1 week. tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before

Keep out of reach of children. In case of overdose, get medical or contact a Poison Control Center right away

### Directions

- do not take more than directed
   do not take more than 6 doses in any 24-hour period
- mL = milliliter
- n/L = minimizer
   only use the dose cup provided
   adults and children 12 years and over: 20 mL every 4 hours
   children under 12 years: do not use

### Other information

- each 20 mL contains: sodium 16 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) see end flap for expiration date and lot number

### Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

Questions or comments? 1-800-426-9391

# TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING

\*This product is not manufactured or distributed by Haleon US Holdings LLC, owner of the registered trademark Robitussin® MAXIMUM STRENGTH Cough+Chest Congestion DM.

50844 ORG032503036





NDC 83324-324-04

Compare to the Active Ingredients in Robitussin® Maximum Strength Cough+Chest Congestion DM

NDC 83324-324-04

Compare to the Active Ingredients in Robitussin® Maximum Strength Cough+Chest Congestion DM\*

# **Tussin DM**

### **Maximum Strength**

### **Dextromethorphan HBr** Guaifenesin

**Cough Suppressant** Expectorant

**Oral Solution** 

Controls Cough **Relieves Chest Congestion** Thins & Loosens Mucus

For Ages 12 Years & Over



**Menthol-Berry Flavored** 

# **Tussin DM**

# **Maximum Strength**

### **Dextromethorphan HBr** Guaifenesin

Cough Suppressant Expectorant

Oral Solution

Controls Cough Relieves Chest Congestion Thins & Loosens Mucus

For Ages 12 Years & Over



Menthol-Berry Flavored

4 FL OZ (118 mL)

4 FL OZ (118 mL)

B-0220-030-36 ORG032503036



No print/No varnish Lot & Exp date

**Quality Choice 44-030** 

## **TUSSIN DM**

dextromethorphan hbr, guaifenesin solution

### **Product Information**

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:83324-324

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL	

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics			
Color	red	Score	
Shape		Size	
Flavor	MENTHOL, BERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324- 324-04	1 in 1 CARTON	09/04/2025	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:83324- 324-08	1 in 1 CARTON	09/04/2025	
2		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/04/2025	

# **Labeler -** Chain Drug Marketing Association, Inc. (011920774)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(83324-324) , pack(83324-324)

Revised: 9/2025 Chain Drug Marketing Association, Inc.