

## **ALLERGY RELIEF- chlorpheniramine maleate tablet**

### **Rite Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Rite Aid 44-194**

#### ***Active ingredient (in each tablet)***

Chlorpheniramine maleate 4 mg

#### ***Purpose***

Antihistamine

#### ***Uses***

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

#### ***Warnings***

##### **Do not use**

to make a child sleepy.

##### **Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

##### **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

##### **When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

adults and children 12 years of age and over	1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.
children 6 to under 12 years of age	1/2 tablet (break tablet in half) every 4 to 6 hours. Do not exceed 3 whole tablets in 24 hours.
children under 6 years of age	do not use this product in children under 6 years of age

### **Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from excessive moisture
- see end flap for expiration date and lot number

### **Inactive ingredients**

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

### **Questions or comments?**

**1-800-426-9391**

### **Principal Display Panel**

**RITE  
AID®  
PHARMACY**

**\*Compare to the active ingredient in Chlor-Trimeton® Allergy Tablets  
allergy relief**

chlorpheniramine maleate 4 mg  
antihistamine

**4 HOUR**

ALLERGY RELIEF OF:

sneezing  
itchy, watery eyes  
runny nose  
itchy throat

ACTUAL SIZE

2 TABLETS

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS  
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Chlor-Trimeton<sup>®</sup> Allergy Tablets.

50844 ORG021319424

**DISTRIBUTED BY:**

**RITE AID**

**30 HUNTER LANE**

**CAMP HILL, PA 17011**

**SATISFACTION**

**GUARANTEE**

**RITE AID<sup>®</sup>**

**IF YOU'RE NOT  
SATISFIED, WE'LL  
HAPPILY REFUND  
YOUR MONEY.**

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



\*Compare to the active ingredient in Chlor-Trimeton® Allergy Tablets

allergy relief  
chlorpheniramine maleate 4 mg  
antihistamine

# allergy relief

chlorpheniramine maleate 4 mg  
antihistamine

**4 HOUR**  
ALLERGY RELIEF OF:  
sneezing  
itchy, watery eyes  
runny nose  
itchy throat



ACTUAL  
SIZE

2 TABLETS



\*This product is not manufactured or distributed by MSD Consumer Care, Inc., owner of the registered trademark Chlor-Trimeton® Allergy Tablets.  
50844 ORG021319424

DISTRIBUTED BY:  
RITE AID  
30 HUNTER LANE  
CAMP HILL, PA 17011

No print/No varnish  
Lot & Exp date



8-1702-194-24-R  
ORG021319424



IF YOU'RE NOT SATISFIED,  
WE'LL HAPPILY REFUND  
YOUR MONEY.

**Drug Facts (continued)**

**Inactive ingredients** corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose

**Questions or comments?** 1-800-426-9391

50844 ORG021319424  
R-1702-194-24-RDF

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**  
**Active ingredient (in each tablet)** Chlorpheniramine maleate 4 mg. Antihistamine  
**Purpose** Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: sneezing, itchy, watery eyes, itchy of the nose or throat, runny nose, sore throat.

**Warnings**  
Do not use to make a child sleepy.  
Ask a doctor before use if you have:  
■ glaucoma  
■ a breathing problem such as emphysema or chronic bronchitis  
■ trouble urinating due to an enlarged prostate gland  
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.  
When using this product:  
■ drowsiness may occur  
■ avoid alcoholic beverages  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ use caution when driving a motor vehicle or operating machinery  
■ possibility may occur, especially in children

**Directions**  
adults and children 12 years of age and over: 1 tablet every 4 to 6 hours. Do not take more than 6 tablets in 24 hours.  
children 6 to under 12 years of age: 1/2 tablet (break tablet in half) every 4 to 6 hours. Do not exceed 3 whole tablets in 24 hours.  
children under 6 years of age: do not use this product in children under 6 years of age.

**Other information**  
DO NOT USE IF OUTER PACKAGE IS OPENED OR BLENDED. TOP OR BOTTOM OF PACKAGE IS CRACKED OR DAMAGED.  
Store at 20° to 25° (68° to 77° F); excursions permitted between 15° to 30° (59° to 86° F).  
Protect from excessive moisture.  
See end flap for expiration date and lot number.

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

PPG for Box Printer to  
here or delete if code  
is not required before  
punching.

chlorpheniramine maleate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0662
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	YELLOW	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	44;194
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0662-4	1 in 1 CARTON	12/19/1992	
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:11822-0662-1	1 in 1 CARTON	12/19/1992	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:11822-0662-7	1 in 1 CARTON	12/19/1992	10/01/2021
3		125 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part341	12/19/1992	

**Labeler** - Rite Aid Corporation (014578892)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867894	MANUFACTURE(11822-0662)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		038154464	PACK(11822-0662)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	PACK(11822-0662)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	PACK(11822-0662)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		868734088	PACK(11822-0662)

Revised: 5/2020

Rite Aid Corporation