

**BC SINUS CONGESTION AND PAIN- acetaminophen, chlorpheniramine maleate, phenylephrine hydrochloride powder  
Medtech Products Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**BC Sinus Pain and Congestion**

***Drug Facts***

***Active ingredients (in each powder)***

Acetaminophen 650 mg  
Chlorpheniramine maleate 4mg  
Phenylephrine hydrochloride 10mg

***Purposes***

Pain reliever/Fever reducer  
Antihistamine  
Nasal decongestant

***Uses***

- temporarily relieves these allergy and cold symptoms:
  - sinus congestion and pressure
  - headache
  - nasal congestion
  - runny nose
  - sneezing
  - minor aches and pains
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash.

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MOAI) (certain drugs for

depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- high blood pressure
- diabetes
- thyroid disease
- glaucoma
- heart disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking**

- the blood thinning drug warfarin
- sedatives or tranquilizers

**When using this product**

- **do not exceed recommended dosage**
- drowsiness may occur
- avoid alcoholic drinks
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives and tranquilizers may increase the drowsiness effect

**Stop use and ask a doctor if**

- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- you get nervous, dizzy, or sleepless
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose can cause serious health problems. In the case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed** (see overdose warning)
- **adults and children 12 years of age and over:** place 1 powder on tongue every 4-6 hours, while symptoms persist.
- do not take more than 6 powders in 24 hours unless directed by a doctor.
- **children under 12 years of age:** ask a doctor.

## Other information

Store below 25°C (77°F)

## Inactive ingredients

magnesium stearate, maltodextrin, silica

## Questions?

1-866-255-5197 [bcpowder.com](http://bcpowder.com)

**TAMPER EVIDENT: DO NOT USE IF PACKET IS DAMAGED OR OPEN.**

## PRINCIPAL DISPLAY PANEL

BC™ Sinus Pain & Congestion

Acetaminophen Pain Reliever / Fever Reducer

Chlorpheniramine Maleate Antihistamine

Phenylephrine HCl Nasal Decongestant

12 Powders

**BC**  
SINUS PAIN & CONGESTION  
FAST PAIN RELIEF

**TAMPER EVIDENT: DO NOT USE IF PACKET IS DAMAGED OR OPEN.**

**BC**  
SINUS PAIN & CONGESTION

**BC**  
ACETAMINOPHEN PAIN RELIEVER / FEVER REDUCER  
CHLORPHENIRAMINE MALEATE ANTIHISTAMINE  
PHENYLEPHRINE HCl NASAL DECONGESTANT

**SINUS PAIN & CONGESTION**  
**FAST PAIN RELIEF**

**BC**  
SINUS PAIN & CONGESTION

**SPEED of POWDER**

**VALUE**  
12 Stick Packs = 24 Pills

**12 POWDERS**

Actual Size

**Drug Facts**  
**Active ingredients (in each powder) Purpose**  
Acetaminophen 500 mg... Pain reliever / Fever reducer  
Chlorpheniramine maleate 4 mg... Antihistamine  
Phenylephrine HCl 10 mg... Nasal decongestant

**Uses**  
temporarily relieves these allergy and cold symptoms:  
• sinus congestion and pressure • headache  
• nasal congestion • runny nose • sneezing  
• minor aches and pains  
• temporary relieves fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take • more than 4,000 mg in 24 hours • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product.  
**Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • hives • rash. If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** • liver disease • high blood pressure • diabetes • thyroid disease • glaucoma • heart disease • a breathing problem such as emphysema or chronic bronchitis • trouble

**Drug Facts (continued)**  
Urinating due to an enlarged prostate gland.  
**Ask a doctor or pharmacist before use if you are taking** • the blood thinning drug warfarin • sedatives or tranquilizers

**When using this product** • do not exceed recommended dosage • drowsiness may occur • avoid alcoholic drinks • excitability may occur, especially in children  
• be careful when driving a motor vehicle or operating machinery • alcohol, sedatives and tranquilizers may increase the drowsiness effect

**Stop use and ask a doctor if** • pain or nasal congestion gets worse or lasts more than 7 days • fever gets worse or lasts more than 3 days • you get nervous, dizzy, or sleepless • redness or swelling is present • any new symptoms occur  
These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**  
**Overdose warning:** Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
• do not take more than directed (see overdose warning) • adults and children 12 years and over: place 1 powder on

**TO USE PACKAGE**

**1. Shake pack so powder settles on bottom.** **2. Pinch and tear near top or use scissors.** **3. Tilt head back and pour powder onto tongue.**

**Drug Facts (continued)**  
tongue every 4 hours, while symptoms persist, • do not take more than 6 powders in 24 hours unless directed by a doctor.  
• children under 12 years: ask a doctor.

**Other information**  
Store below 25°C (77°F)

**Inactive ingredients**  
magnesium stearate, maltodextrin, silica

**Questions?** 1-866-255-5197  
[bcpowder.com](http://bcpowder.com)

**42037 10726**

Distributed by: Mestech Products Inc., Tarrytown, NY 10591, A Prestige Brands Company, Made in USA, 1/8/20171101  
©2017 Package design is owned by Mestech Products Inc. All rights reserved.

## BC SINUS CONGESTION AND PAIN

acetaminophen, chlorpheniramine maleate, phenylephrine hydrochloride powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63029-221	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	650 mg	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)		CHLORPHENIRAMINE MALEATE	4 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	10 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63029-221-04	4 in 1 CARTRIDGE; Type 0: Not a Combination Product	03/01/2016	
2	NDC:63029-221-12	12 in 1 CARTON; Type 0: Not a Combination Product	03/01/2016	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC MONOGRAPH FINAL	part341	03/01/2016		

**Labeler** - Medtech Products Inc. (122715688)

Revised: 9/2018

Medtech Products Inc.