

**BRONCOCHEM MAXIMUM COUGH KIDS- dextromethorphan hbr-  
guaifenesin syrup  
LABORATORIO MAGNACHEM INTERNATIONAL SRL**

-----  
**BRONCOCHEM MAXIMUM COUGH KIDS**

**Warnings**

Do not Use

If you are now taking a prescription monoamine oxidase inhibitor (MAOI) or two weeks after stopping the MAOI drug (certain drugs for depression, psychiatric or emotional conditions may contain MAOI), if you are uncertain whether your prescription contains MAOI ask a doctor or pharmacist before taking this product.

**Uses**

Temporarily relieves cough due to minor throat and Bronchial irritation occurring with common cold. Helps loosen phlegm (mucus) and dilute bronchial secretions to make cough more productive.

**Active Ingredients**

Guaifenesin.....100.00mg

Dextromethorphan HBr.....10.00mg

**Ask a doctor before use if your kid have**

Cough that occurs with too much phlegm (mucus)

Persistent or chronic cough, asthma or emphysema

If your kid is allergic to any other component of this formula

**Stop use and ask a doctor if**

Symptoms last more than 5 days

Cough occurs with fever, rash or persistent headache, this could be signs of a serious condition

**keep out of the reach of children**

Keep out of the reach of children

**Overdose Warnigs**

In case of accidental overdose, seek professional assistance or contact a poison control center immediately

### **Directions**

Take only as directed, for your convenience a dosage spoon is provided. Do not exceed 6 doses in a 24 hour period

Children from 6 to 12 years-----15mL or cc every 4 hours

Children from 2 to 6 years-----7.5mL or cc every 4 hours

Children under 2 years, ask your doctor

### **Other Information**

Store at 66-77

### **Inactive Ingredients**

Propylene glycol, Glycerin, Sorbitol 70%, Povidone, Sodium Citrate Dihydrate, Sodium Chloride,

Green color, White Vanilla Flavor, Aloe Vera, Methyl Paraben USP, Propyl Paraben USP. Peppermint Flavor, Bubble Gum Flavor, Purified Water

### **Questions**

1-561-338-5221 or visit us at [www.broncochem.com](http://www.broncochem.com)

### **Purpose**

Guaifenesin.....Expectorant

Dextromethorphan HBr.....Antitussive

### **Package Label Principal Display Panel**



**Información del Medicamento**

Ingredientes Activos (en 15 mL ó cc)	Propósito
Guaifenesina USP ..... 100.00 mg	Expectorante
Dextrometorfano HBr ..... 10.00 mg	Antitusivo

**Usos**  
Congestión bronquial, irritaciones de las vías respiratorias y bronquitis, ayuda a aliviar las flemas (mucosidades y diluirlas), lo que hace más productiva la tos.

**Advertencias**  
No usar si está tomando algún inhibidor de la mono amina oxidasa (MAOI), o dos semanas después de haberlos suspendido (ciertos medicamentos para la depresión o condiciones patológicas pueden contenerlos). Si usted no está seguro de que su receta contiene un MAOI consulte a un profesional de la salud antes de tomar este producto.

Pregunte a su médico antes de usar si su niño tiene:  
 ■ los con mucha flema (mucosidad)  
 ■ los crónicos, asma o enfisema  
 ■ si su niño es alérgico a algún otro de los componentes de esta fórmula.

**Delonga el uso de este medicamento y pregunte a su médico si:**  
 ■ si los síntomas duran más de 5 días  
 ■ si se presenta la tos con fiebre, erupción cutánea o dolor de cabeza, estos pueden ser signos de enfermedad grave.

**Mantenga fuera del alcance de los niños.**  
**Advertencia de sobredosis:** En caso de sobredosis accidental, busque la ayuda profesional o acuda a un Centro de Intoxicaciones inmediatamente.

**Instrucciones**  
Siga las recomendaciones detalladas más abajo. Para su conveniencia, encontrará dentro de la caja una cuchara dosificadora.  
**No exceda de 4 dosis en un periodo de 24 horas.**

niños de 6 a 12 años	15 mL, ó cc cada 4 horas
niños de 2 a 6 años	7.5 mL, ó cc cada 4 horas
niños menores de 2 años	consulte a su médico

**Información adicional**  
 ■ Mantener a temperaturas entre 20-25 °C (66-77 °F).  
 ■ No lo use si la tapa está alterada o rota.

**Ingredientes Inactivos**  
 Propileno glicol, glicerina, sorbitol 70% USP, sacarosa, ácido cítrico, sodio dicloro polifosfato pentahidrato, citrato de sodio dibásico, citrato de sodio, color verde, sabor vainilla blanco, aloe vera, mentol parabeno USP, propil parabeno USP, sabor menta, sabor bubble gum, agua purificada.

**Preguntas?** 1-866-338-8221 o visitanos [www.broncochem.com](http://www.broncochem.com)

Fabricado en República Dominicana  
 Exclusivamente para: Global Corporation Inc., Boca Raton, FL, 33487 USA.

REGISTRADO EN LA FDA

**Broncochem Kids MAXIMUM COUGH**  
 NDC 65131-180-98  
 Contains Guaifenesin USP, Dextromethorphan HBr  
**Suprime las tos  
 Loosens phlegm  
 Alcohol & sugar free  
 Aloe with love**

**Drug Facts**

Active Ingredients (in 15 mL or cc)	Purpose
Guaifenesin USP ..... 100.00 mg	Expectorant
Dextromethorphan HBr ..... 10.00 mg	Antitussive

**Uses**  
Temporarily relieves cough due to the common cold, upper respiratory tract infections, sinus inflammation, sore throat, or bronchitis. Helps loosen phlegm (mucous) and dilute bronchial secretions to make cough more productive.

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) or two weeks after stopping the MAOI drug (certain drugs for depression, psychiatric or emotional conditions may contain MAOI). If you are uncertain whether your prescription contains MAOI ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if your kid**  
 ■ has cough that occurs with too much phlegm (mucous)  
 ■ has persistent or chronic cough, asthma or emphysema  
 ■ is allergic to any other component of this formula

**Stop use and ask a doctor if**  
 ■ symptoms last more than 5 days  
 ■ cough occurs with fever, rash or persistent headache, this could be signs of a serious condition.

**Keep out of the reach of children.**

**Overdose warning:** In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

**Directions**  
 Take only as directed. For your convenience, a dosage spoon is provided. Do not exceed 6 doses in a 24 hour period.

children from 6 to 12 years	15 mL, or cc every 4 hours
children from 2 to 6 years	7.5 mL, or cc every 4 hours
children under 2 years	consult a doctor

**Other information**  
 ■ Store at 68-77 °F (20-25 °C).  
 ■ Do not use if cap is altered or broken.

**Inactive ingredients**  
 Propylene glycol, glycerin, sorbitol 70% USP, sucralose, citric acid, disodium EDTA, polydextrose, sodium citrate, diphosphate sodium chloride, green color, white vanilla flavor, aloe vera, mentol parabeno USP, propil parabeno USP, peppermint flavor, bubble gum flavor, purified water.

**Questions?** 1-866-338-8221 or visit us at [www.broncochem.com](http://www.broncochem.com)

Made in Dominican Republic  
 Exclusively for: Global Corporation Inc., Boca Raton, FL, 33487 USA.

FDA REGISTERED

**Broncochem Kids MAXIMUM Niños TOS**  
 NDC 65131-180-98  
 Contiene Guaifenesina USP, Dextrometorfano HBr  
**Suprime las tos  
 Elimina mucosidades  
 Sin alcohol y sin azúcar  
 Sábila con amor**

**Padilla**  
 SISTEMA DE GESTIÓN DE LA CALIDAD  
 ISO 9001:2015  
 República Dominicana  
 www.padilla.com  
 A-401780 R.2

Please recycle Favor reciclar

4 FL. OZ. (120 mL or cc)

PRESERVADO DE BARNIZ Y TINTA


4 FL. OZ. (120 mL ó cc)

Batch / Lote: PRESERVADO DE BARNIZ Y TINTA

Expiration date: PRESERVADO DE BARNIZ Y TINTA

8 05418 09108 0

8.976" 228.0mm



**Package Label Principal Display Panel**

<p><b>Warnings</b></p> <p><b>Do not use</b> if you are now taking a prescription monoamine oxidase inhibitor (MAOI) or two weeks after stopping the MAOI drug (certain drugs for depression, psychiatric or emotional conditions may contain MAOI), if you are uncertain whether your prescription contains MAOI ask a doctor or pharmacist before taking this product.</p> <p><b>Ask a doctor before use if your kid</b></p> <ul style="list-style-type: none"> <li>■ has cough that occurs with too much phlegm (mucus)</li> <li>■ has persistent or chronic cough, asthma or emphysema</li> <li>■ is allergic to any other component of this formula</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ symptoms last more than 5 days</li> <li>■ cough occurs with fever, rash or persistent headache, this could be signs of a serious condition</li> </ul> <p><b>Keep out of the reach of children.</b></p>	<p>NDC 65131-180-98</p> <h1 style="margin: 0;">Broncochem®</h1> <p style="margin: 0;"><b>MAXIMUM COUGH</b></p> <p style="margin: 0;"><b>Suppresses cough</b></p> <p style="margin: 0;"><b>Loosens phlegm</b></p> <p style="margin: 0;"><b>Alcohol &amp; sugar free</b></p> <p style="margin: 0;"><b>Aloe with love</b></p> <div style="text-align: right; border: 2px solid red; border-radius: 50%; padding: 5px; color: white; font-weight: bold; font-size: 1.2em;">Kids</div>		<p><b>Active Ingredients (in 15 mL or cc)</b></p> <table border="0"> <tr> <td>Guaifenesin USP</td> <td>100.00 mg</td> <td>Expectorant</td> </tr> <tr> <td>Dextromethorphan HBr</td> <td>10.00 mg</td> <td>Antitussive</td> </tr> </table>	Guaifenesin USP	100.00 mg	Expectorant	Dextromethorphan HBr	10.00 mg	Antitussive
	Guaifenesin USP	100.00 mg	Expectorant						
Dextromethorphan HBr	10.00 mg	Antitussive							
<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ Store at 66-77 °F (20-25 °C)</li> <li>■ Do not use if cap is altered or broken</li> </ul> <p><b>Inactive ingredients</b> Propylene glycol, glycerin, sorbitol 70% USP, sucralose, citric acid, disodium EDTA, povidone, sodium citrate dihydrate, sodium chloride, green color, white vanilla flavor, aloe vera, methyl paraben USP, propyl paraben USP, peppermint flavor, bubble gum flavor, purified water.</p>	<p><b>4 FL. OZ. (120 mL or cc)</b></p> <p>Made in Dominican Republic Exclusively for: Global Corporation Inc., Boca Raton, FL 33487 U.S.A.</p>	<p><b>FDA REGISTERED</b></p> <p>Lote / Batch: Expiration date:</p>							

**Uses** Temporarily relieving cough due to the common cold, upper respiratory tract infections, sinus inflammation, sore throat, or bronchitis. Helps loosen phlegm (mucus) and dilute bronchial secretions to make cough more productive.

**Directions** Take only as directed. For your convenience, a dosage spoon is provided. **Do not exceed 6 doses in a 24 hour period.**

children from 6 to 12 years	15 mL or cc every 4 hours
children from 2 to 6 years	7.5 mL or cc every 4 hours
children under 2 years	consult a doctor

See carton for complete information for use.

**Questions?** Please call for medical direction weekdays 9 AM to 5 PM EST. at **1-561-338-5221** or visit us at [www.broncochem.com](http://www.broncochem.com)

## BRONCOCHEM MAXIMUM COUGH KIDS

dextromethorphan hbr-guaifenesin syrup

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:65131-180
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 15 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	2.25 mL in 15 mL
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	2.25 mL in 15 mL
<b>SORBITOL</b> (UNII: 506T60A25R)	2.25 mL in 15 mL
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	15 mg in 15 mL
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	45 mg in 15 mL
<b>DISODIUM HEDTA</b> (UNII: KME849MC7A)	1.35 mg in 15 mL
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	270 mg in 15 mL
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	45 mg in 15 mL
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	9.37 mg in 15 mL
<b>FD&amp;C GREEN NO. 3</b> (UNII: 3P3ONR601S)	0.036 mg in 15 mL
<b>VANILLA</b> (UNII: Q74T35078H)	0.0006 mL in 15 mL
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	30 mg in 15 mL

<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	15 mg in 15 mL
<b>PEPPERMINT</b> (UNII: V95R5KMY2B)	0.001 mL in 15 mL
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	2.25 mg in 15 mL
<b>WATER</b> (UNII: 059QF0KO0R)	15 mL in 15 mL

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65131-180-98	1 in 1 BOX	05/01/2017	
1		120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	05/01/2017	

**Labeler** - LABORATORIO MAGNACHEM INTERNATIONAL SRL (871446100)

**Registrant** - LABORATORIO MAGNACHEM INTERNATIONAL SRL (871446100)

### Establishment

Name	Address	ID/FEI	Business Operations
LABORATORIO MAGNACHEM INTERNATIONAL SRL		871446100	manufacture(65131-180)

Revised: 3/2025

LABORATORIO MAGNACHEM INTERNATIONAL SRL