ANTISEPTIC SKIN CLEANSER- 2% chlorhexidine gluconate solution solution AmerisourceBergen Drug Corporation

2% Good Neighbor Pharmacy

Active ingredient

Chlorhexidine gluconate 2% solution

Purpose

Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease

Warnings

For external use only

Allergy alert: This product may cause severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

• if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promply and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product (5 full pumps) with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers.
- rinse thoroughly under running water for 30 seconds
- wash for an additional 1.5 minutes with 8 mL (5 full pumps) of product and rinse under running water for 30 seconds
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product (3 full pumps) into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Questions or comments?

call **1-800-587-3721** Monday through Friday 8:00 AM to 4:30 PM CST

Laundering/Cleaning Instructions:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

GOOD NEIGHBOR PHARMACY®

NDC 46122-659-36

Advanced Antibacterial Hand Soap

CHLORHEXIDINE GLUCONATE 2% SOLUTION

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

- Used by healthcare professionals
- Clincally proven to reduce bacteria on skin
- Paraben & phthalate free

8.5 FL OZ (250 mL)

2GNP85FBTLLBL



NDC 48122-859-38

Advanced Antibacterial

CHLORHEXIDINE GLUCONATE 2% SOLUTION

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

- Used by healthcare professionals
- Clinically proven to reduce bacteria on skin
 - Paraben & phthalate free

8.5 FL OZ (250 mL) 2GMP85FBTLLBL

WARNING: This product can expose you to coconut oil diethanolamine warning: This product can expose you to work it is known to the State of condensate (cocamide dethanolamine), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

2GNP85BBTLLBL



ABC# 10236789

Distributed by: AmerisourceBergen

1300 Morris Drive, Chesterbrook, PA 19087

Drug Facts

Active ingredient

Purpose

Chlorhexidine gluconate 2% solution Antiseptic

- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: helps reduce bacteria that potentially can cause

Warnings

For external use only

This product may cause a severe allergic reaction. Symptoms may include:

wheezing/difficulty breathing shock facial swelling

- hives rash
- If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

 if you are allergic to chlorhexidine gluconate or any other ingredient in this product

Drug Facts (continued)

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.

 if solution should contact these areas, rinse out promptly and
- thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- Surgical hand scrub: ■ wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product (5 full pumps) with or without a wet brush paying close attention to the hails,

Drug Facts (continued)

cuticles, and skin between the fingers.

rinse thoroughly under running water for 30 seconds

■ wash for an additional 1.5 minutes with 8 mL (5 full pumps) of product and rinse under running water for 30 seconds and dry thoroughly

Healthcare personnel handwash:

■ wet hands with water ■ dispense about 5 mL of product (3 full pumps) into cupped hands and wash in a vigorous manner for 15 seconds ■ rinse and dry thoroughly

Other information

■ store at 20-25°C (68-77°F)
■ avoid excessive heat above 40°C (104°F)

Inactive ingredients

citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Questions or comments? call 1-800-587-3721 Monday through Friday 8:00 AM to 4:30 PM CST

Laundering/Cleaning Instructions:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

ANTISEPTIC SKIN CLEANSER

2% chlorhexidine gluconate solution solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-659	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	2 mg in 100 mL	

Inactive Ingredients			
Ingredient Name	Strength		
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)			
COCO DIETHANOLAMIDE (UNII: 92005F972D)			
WATER (UNII: 059QF0KO0R)			
CITRIC ACID MONOHYDRATE (UNII: 2968 PHW8 QP)			
LAURAMINE O XIDE (UNII: 4F6 FC4MI8 W)			

ı	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1 NDC:46 122 36	-659 - 250 mL in 1 BOTTL Product	E, PUMP; Type 0: Not a Combination	10/01/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA0 19 422	10/01/2020		

Labeler - AmerisourceBergen Drug Corporation (007914906)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment				
Name	Address	ID/FEI	Business Operations	
Xttrium Laboratories, Inc.		007470579	manufacture(46122-659)	

Revised: 10/2020 Amerisource Bergen Drug Corporation