

ANTISEPTIC SKIN CLEANSER- 2% chlorhexidine gluconate solution solution
AmerisourceBergen Drug Corporation

COMP 2% Good Neighbor Pharmacy

Active ingredient

Chlorhexidine gluconate 2% solution

Purpose

Antiseptic

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Warnings

For external use only

Allergy alert: This product may cause severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product (5 full pumps) with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers.
- rinse thoroughly under running water for 30 seconds
- wash for an additional 1.5 minutes with 8 mL (5 full pumps) of product and rinse under running water for 30 seconds
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product (3 full pumps) into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

Questions or comments?

call **1-800-587-3721** Monday through Friday 8:00 AM to 4:30 PM CST

Laundering/Cleaning Instructions:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

GOOD NEIGHBOR PHARMACY®

NDC 46122-659-36

Advanced Antibacterial Hand Soap

CHLORHEXIDINE GLUCONATE 2% SOLUTION

ANTISEPTIC/ANTIMICROBIAL SKIN CLEANSER

- Used by healthcare professionals
- Clinically proven to reduce bacteria on skin
- Paraben & phthalate free

8.5 FL OZ (250 mL)

2GNP85FBTLLBL



WARNING: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

2GNP858BTLLBL



ABC# 10236789

Distributed by: AmerisourceBergen
1300 Morris Drive, Chesterbrook, PA 19087

Drug Facts

| Active ingredient | Purpose |
|-------------------------------------|----------------|
| Chlorhexidine gluconate 2% solution | Antiseptic |

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

Drug Facts (continued)

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.


If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand scrub:

- wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
- scrub for 1.5 minutes with about 8 mL of product (5 full pumps) with or without a wet brush paying close attention to the nails,



ANTISEPTIC SKIN CLEANSER

2% chlorhexidine gluconate solution solution

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:46122-659 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------|----------------|
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L) | CHLORHEXIDINE GLUCONATE | 2 mg in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16) | |
| COCO DIETHANOLAMIDE (UNII: 92005F972D) | |
| WATER (UNII: 059QF0KO0R) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| LAURAMINE OXIDE (UNII: 4F6FC4MI8W) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:46122-659-36 | 250 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 10/01/2020 | 03/31/2026 |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| NDA | NDA019422 | 10/01/2020 | 03/31/2026 |

Labeler - AmerisourceBergen Drug Corporation (007914906)

Registrant - Xttrium Laboratories, Inc. (007470579)

| Establishment | | | |
|----------------------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Xttrium Laboratories, Inc. | | 007470579 | manufacture(46122-659) |

Revised: 12/2025

AmerisourceBergen Drug Corporation