

DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN-
dextromethorphan hydrobromide and guaifenesin syrup
KJD Pharma Private Limited

Cough & Chest Congestion**Dextromethorphan Hbr - Guaifenesin**
ADULT Syrup 118 mL, 236 mL and 473 mL
and measuring cup

Active Ingredient (in each 5 mL)

Purpose

Dextromethorphan HBr USP 20 mg..... Cough suppressant

Guaifenesin, USP 100 mg..... Expectorant

Relieves:

- Chest congestion / Mucus
- Cough

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps to loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

- **Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away.

Directions

- take every 4 hours
- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product

Age	Dose
Adults and children 12 years and over	5 mL every 4 hours
Children under 12 years	do not use

Other information

- Store at 20°-25°C (68° -77°F).
- Do not refrigerate.
- Retain carton for future reference on full labeling

Inactive ingredients

citric acid, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium saccharin, sorbitol.

Manufactured by

KJD Phanna Pvt lid, 148, 3 Kiadb,
Naubad, Bidar, Kamataka 585401 , India

NDC 85722-0002-4

Cough & Chest Congestion

Adult Syrup

Dextromethorphan Hbr - Guaifenesin

COUGH

Helps relieve cough
Promotes phlegm expulsion
Helps to decongest the respiratory tract

Administration way:
Oral Boxed bottle of
4 fl oz
118 mL
and measuring cup

Tamper evident: Do not use if inner seal under cap is broken or missing.

SEE CARTON FOR FULL LABELLING

Purpose
Dextromethorphan HBr USP 20 mg.....Cough suppressant
Guaifenesin, USP 300 mg.....Expectorant

Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours ■ do not take more than 6 doses in any 24-hour period
- ⚡ measure only with dosing cup provided ⚡ keep dosing cup with product

AGE	DOSE
Adults and children 12 years and over	5 mL every 4 hours
Children under 12 years	do not use

Manufactured by
KJD Pharma Pvt Ltd, 14B, 3 Kiadb,
Naubad, Bidar, Kamataka 585401, India

Lot

Exp

DO NOT PRINT HERE
NON-VARNISH AREA FOR BATCH CODE & EXP DATE

NDC 85722-0002-8

Cough & Chest Congestion

Adult Syrup

COUGH

Dextromethorphan Hbr - Guaifenesin

Helps relieve cough
Promotes phlegm expulsion
Helps to decongest the respiratory tract

Administration way:
Oral Boxed bottle of
8 fl oz
236 mL
and measuring cup

Tamper evident: Do not use if inner seal under cap is broken or missing.

SEE CARTON FOR FULL LABELLING

Purpose	Cough suppressant
Active Ingredients (in each 5 ml)	Dextromethorphan HBr USP 20 mg, Guaifenesin, USP 300 mg

Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. **If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.**

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions	AGE	DOSE
■ take every 4 hours ■ do not take more than 6 doses in any 24-hour period ⊕ measure only with dosing cup provided ⊕ keep dosing cup with product	Adults and children 12 years and over	5 mL every 4 hours
	Children under 12 years	do not use

Manufactured by
KJD Pharma Pvt Ltd, 14B, 3 Kladb, Naubad, Bidar, Karnataka 585401, India

Lot
Exp

DO NOT PRINT HERE
NON-VARNISH AREA FOR BATCH CODE & EXP DATE

NDC 85722-0002-6

Cough & Chest Congestion

Adult Syrup

COUGH

Dextromethorphan Hbr - Guaifenesin

Helps relieve cough
Promotes phlegm expulsion
Helps to decongest the respiratory tract

Administration way:
Oral Boxed bottle of
16 fl oz
473 mL
and measuring cup

Tamper evident: Do not use if inner seal under cap is broken or missing.

SEE CARTON FOR FULL LABELLING

Purpose	Cough suppressant
Active Ingredients (in each 5 ml)	Dextromethorphan HBr USP 20 mg, Guaifenesin, USP 300 mg

Warnings Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. **If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.**

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions	AGE	DOSE
■ take every 4 hours ■ do not take more than 6 doses in any 24-hour period ⊕ measure only with dosing cup provided ⊕ keep dosing cup with product	Adults and children 12 years and over	5 mL every 4 hours
	Children under 12 years	do not use

Manufactured by
KJD Pharma Pvt Ltd, 14B, 3 Kladb, Naubad, Bidar, Karnataka 585401, India

Lot
Exp

DO NOT PRINT HERE
NON-VARNISH AREA FOR BATCH CODE & EXP DATE

DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN

dextromethorphan hydrobromide and guaifenesin syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85722-0002
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85722-0002-4	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2021	
2	NDC:85722-0002-8	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2021	
3	NDC:85722-0002-6	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2021	

Labeler - KJD Pharma Private Limited (877256314)

Revised: 6/2025

KJD Pharma Private Limited