NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN BROAD SPECTRUM SPF30- avobenzone, homosalate, octisalate, octocrylene, and oxybenzone spray Johnson & Johnson Consumer Inc.

Neutrogena [®] Beach Defense [®] water+sun protection SUNSCREEN SPRAY Broad Spectrum SPF 30

Drug Facts

Active ingredients

Avobenzone 3% Homosalate 8% Octisalate 4% Octocrylene 2% Oxybenzone 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn Sunscreen
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product
 - keep away from face to avoid breathing it
 - keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.
- Caution: Flammable. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions
- use in a well-ventilated area.
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

alcohol denat., isobutane, dimethicone, acrylates/octylacrylamide copolymer, trisiloxane, diethylhexyl 2,6 naphthalate, tocopheryl acetate, fragrance

Questions?

Call toll-free **800-299-4786** or **215-273-8755** (collect) www.neutrogena.com

Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 240 g Can Label

FAMILY SIZE 20% MORE

Neutrogena[®]

Beach Defense ®

water + sun protection

SUNSCREEN SPRAY

Broad Spectrum SPF30


30

helioplex [®] broad spectrum uva-uvb

water resistant (80 minutes)

#1 DERMATOLOGIST RECOMMENDED SUNCARE

NET WT. 8.5 OZ. (240g)



Neutrogena[®]

Beach

Defense

water+sun

protection

SUNSCREEN SPRAY

Broad Spectrum SPF 30

helioplex[®]

broad spectrum uva•uvb

water-resistant

(80 minutes)

#1 DERMATOLOGIST

RECOMMENDED SUNCARE

NET WT. 8.5 OZ. (240 g)

each-strength	
uva/uvb	4
sun protection	



water damage

Lightweight, fast absorbing
Oil-free, PABA free

Drug Facts

Active ingredients Purpose Avobenzone 3%, Homosalate 8%, Octisalate 4%, } Sunscreen Octocrylene 2%, Oxybenzone 5% Uses - helps prevent sunburn - if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun Warnings · For external use only · Do not use on damaged or broken skin When using this product - keep away from face to avoid breathing it - keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. EQ. · Danger: Flammable. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal Directions . spray liberally and spread evenly by hand 15 minutes before sun exposure + apply to all skin exposed to the sun + hold container 4-6 inches from the skin to apply. Rub in. + do not spray directly into face. Spray on hands and then apply to face. Rub in. • do not apply in windy conditions • use in a well ventilated area reapply: after 80 minutes of swimming or sweating
 immediately after towel drying - at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m.-2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses . children under 6 months of age: Ask a doctor Other information . protect this Ś product from excessive heat and direct sun · may stain some fabrics Inactive ingredients alcohol denat., isobutane, dimethicone, acrylates/octylacrylamide copolymer, trisiloxane, diethylhexyl 2,6-naphthalate, ō 868 tocopheryl acetate, fragrance Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect) www.neutrogena.com

0

JOHNSON & JOHNSON CONSUMER INC. DOT 20 M5706

Skillman, NJ 08558 © J&JCI 2017

NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION

		tisalate, octocrylene,					
Product Info	rmation						
Product Type		HUMAN OTC DRUG	Item C	n Code (Source)		NDC:69968-0101	
Route of Admin	istration	TOPICAL					
Active Ingred	ient/Active	Moiety					
Ingredient Name					Basis of Strength Streng		Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2				CX)	AVOBENZONE		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95				5)	HOMOSALATE 30 mg		30 mg in 1
OCTISALATE (UNII	: 4X49Y0596W)	OCTISALATE - UNII:4X49Y	0596W)		OCTISALATE 40 mg in		40 mg in 1
OCTOCRYLENE (U	JNII: 5A68WGF6V	M) (OCTOCRYLENE - UNII:	5A68WGF	6WM)	OCTOCRYLENE 20 mg i		20 mg in 1
OXYBENZONE (UN	NII: 9500S7VE0Y) (OXYBENZONE - UNII:95	OOS7VE0	Y)	OXYBENZONE		50 mg in 1
Inactive Ingre	edients						
j .		Ingredient Na	me				Strengt
ACRYLATE/ISOBU	IYL METHACK	YLAIE/N-IERI-OCIYLA					
ALCOHOL (UNII: 3	K9958V90M)		CRTLAMI	DE COP	DLYMER (75000) MIVV)	
ALCOHOL (UNII: 31 ISOBUTANE (UNII:	K9958V90M) BXR49TP611)		CRYLAMI		DLYMER (75000	J MIVV)	
ALCOHOL (UNII: 3) ISOBUTANE (UNII: DIMETHICONE (UN	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C))	CRTLAMI		JLYMER (75000) MIVV)	
ALCOHOL (UNII: 3) ISOBUTANE (UNII: DIMETHICONE (UNI TRISILOXANE (UNI	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G))	CRTLAMI		DLYMER (75000) MW)	
ALCOHOL (UNII: 3) ISOBUTANE (UNII: DIMETHICONE (UNI TRISILOXANE (UNI DIETHYLHEXYL 2,	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G ,6-NAPHTHALA))	C K Y LAMI		DLYMER (75000	, MVV)	
ALCOHOL (UNII: 3) ISOBUTANE (UNII: DIMETHICONE (UNI TRISILOXANE (UNI DIETHYLHEXYL 2, ALPHATOCOPH	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G ,6-NAPHTHALA))) TE (UNII: I0DQJ7YGXM)			DLYMER (75000		
ALCOHOL (UNII: 3) SOBUTANE (UNII: DIMETHICONE (UN TRISILOXANE (UNI DIETHYLHEXYL 2, ALPHATOCOPH	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G ,6-NAPHTHALA EROL ACETATE))) TE (UNII: I0DQJ7YGXM)		Marke	eting Start Date	Mark	eting End Date
ALCOHOL (UNII: 3) SOBUTANE (UNII: DIMETHICONE (UNI FRISILOXANE (UNI DIETHYLHEXYL 2, ALPHATOCOPH Packaging Item Code	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G 6-NAPHTHALA EROL ACETATE))) TE (UNII: IODQJ7YGXM) : (UNII: 9E8X80D2L0)	tion	Marke	eting Start Date	Mark	
ALCOHOL (UNII: 3) SOBUTANE (UNII: DIMETHICONE (UNI RISILOXANE (UNI DIETHYLHEXYL 2, ALPHATOCOPH Packaging Item Code NDC:69968- 0101-8	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G 6-NAPHTHALA EROL ACETATE Pac 240 g in 1 CAI Product))) TE (UNII: IODQJ7YGXM) : (UNII: 9E8X80D2L0) : Kage Description	tion 1	Marke	eting Start Date 6	Mark	
ALCOHOL (UNII: 3) SOBUTANE (UNII: DIMETHICONE (UNI RISILOXANE (UNI DIETHYLHEXYL 2, ALPHATOCOPH Packaging Item Code NDC:69968- 0101-8 NDC:69968-	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G 6-NAPHTHALA EROL ACETATE Pac 240 g in 1 CAI Product 184 g in 1 CAI	o)) TE (UNII: IODQJ7YGXM) : (UNII: 9E8X80D2L0) : (UNII: 9E8X80D2L0) : (UNII: 9E8X80D2L0)	tion 1	Marke 0/01/201	eting Start Date 6	Mark	
ALCOHOL (UNII: 3) SOBUTANE (UNII: DIMETHICONE (UNI FRISILOXANE (UNI DIETHYLHEXYL 2, ALPHATOCOPH FRECKAGING Item Code NDC:69968- 0101-8 NDC:69968- 0101-6	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G 6-NAPHTHALA EROL ACETATE 240 g in 1 CAI Product 184 g in 1 CAI Product)) TE (UNII: IODQJ7YGXM) : (UNII: 9E8X80D2L0) : (UNII: 9E8X80D2L0) 	tion 1	Marke 0/01/201	eting Start Date 6	Mark	
ALPHATOCOPH Packaging # Item Code 1 NDC:69968- 0101-8 2 NDC:69968-	K9958V90M) BXR49TP611) NII: 92RU3N3Y1C II: 9G1ZW13R0G 6-NAPHTHALA EROL ACETATE 240 g in 1 CAI Product 184 g in 1 CAI Product)) TE (UNII: IODQJ7YGXM) : (UNII: 9E8X80D2L0) : (UNII: 9E8X80D2L0) 	tion 1 tion 1	Marke 0/01/201 0/01/201	eting Start Date 6	Mark	

Labeler - Johnson & Johnson Consumer Inc. (118772437)