

**WALGREENS BROAD SPECTRUM SPORT SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion  
WALGREEN COMPANY**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**WALGREENS SPORT BROAD SPECTRUM SPF 50 SUNSCREEN LOTION**

**Active ingredients**

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 4.5%, Octocrylene 8.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
  - children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

water, polyester-7, neopentyl glycol diheptanoate, glycerin, aluminum starch octenylsuccinate, styrene/acrylates copolymer, silica, phenoxyethanol, isododecane, arachidyl alcohol, beeswax, ethylhexylglycerin, acrylates/C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol (vitamin E), arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium ascorbyl phosphate, fragrance

WALGREENS SPORT BROAD SPECTRUM SPF 50 SUNSCREEN LOTION

3 FL OZ (88mL)

NDC 0363-0943-09



Walgreens

# 50 Sport

**NEW & IMPROVED**

**BROAD SPECTRUM SPF 50  
SUNSCREEN UVA/UVB**

**OXYBENZONE FREE**

**PARABEN FREE**

**FRESH SCENT**

- Won't run into eyes
- Water resistant (80 minutes)



8 FL OZ (236 mL)

### Drug Facts

Active Ingredients	Purpose
Azobenzene 3.0% Homosalate 10.0% Octisalate 4.5% Octocrylene 6.0%	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• apply liberally 15 minutes before sun exposure</li> <li>• reapply:               <ul style="list-style-type: none"> <li>• after 80 minutes of swimming or sweating</li> <li>• immediately after towel drying</li> <li>• at least every 2 hours</li> </ul> </li> <li>• children under 6 months of age: ask a doctor</li> <li>• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>• wear long-sleeve shirts, pants, hats, and sunglasses</li> </ul> </li> </ul>	
<b>Other Information</b>	
<ul style="list-style-type: none"> <li>• protect this product from excessive heat and direct sun</li> <li>• may stain or damage some fabrics, materials or surfaces</li> </ul>	
<b>Inactive Ingredients</b>	
water, polyester-7, neopentyl glycol diisophtalate, glycerin, aluminum stearate, octyldecylsuccinate, styrene/acrylates copolymer, silica, phenoxylethanol, lauryldodecane, arachidyl alcohol, bisoxazolone, diethylhexylglycerin, acrylate/C10-30 allyl acrylate crosspolymer, behenyl alcohol, tocopherol (Vitamin E), arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, disodium EDTA, sodium acryloyl phosphate, triolein	



Walgreens Pharmacist Survey

**Questions or comments?  
1-800-825-4733**

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com ©2017 Walgreen Co.

ITEM 991461 W10295-0218-0

4902297746 4

OR130717-F\_R1

WALGREENS SPORT BROAD SPECTRUM SPF 50 SUNSCREEN LOTION

10 FL OZ (295mL)

NDC 0363-0943-70

**BONUS SIZE | 25% MORE FREE**

*Walgreens*

**50 Sport**

**NEW & IMPROVED**

**BROAD SPECTRUM SPF 50 SUNSCREEN UVA/UVB**

**OXYBENZONE FREE**

**PARABEN FREE**

**FRESH SCENT**

- Won't run into eyes
- Water resistant (80 minutes)



10 FL OZ (295 mL)

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3.0% Homosalate 10.0% Octisalate 4.5% Octocrylene 8.0%	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
<b>For external use only</b>	
Do not use • on damaged or broken skin.	
When using this product • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if • rash occurs.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• apply liberally 15 minutes before sun exposure</li> <li>• reapply:                             <ul style="list-style-type: none"> <li>• after 80 minutes of swimming or sweating</li> <li>• immediately after towel drying</li> <li>• at least every 2 hours</li> </ul> </li> <li>• children under 6 months of age ask a doctor</li> <li>• See <i>Protection Measures</i>. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 16 or higher and other sun protection measures including:                             <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>• wear long-sleeve shirts, pants, hats, and sunglasses</li> </ul> </li> </ul>	
<b>Other Information</b>	
<ul style="list-style-type: none"> <li>• protect this product from excessive heat and direct sun</li> <li>• may stain or damage some fabrics, materials or surfaces</li> </ul>	
<b>Inactive Ingredients</b>	
water, polyester-7, neopentyl glycol diheptanoate, glycerin, aluminum starch octylsuccinate, styrene/acrylates copolymer, silica, phenoxyethanol, butylacrylate, acrylyl alcohol, hexamer, ethylhexylglycerin, acrylamide/C10-30 alkyl acrylate copolymer, behenyl alcohol, tocopherol (vitamin E), acrylyl glycolol, glyceryl stearate, FE0-100 stearate, potassium hydroxide, disodium EDTA, sodium acetyl phosphate, fragrance	

Questions or comments?  
**1-800-825-4733**

DISTRIBUTED BY: WALGREEN CO.  
 200 WILMOT RD., DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 walgreens.com ©2017 Walgreen Co.

ITEM 991462 WY0158-0119-0  

 0 48022 97747 1  
 ORG077-F\_JR1

**WALGREENS BROAD SPECTRUM SPORT SPF 50 SUNSCREEN**

avobenzone, homosalate, octisalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0943
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)	
<b>WHITE WAX</b> (UNII: 7G1J5DA97F)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35J00J)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>GLYCERYL STEARATE/PEG-100 STEARATE</b> (UNII: RD25J5V947)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0943-09	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/30/2017	
2	NDC:0363-0943-69	236 mL in 1 TUBE; Type 0: Not a Combination Product	02/16/2018	
3	NDC:0363-0943-70	295 mL in 1 TUBE; Type 0: Not a Combination Product	01/25/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/30/2017	

**Labeler** - WALGREEN COMPANY (008965063)