

**MINOXIDIL (FOR WOMEN)- minoxidil aerosol, foam**  
**CVS Pharmacy**

-----  
**Minoxidil**  
**5% (For Women)**

***Drug Facts***

**Active ingredient**

Minoxidil 5% w/w (without propellant)

**Purpose**

Hair regrowth treatment for women

**Use**

to regrow hair on the top of the scalp (see pictures on side of this carton)

**Warnings**

**For external use only.**

**Extremely Flammable:**Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have**heart disease

**When using this product**

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with **once-daily**use. For

some women, you may need to use this product **once a day** for at least 6 months before you see results.

- the amount of hair regrowth is different for each person. This product will not work for all women.

### **Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

### **May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- see enclosed leaflet for complete directions on how to use
- apply half a capful **once daily** directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

### **Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

### **Inactive ingredients**

butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polysorbate 60, propane, purified water, stearyl alcohol

### **Questions?**

- Call **1-866-923-4914**

**Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

**PRINCIPAL DISPLAY PANEL - 60 g Can Carton**

CVS  
Health™

Compare to the  
active ingredient in  
Women's Rogaine®\*

NDC 51316-213-01

MINOXIDIL  
Topical Aerosol, 5%  
(For Women)

Hair  
Regrowth  
Treatment  
FOR WOMEN

- #1 Dermatologist recommended active ingredient †
- Clinically proven to regrow hair
- Reactivates hair follicles to stimulate regrowth

2  
month  
supply

Once-a-Day Foam  
for Women

Unscented

2 MONTH SUPPLY  
1-60 g (2.11 OZ) CAN



898  
5232781-0423-01



Compare to the active ingredient in Women's Rogaine®

MINOXIDIL  
Topical Aerosol, 5%  
(For Women)

# Hair Regrowth Treatment

FOR WOMEN

01982  
12345

## Drug Facts

**Active ingredient Purpose**  
Minoxidil 5% w/w (without propellant)..... Hair regrowth treatment for women

**Use** to regrow hair on the top of the scalp (see pictures on side of this carton)

### Warnings

**For external use only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

### Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

### When using this product

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with **once-daily** use. For some women, you may need to use this product **once a day** for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for **all** women.

### Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#722347



## Drug Facts (continued)

### Directions

- see enclosed leaflet for complete directions on how to use
- apply **half a capful once daily** directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

### Other information

- see hair loss pictures on side of this carton
- before use, read **all** information on carton and enclosed leaflet
- keep the carton, it contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

### Inactive ingredients

butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polysorbate 60, propane, purified water, stearyl alcohol

### Questions?

- Call 1-866-923-4914

\*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Women's Rogaine®.

**Minoxidil Topical Aerosol, 5% (For Women)** is for women who have a general thinning of hair on the top of the scalp (as shown below) and has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



If women have more hair loss than shown above, **Minoxidil Topical Aerosol, 5% (For Women)** may not work.

### THIS PACKAGE CONTAINS:

One 60 g (2.11 oz) can of **Minoxidil Aerosol, 5% (For Women)** (two month supply)



Compare to the active ingredient in Women's Rogaine®  
NDC 51316-213-01

MINOXIDIL  
Topical Aerosol, 5%  
(For Women)

# Hair Regrowth Treatment

FOR WOMEN

- #1 Dermatologist recommended active ingredient\*
- Clinically proven to regrow hair
- Reactivates hair follicles to stimulate regrowth

2  
month  
supply

Once-a-Day Foam  
for Women



Unscented

2 MONTH SUPPLY  
1-60 g (2.11 OZ) CAN

## DIRECTIONS FOR USE

See information leaflet with complete directions on how to use and obtain best results.



**1: PREP HANDS WITH COLD WATER**  
Rinse your fingers in cold water and dry them. Note: foam will melt on contact with warm surfaces.



**2: OPEN CHILD RESISTANT CAP**  
Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.



**3: DISPENSE VERTICALLY ONTO A COLD SURFACE**  
Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a cold surface (e.g. dish, or cold hands).



**4: APPLY TO SCALP, NOT HAIR**  
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.



**5: CLOSE CAP AND WASH HANDS**  
Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Read and keep package and leaflet for full product information.

In the U.S.  
Source: AlphaImpactRx

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com 1-800-SHOP CVS V-38/44  
Made in Israel

100% money back guaranteed.  
CVS.com/returnpolicy

TARO-133

NO VARNISH/ NO AQ  
NO COPY / NO COLOR  
THIS FLAP FOR LOT #

LOT # 1012345678  
 AND EXP DATE PRINT

# MINOXIDIL (FOR WOMEN)

minoxidil aerosol, foam

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-213
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTANE (UNII: 6LV4FOR43R)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ISOBUTANE (UNII: BXR49TP611)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPANE (UNII: T75W9911L6)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
WATER (UNII: 059QF0KOOR)	

## Product Characteristics

<b>Color</b>	white (white to off-white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-213-01	1 in 1 CARTON	08/05/2022	
1		60 g in 1 CAN; Type 0: Not a Combination Product		

2	NDC:51316-213-10	1 in 1 CARTON	10/20/2023	
2		60 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:51316-213-02	2 in 1 CARTON	08/05/2022	
3		60 g in 1 CAN; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209074	08/05/2022	

**Labeler** - CVS Pharmacy (062312574)

## Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	manufacture(51316-213)

Revised: 3/2025

CVS Pharmacy