#### HEMORRHOIDAL- petrolatum, mineral oil, phenylephrine hcl ointment Valu Merchandisers, Co.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

\_\_\_\_\_

#### Best Choice Hemorrhoidal Ointment

#### Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue and relieves burning
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

#### Warnings

#### For external use only and/or intrarectal use only

#### Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlargement of the prostate gland

## Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression.

## When using this product

do not exceed the recommended daily dosage unless directed by a doctor.

## Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days
- introduction of applicator into the rectum causes additional pain

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying ointment.
- when first opening tube, puncture foil seal with top end of cap
- apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- intrarectal use: remove cover form applicator and attach tube, lubricate applicator well, then gently insert applicator into the rectum - thoroughly cleanse applicator after each use and replace cover
- also apply ointment to external area
- regular use provides continual therapy for relief of symptoms
- children under 12 years of age: ask a doctor

## Other information

Other information

Store at 20 ° to 25 °C (68 ° to 77 °F)

## Inactive ingredients

beeswax, benzoic acid, cetyl alcohol, blyerol, methylparaben, polyoxyethylene lauryl ether, propylparaben, stearyl alcohol

## **Active ingredients**

Mineral oil 14% Petrolatum 74.9% Phenylephrine HCL 0.25%

## Purpose

Protectant

Protectant

Vasoconstrictor

# **Questions or comments?**

Call toll free: 1-800-883-0085

# Package label

Best Choice Hemorrhoidal Ointment

Ĺ			
	Drug Facts (continued)	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a	2
	difficulty in urination due to enlargement of the prostate gland Ask a doctor or pharmacist before use if you are presently taking a prescription	Poison Control Center right away.	LOT. EXP. 0-29832BC2
	drug for high blood pressure or depression.	Directions adults: when practical, cleanse the affected area by patting or blotting with an	332
	When using this product do not exceed the recommended daily dosage unless directed by a doctor.	appropriate cleansing wipe. Gently dry by patting blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before	56 99
	Stop use and ask a doctor if  bleeding occurs condition worsens or does not improve within 7 days	applying ointment. • when first opening the tube, puncture foil seal with top end of cap	LOT. EXP.
	<ul> <li>Conduction worsens of does not improve within 7 days</li> <li>introduction of applicator into the rectum causes additional pain</li> </ul>	<ul> <li>when its opening the table, puncture for sear with op end of cap</li> <li>apply to the affected area up to 4 times daily, especially at night, in the morning or</li> </ul>	
	Drug Facts (continued)	■ children under 12 years of age: ask a doctor	
	after each bowel movement	Other information store at 20° to 25°C (68° to 77°F)	
	<ul> <li>intrarectal use: - remove cover from applicator, attach applicator to tube, lubricate applicator well and gently insert applicator into the rectum</li> </ul>	Inactive ingredients beeswax, benzoic acid, cetyl alcohol, glycerol, methylparaben,	1
	<ul> <li>thoroughly cleanse applicator after each use and replace cover</li> <li>also apply ointment to external area</li> </ul>	polyoxyethylene lauryl ether, propylparaben, stearyl Alcohol	
	<ul> <li>regular use provides continual therapy for relief of symptoms</li> </ul>	Questions or comments? Call toll free: 1-800-883-0085	1
	"This product	i is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Preparation H	
D PEST CHOICE	COMPARE TO THE ACTIVE INGREDIENTS OF PREPARATION H* HEMORRHOIDAL ONTMENT* Protects Irritated Tissue · Prompt Southing Relief From Painful Burning, Itching and Discomfort · Shrinks Swellen Hemorrhoidal Tissue · Relieves Internal and External Discomf Prevents Further Irritation	dal Ointment Best Choice	
	Active ingredients Purpose Mineral oil 14%	high blood pressure     KANSAS CITY, KS 66106	
		MADE IN CHINA Retain Carton for Complete Information	

HEMORRHOIDAL petrolatum, mineral oil, pheny	lephrine hcl ointment							
<b>Product Information</b>								
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:63941-202				
Route of Administration	TOPICAL							
Active Ingredient/Active Moiety								
Ingred	dient Name		<b>Basis of Strength</b>		Strength			
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)			MINERAL OIL		14 g in 100 g			
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)       PETROLATUM					74.9 g in 100 g			
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)			PHENYLEPHRINE HYDROCHLORIDE		0.25 g in 100 g			
Inactive Ingredients								
	In a ve die at Now				Cture marth			
	Ingredient Nam	ie			Strength			

 STEARYL ALCOHOL (UNII: 2KR89I4H1Y)

 GLYCEROL FORMAL (UNII: 3L7GR2604E)

 .ALPHA.-SUCCINIMIDYLOXY CARBONYL-.OMEGA.-METHOXY, POLYOXYETHYLENE MW 5000 (UNII: C9D1AW3UTV)

CETYL ALCOHOL (UNII: 936JST6JCN)							
BENZOIC ACID (UNII: 85KN0B0MIM)							
PE	G-8 BEESWAX (U	NII: 3C1QUF1TIR)					
ME	THYLPARABEN (L	JNII: A2I8C7HI9T)					
PROPYLPARABEN (UNII: Z8IX2SC10H)							
Packaging							
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:63941-202- 02	1 in 1 CARTON	02/06/2012				
1		57 g in 1 TUBE; Type 0: Not a Combination Product					
Marketing Information							
	Marketing	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	Category	Citation					

Labeler - Valu Merchandisers, Co. (868703513)

Revised: 2/2023

Valu Merchandisers, Co.