ESOPINIO SUN SHIELD PLUS SPF 35 PA- titanium dioxide cream ZION SYNTHETIC FIBER CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients: TITANIUM DIOXIDE, ZINC OXIDE

Inactive ingredients:

Water, Ethylhexyl Methoxycinnamate, Butylene Glycol, C12-15 Alkyl Benzoate, Cyclomethicone, Disteardimonium Hectorite, Glycerin, Cetyl PEG/PPG-10/1 Dimethicone,

Butylene Glycol Dicaprylate/Dicaprate, Bis-Ethylhexyloxyphenol Methoxyphenyltriazine, 4-

Methylbenzylidene Camphor, Betaine, Sodium Chloride, Polyglyceryl-4-Isostearate,

Cetyl Dimethicone, Polymethyl Methacrylate, Dimethicone, Aluminum Hydroxide, Stearic Acid, Zinc Stearate, Portulaca Oleracea Extract, Methyl Paraben,

Tocopheryl Acetate, Allantoin, Punica Granatum Fruit Extract, Solanum Lycopersicum (Tomato) Fruit Extract, Disodium EDTA, Aluminum Silicate,

Zeolite, Topaz, Hematite Extract, Tourmaline, Flavor

Purpose:

Protects your skin from Ultra-violet Rays.

365 days with Esopinio Sun Shield Plus your skin will be safe.

Warnings:

In case of having following symptoms after using this, you're advised to stop using it immediately. If you keep using it, the symptoms will get worse and need to consult a dermatologist.

- In case of having problems such as red rash, swollenness, itching, stimulation during usage.
- In case of having the same symptoms above on the part you put this product on by direct sunlight.

You are banned to use it on the part where you have a scar, eczema, or dermatitis.

In case of getting it into your eyes, you have to wash it immediately.

Keep out of reach of children:

Keep out of reach of children.

Indications and Usage:


Tighten the lid after using it.

Don't keep it in the place where the temperature is extremely hot or low and exposed the direct sunlight. Please apply it an adequate quantity evenly on face, throat, arms and legs at the last stage of basic makeup.

Please apply it once again on your skin at the time when you're going out, sports activity, and any activities of outside.

Dosage and Administration:

Take up about 1.2g - 1.5g of it and smooth over the entire face.





Active Ingredient

Titanium Dioxide, Zinc Oxide

Protects your skin from Ultra-violet Rays. 365 days with Esopinio Sun Shield Plus your skin will be safe.

Keep out of reach of children

Keep out of the reach of babies and children.

Indications & Usage

- 1. Tighten the lid after using it.
- 2. Don't keep it in the place where the temperature is extremely hot or low and exposed the direct sunlight.
- 3. Please apply it an adequate quantity evenly on face, throat, arms and legs, at the last stage of basic makeup.
- 4. Please apply it once again on your skin at the time when you're going out, sports activity, and any activities of outside.

Dosage & Administration

Take up about 1.2g~1.5g of it and smooth over the entire face.

Inactive Ingredients

Water, Ethylhexyl Methoxycinnamate, Butylene Glycol, C12-15 Alkyl Benzoate, Cyclomethicone Disteardimonium Hectorite, Glycerin, Cetyl PEG/ PPG-10/1 Dimethicone, Butylene Glycol Dicaprylate/ Dicaprate, Bis-Ethylhexyloxyphenol Methoxyphenyltriazine, 4-Methylbenzylidene Camphor, Betaine, Sodium Chloride, Polyglyceryl-4-Isostearate, Cetyl Dimethicone, Polymethyl Methacrylate, Dimethicone, Aluminum Hydroxide, Stearic Acid, Zinc Stearate, Portulaca Oleracea Extract, Methyl Paraben, Tocopheryl Acetate, Allantoin, Punica Granatum Fruit Extract, Solanum Lycopersicum (Tomato) Fruit Extract, Disodium EDTA, Aluminum Silicate, Zeolite, Topaz, Hematite Extract, Tourmaline, Flavor.

70 ml



Zion Synthetic Fiber Co., Ltd. Busan, Korea ৪2-51-720-7187 Made in Korea

ESOPINIO SUN SHIELD PLUS SPF 35 PA

titanium dioxide cream

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:44781-110 Route of Administration **CUTANEOUS**

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM - UNII:D1JT611TNE)	TITANIUM DIO XIDE	2.55 mL in 70 mL
Zinc Oxide (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	Zinc Oxide	1.4 mL in 70 mL

Inactive Ingredients	
Ingredient Name	Strength

Water (UNII: 059QF0KO0R)	
OCTINOXATE (UNII: 4Y5P7MUD51)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Cyclomethicone (UNII: NMQ347994Z)	
Glycerin (UNII: PDC6A3C0OX)	
Betaine (UNII: 3SCV180C9W)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
Dimethicone (UNII: 92RU3N3Y1O)	
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ZINC STEARATE (UNII: H92E6QA4FV)	
METHYLPARABEN (UNII: A218 C7HI9T)	
ALLANTO IN (UNII: 344S277G0Z)	
TOMATO (UNII: Z4KHF2C175)	
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6 K)	
ALUMINUM SILICATE (UNII: T1FAD4SS2M)	

Code Pac	kage Description	Marketing Start Date	Marketing End Date
10-01 70 mL in	1 CARTON		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	0 4/0 1/20 10		

Labeler - ZION SYNTHETIC FIBER CO., LTD. (688011147)

Registrant - ZION SYNTHETIC FIBER CO., LTD. (688011147)

Establishment			
Name	Address	ID/FEI	Business Operations
ZION SYNTHETIC FIBER CO., LTD.		688011147	manufacture

Revised: 8/2011 ZION SYNTHETIC FIBER CO., LTD.