

UNIVERSAL PAIN RELIEF- lidocaine patch
Universal Distribution Center LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Universal HEAT PATCH PAIN RELIEF

Active ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Uses:

For temporary relief of pain

Warnings

For external use only

Do not use: • More than 1 patch at a time • On wounds or damaged skin • With a heating pad • If you are allergic to any ingredients of this product

When using this product: • Use only as directed • Avoid contact with the eyes, mucous membranes or rashes • Do not bandage tightly

Stop use and ask a doctor if: • localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering

- Conditions worsen
- Symptoms persists for more than 7 days
- Symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adult and Children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Other information

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

Inactive ingredients

Glycerin, Sodium Polyacrylate, Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Kaolin, Titanium Dioxide, Polysorbate 80, Propylene Glycol, Tartaric Acid, Polyacrylic Acid, Polyvinylpyrrolidone K90, Methylparaben, Propylparaben, Water

HOT & COLD RELIEF

**FAST ACTING
PAIN RELIEF**

DESENSITIZE AGGRAVATED NERVES

- **Back**
- **Neck**
- **Shoulders**
- **Knees & Elbows**

APPLY FOR 8 HOURS

CONTAINS FIVE 5.5"X3.94" INDIVIDUALLY PACKED PATCHES

HOW TO APPLY

1. Remove patch from outer package
2. Partially peel back protective film
3. Place on affected area
4. Remove remaining film while pressing patch to skin

USE COLD

For temporary relief of pain associated with:

- Swelling
- Sprains & Strains
- Bumps & Bruises
- Sports injury
- Toothache
- Fever

USE HOT

For temporary relief of pain associated with:

- Muscle aches
- Mild Arthritis
- Menstrual cramps

- Joint stiffness
- Sports injury

Mfd and Distributed By:

Universal Distribution Center
96 Distribution Boulevard, Edison, NJ 08817
www.universaldc.com

Made in P.R.C

Packaging



DRUG FACTS TABLE

Drug Facts	
Active Ingredient	Purpose
Lidocaine 4%	Topical anesthetic
Uses: For temporary relief of pain	
Warnings <i>For external use only</i>	
Do not use: • More than 1 patch at a time • On wounds or damaged skin • With a heating pad • If you are allergic to any ingredients of this product	
When using this product: • Use only as directed • Avoid contact with the eyes, mucous membranes or rashes • Do not bandage tightly	
Stop use and ask a doctor if: • localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering • Conditions worsen • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days	
<i>If pregnant or breast-feeding, ask a health professional before use</i>	

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions Adult and children 12 years of age and over: • Clean and dry affected area • Remove film from patch and apply to the skin (see illustration) • Apply 1 patch at a time to affected area, not more than 3 to 4 times daily • Remove patch from the skin after at most 8-hour application Children under 12 years of age: Consult a doctor
Other information • Avoid storing product in direct sunlight • Protect product from excessive moisture
Inactive Ingredients Glycerin, Sodium Polyacrylate, Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Kaolin, Titanium Dioxide, Polysorbate 80, Propylene Glycol, Tartaric Acid, Polyacrylic Acid, Polyvinylpyrrolidone K90, Methylparaben, Propylparaben, Water

UNIVERSAL PAIN RELIEF

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52000-407
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
KAOLIN (UNII: 24H4NWX5CO)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TARTARIC ACID (UNII: W4888I119H)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52000-407-01	5 in 1 BOX	06/30/2023	
1		1 in 1 BAG		
1		12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not			

OTC monograph not final	part348	06/30/2023	
-------------------------	---------	------------	--

Labeler - Universal Distribution Center LLC (019180459)

Revised: 6/2023

Universal Distribution Center LLC