# STOOL SOFTENER- docusate sodium capsule, liquid filled Sam's West, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

### Active Ingredient (in each softgel)

Docusate Sodium 100 mg

## **Purpose**

Stool softener laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement within 12 to 72 hours

#### **Warnings**

#### Do not use

if you are presently taking mineral oil, unless told so by a doctor.

## Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

## Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

## If pregnant or breast-feeding,

ask a health care professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

• take only by mouth. Doses may be taken as a single daily dose or in divided doses.

Adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

#### Other information

- each softgel contains: sodium 6 mg
- store at 25° C (77° F); excursions permitted between 15- 30° C (59°- 86° F)

## **Inactive Ingredients**

black iron oxide, D&C Red #33, FD&C blue #1, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

### **Principal Display Panel**

Compare to Colace® active ingredient†

#### STOOL SOFTENER

Docusate Sodium 100 mg

Regular Strength

- Stool Softener Laxative
- Gentle, Dependable
- Stimulant-free

#### **SOFTGELS**

†This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® Regular Strength Stool Softener.

## TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**DISTRIBUTED BY** 

SAM'S WEST, INC.

BENTONVILLE, AR 72716

#### **Product Label**



TAMPER EVIDENT: DO NOT USE IF PRIN	TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.
Drug Facts Active ingredient (in each softgel) Docusate sodium 100 mg	Drug Facts Active Ingredient (in each softgel) Docusate sodium 100 mg
Uses ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 12 to 72 hours	agularity) rt in 12 to 72 hours
Warnings Do not use if you are presently takin	Warnings Do not use if you are presently taking mineral oil, unless told to do so by a doctor.
Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks	iting rabits that lasts over 2 weeks
Stop use and ask a doctor if  you have rectal bleeding or fail to have a bowel recould be signs of a serious condition.  Wou need to use a laxative for more than 1 week	Stop use and ask a doctor if  you have rectal bleeding or fall to have a bowel movement after use of a laxative. These could be signs of a serious condition.  Byour need to use a laxative for more than 1 week
if pregnant or breast-feeding, ask a health professional before use Keep out of reach of children. In case of overdose, get medical helt Control Center (1-800-222-1222) right away.	If pregnant or brasst-leading, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1722) ignit away.
<b>Directions</b> ■ take only by mouth. Doses may be	Directions ■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.
adults and children 12 years and over	er take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor
Other information	

Inactive ingredients black iron oxide, D&C red #33, FD&C blue #1, FD&C red #40, -D&C yellow #6, gelatin, glycerin, hypromellose, polyethylene glycol, propylene glycol,

itted between 15-30°C (59-86°F)

'This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® Regular Strength Stool Softener.

**Questions or comments?** Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Exp. Date:

Lot No.:

PLD-B717A LB008163

## MEMBER'S MARK Stool Softener

## STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-853
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg	

Inactive Ingredients	
Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6092ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
,	

Product Characteristics			
Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P10
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
<b>1</b> NDC:68196-853-60	600 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/28/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	05/28/2021	

## Labeler - Sam's West, Inc (051957769)

Revised: 5/2023 Sam's West, Inc