





## Sunscreen

## Uses



helps prevent sunburn. if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings





keep out of eyes. Rinse with water to remove

**Stop Use and ask a doctor if**



rash occurs

**Keep out of reach of children**



If swallowed, get medical help or contact a Poison Control Center right away.

## Directions



apply liberally 15 minutes before sun exposure. reapply:  
after 80 minutes of swimming or sweating  
immediately after towel drying  
at least every 2 hours





acrylates copolymer, acrylates/c10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, butylene glycol, carbomer, dimethicone, disodium EDTA, ethylhexyl palmitate, ethylhexylglycerin, fragrance, glycerin, hydroxypropyl methylcellulose, neopentyl glycol diheptanoate, phenoxyethanol, simmondsia chinensis (jojoba) extract, sorbitan monooleate, styrene/ acrylates

## Questions or comments?



Call 855-sea-n-ski (855-732-6754) or visit [www.seaNski.com](http://www.seaNski.com)

## Package Label



### SEA AND SKI SPF 50

avobenzone, homosalate, octisalate, octocrylene lotion

#### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:73440-2156 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

#### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength          |
|---|-------------------|-------------------|
| <b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 1.275 g in 42.5 g |
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE        | 6.375 g in 42.5 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 2.975 g in 42.5 g |
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 3.4 g in 42.5 g   |

#### Inactive Ingredients

| Ingredient Name                 | Strength          |
|---------------------------------|-------------------|
| <b>WATER</b> (UNII: 059QF0KO0R) | 19.95 g in 42.5 g |

#### Product Characteristics

|               |                |                     |  |
|---------------|----------------|---------------------|--|
| <b>Color</b>  | white (Opaque) | <b>Score</b>        |  |
| <b>Shape</b>  |                | <b>Size</b>         |  |
| <b>Flavor</b> |                | <b>Imprint Code</b> |  |



**Contains****Packaging**

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:73440-2156-1 | 42.5 g in 1 TUBE; Type 0: Not a Combination Product | 09/25/2020           |                    |

**Marketing Information**

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part352                                  | 09/25/2020           |                    |

**Labeler** - Cross Brands Contract Filling (117871824)**Establishment**

| Name                          | Address | ID/FEI    | Business Operations  |
|-------------------------------|---------|-----------|--|
| Cross Brands Contract Filling |         | 117871824 | manufacture(73440-2156) , label(73440-2156) , pack(73440-2156) |

Revised: 2/2021

Cross Brands Contract Filling