

**DOLEX FEM- acetaminophen, caffeine, pyrilamine maleate tablet, coated**  
**Pharmadel LLC**

-----  
**Dolex Fem (HHH)**

**Drug Facts**

***Active ingredients & Purposes***

---

**Active ingredients (in each tablet)**

**Acetaminophen 500mg.....**

Caffeine 60mg .....

Pyrilamine maleate 15mg.....

**Purposes**

**Pain reliever**

Diuretic

Antihistamine

---

***Uses***

For the temporary relief of these symptoms associated with menstrual periods

- cramps
- bloating
- water- weight gain
- headache
- backache
- Muscle aches
- fatigue

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

more than **6 tablets** in 24 hours, which is the maximum daily amount for this product with other drugs containing acetaminophen

3 or more alcoholic drinks every day while using this product.

**Allergy alert: Acetaminophen** may cause severe skin or severe allergic reactions.

Symptoms may include:

- skin reddening
- blisters
- rash
- If a skin or general allergic reaction occurs, stop use and seek medical help right away.

**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or

beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

### **Do not use**

- with any other drug containing **acetaminophen** (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if allergic to any of the ingredients in this product

### **Ask a doctor before use if you have**

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages while taking this product
- use caution when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **Do not exceed recommended dose**
- **adults and children 12 years of age and over:** take two (2) caplets, every 6 hours, do not exceed **6 caplets** in a 24- hour period
- **children under 12 years of age:** do not use

### ***Other information***

- Store at room temperature 77-86°F (25-30°C)

### Inactive ingredients

corn starch, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, povidone k30, silicon dioxide, stearic acid, talc, titanium dioxide, water

### Questions or comments?

**1-866-359-3478** (M-F) 9AM - 5PM or [www.pharmadel.com](http://www.pharmadel.com)

\*This product is not manufactured or distributed by Bayer Healthcare LLC owner of the registered trademark Midol® Complete.

### Prinicpal Display Panel

NDC 55758-326-25

# DOLEX<sup>®</sup>

Máxima potencia  
Maximum Strength

*Fem*

Alivio de los dolores menstruales  
Menstrual Pain Relief

- Calambres / Cramps
- Hinchazón / Swelling
- Fatiga / fatigue

Acetaminofén, Cafeína y Maleato de Pirlamina

Acetaminophen, Caffeine and Pylamine Maleate

Compare to Midol<sup>®</sup> Complete active ingredients\*

Comparable con los ingredientes activos de Midol<sup>®</sup> Completo\*

24 tablets / tabletas

### DOLEX FEM

acetaminophen, caffeine, pyrilamine maleate tablet, coated

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55758-326
---------------------	----------------	---------------------------	---------------

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE K30 (UNII: U725QWY32X)	
TALC (UNII: 7SEV7J4R1U)	

### Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	HH7
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-326-25	1 in 1 CARTON	10/01/2020	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:55758-326-50	25 in 1 BOX	04/07/2023	04/07/2023
2	NDC:55758-326-02	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:55758-326-02	2 in 1 PACKET; Type 0: Not a Combination Product	04/07/2023	04/07/2023



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/01/2020	

**Labeler** - Pharmadel LLC (030129680)

Revised: 2/2026

Pharmadel LLC