

**CORICIDIN HBP COUGH AND COLD- chlorpheniramine maleate,
dextromethorphan hydrochloride tablet
Bayer HealthCare LLC.**

Coricidin HBP Cough and Cold UI 1614831

Drug Facts

Active ingredients (in each tablet) Purpose

Chlorpheniramine maleate 4 mg.....Antihistamine

Dextromethorphan hydrobromide 30 mg..... .Cough suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves runny nose and sneezing due to the common cold

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

Do not use to sedate children.

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- cough that occurs with excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact

a Poison Control Center right away. **Abuse of this product can lead to serious injury.**

Directions

- do not exceed recommended dose
- adults and children 12 years and over: take 1 tablet every 6 hours, not more

than 4 tablets in 24 hours

- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)
- see end flap for expiration date and lot number

Inactive ingredients croscarmellose sodium, D&C red #27 aluminum lake, FD&C yellow #6 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments? 1-800-317-2165 (Mon-Fri 9AM - 5PM EST)

Carton 16

Coricidin[®] HBP
COLD RELIEF FOR PEOPLE WITH **HIGH BLOOD PRESSURE**[®]
COUGH & COLD 16 TABLETS
SAFETY SEALED: Do not use if blister is cut or broken.

Coricidin[®] HBP
COLD RELIEF FOR PEOPLE WITH **HIGH BLOOD PRESSURE**[®]
COUGH & COLD 16 TABLETS

Chlorpheniramine Maleate - Antihistamine
Dextromethorphan HBr - Cough Suppressant

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

Drug Facts

| Active ingredients (in each tablet) | Purpose |
|-------------------------------------|-------------------|
| Chlorpheniramine maleate 4 mg | Antihistamine |
| Dextromethorphan hydrobromide 30 mg | Cough suppressant |

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves runny nose and sneezing due to the common cold

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- in children under 12 years of age

Do not use to sedate children

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with excessive phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

Drug Facts (continued)

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness

Use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than recommended dose
- adults and children 12 years and over: take 1 tablet with water every 6 hours. Do not exceed 4 tablets in 24 hours or as directed by a doctor.
- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients croscarmellose sodium, D&C red no. 27 aluminum lake, FD&C yellow no. 6 aluminum lake, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, talc, titanium dioxide

Questions or comments?
1-800-317-2165 (Mon-Fri 9AM - 5PM EST)

Bayer
89459237

Bayer, the Bayer Cross, Coricidin, and Coricidin HBP are registered trademarks of Bayer.
© 2020 Bayer
Dist. by: Bayer HealthCare LLC
Whippany, NJ 07981
Pat. patents: Invenel, Bayer.com

Coricidin[®]
HBP

Decongestant-Free Cold

Symptom Relief for

People with **High Blood Pressure**

Cold and Cough

Dextromethorphan HBr-

Cough Suppressant

Chlorpheniramine Maleate-

Antihistamine

Relieves:

- Cough
- Runny nose
- Sneezing

16 TABLETS

CORICIDIN HBP COUGH AND COLD

chlorpheniramine maleate, dextromethorphan hydrochloride tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11523-0008 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|----------------------------------|----------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 30 mg |
| CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U) | CHLORPHENIRAMINE MALEATE | 4 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| TALC (UNII: 7SEV7J4R1U) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | red | Score | no score |
| Shape | ROUND | Size | 9mm |
| Flavor | | Imprint Code | CC |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11523-0008-1 | 2 in 1 CARTON | 10/23/2020 | |
| 1 | | 8 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 10/23/2020 | |

Labeler - Bayer HealthCare LLC. (112117283)