

**BAREMINERALS COMPLEXION RESCUE DEFENSE RADIANT PROTECTIVE VEIL
BROAD SPECTRUM SPF 30 SOFT RADIANCE- titanium dioxide and zinc oxide cream
Bare Escentuals Beauty, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**bareMinerals® Complexion Rescue Defense™ Radiant Protective Veil Broad Spectrum SPF 30
Soft Radiance**

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium Dioxide 3.28%	Sunscreen
Zinc Oxide 12.48%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive Ingredients

water, c9-12 alkane, dimethicone, propanediol, glycerin, peg-32, peg-6, polyglyceryl-4 laurate/succinate, polysorbate 60, camellia japonica flower extract, bupleurum falcatum root extract, undaria pinnatifida extract, hypericum erectum flower/leaf/stem extract, moringa oleifera seed extract, theobroma cacao (cocoa) seed extract, lactobacillus ferment, ceramide np, manganese pca, butylene

glycol, succinoglycan, biosaccharide gum-4, bisabolol, allantoin, phytosteryl/octyldodecyl lauroyl glutamate, aminopropyl dimethicone, lauryl betaine, cetyl stearate, isostearyl isostearate, aluminum hydroxide, decyl isostearate, polyquaternium-51, sodium hyaluronate, ascorbyl glucoside, mica, cellulose gum, silica, sodium pca, coco-caprylate/caprates, decyl glucoside, potassium cetyl phosphate, cetyl alcohol, isohexadecane, caprylyl glycol, hexylene glycol, sorbitan oleate, 1,2-hexanediol, sorbitan sesquiisostearate, sodium methyl stearoyl taurate, vp/eicosene copolymer, polyacrylate crosspolymer-6, t-butyl alcohol, polysorbate 80, disodium edta, dimethylacrylamide/sodium acryloyldimethyltaurate crosspolymer, polysilicone-11, disodium phosphate, isostearic acid, sodium citrate, hydrogen dimethicone, sodium acrylate/sodium acryloyldimethyl taurate copolymer, stearic acid, citric acid, triethoxycaprylylsilane, tocopherol, tin oxide, alcohol, fragrance, limonene, linalool, hexyl cinnamal, sodium benzoate, phenoxyethanol. may contain: titanium dioxide, iron oxides.

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-795-4747

Dist. by bareMinerals, New York,
NY 10022, USA

PRINCIPAL DISPLAY PANEL - 50 ml Tube Carton

bareMinerals®

COMPLEXION
RESCUE
DEFENSE™


RADIANT PROTECTIVE
VEIL

BROAD SPECTRUM
SPF 30

50 ml / 1.7 fl. oz.

SOFT RADIANCE

bareMinerals®



COMPLEXION RESCUE DEFENSE™

RADIANT PROTECTIVE
VEIL

RAYONNANTE ET
PROTECTRICE VOILE

BROAD SPECTRUM
SPF 30

FPS 30
À LARGE SPECTRE

50 ml / 1.7 fl. oz.

Drug Facts

<i>Active ingredient(s)</i>	<i>Purpose</i>
Titanium dioxide 3.28% _____	Sunscreen
Zinc oxide 12.48% _____	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions For sunscreen use: • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months: ask a doctor • Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredient(s) water, C9-12 alkane, dimethicone, propanediol, glycerin, PEG-32, PEG-6, polyglyceryl-4 laurate/succinate, polysorbate 60, camellia japonica flower extract, bupleurum falcatum root extract, undaria pinnatifida extract, hypericum erectum flower/leaf/stem extract, moringa oleifera seed extract, theobroma cacao (cocoa) seed extract, lactobacillus ferment, ceramide np, manganese pca, butylene glycol, succinoglycan, biosaccharide gum-4, bisabolol, allantoin, phytosteryl octyldodecyl lauroyl glutamate, aminopropyl dimethicone, lauryl betaine, cetyl stearate, isostearyl isostearate, aluminum hydroxide, decyl isostearate, polyquaternium-51, sodium hyaluronate, ascorbyl glucoside, mica, cellulose gum, silica, sodium pca, coco-caprylate/caprate, decyl glucoside, potassium cetyl phosphate, cetyl alcohol, iso-hexadecane, caprylyl glycol, hexylene glycol, sorbitan oleate, 1,2-hexanediol, sorbitan sesquiisostearate, sodium methyl stearoyl taurate, vp/eicosene copolymer, polyacrylate crosspolymer-6, t-butyl alcohol, polysorbate 80, disodium EDTA, dimethylacrylamide/sodium acryloyldimethyltaurate crosspolymer, polysilicone-11, disodium phosphate, isostearic acid, sodium citrate, hydrogen dimethicone, sodium acrylate/sodium acryloyldimethyl taurate copolymer, stearic acid, citric acid, triethoxycaprylylsilane, tocopherol, tin oxide, alcohol, fragrance, limonene, linalool, hexyl cinnamal, sodium benzoate, phenoxyethanol, may contain: titanium dioxide, iron oxides.

Other Information

Protect this product from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-795-4747


THE FIRST MINERAL-BASED ALL-IN-ONE VEIL FOR ALL SKIN TONES, WITH CACAO EXTRACT TO HELP PROTECT AGAINST THE DAMAGING EFFECTS OF BLUE LIGHT FROM DEVICES. FORMULATED WITH SUGAR MOLECULES TO HELP BLOCK POLLUTION PARTICLES AND MINERAL SPF TO PROTECT AGAINST UVA/UVB DAMAGE, FOR OPTIMAL INDOOR AND OUTDOOR PROTECTION. ENHANCE AND EVEN THE APPEARANCE OF SKIN TONE WITH NATURAL PEARL FOR A LIT-FROM-WITHIN GLOW. USE ALONE, UNDER OR OVER MAKEUP FOR ADDED SKIN RADIANCE AND DEFENSE.

PREMIER VOILE TOUT-EN-UN FORMULÉ À BASE DE MINÉRAUX ADAPTÉ À TOUS LES TEINTS AVEC DE L'EXTRAIT DE CACAO POUR OFFRIR UNE PROTECTION CONTRE LES EFFETS NÉFASTES DE LA LUMIÈRE BLEUE DES APPAREILS. FORMULÉ AVEC DES MOLÉCULES DE SUCRE POUR BLOQUER LES PARTICULES DE POLLUTION ET UNE PROTECTION SOLAIRE À BASE DE MINÉRAUX POUR LUTTER CONTRE LES EFFETS NÉFASTES DES RAYONS UVA/UVB. POUR UNE PROTECTION OPTIMALE À L'INTÉRIEUR COMME À L'EXTÉRIEUR. AMÉLIORE ET UNIFIE LE TEINT AVEC SA FORMULE À BASE DE PERLES NATURELLES POUR UN TEINT PARFAITEMENT PUR. UTILISEZ-LE SEUL, SUR OU SOUS LE MAQUILLAGE POUR UNE PEAU RADIEUSE ET PROTÉGÉE.

MADE IN USA. FABRIQUÉ AUX ÉTATS-UNIS.

Dist. by/par bareMinerals, New York, NY 10022, USA - London W1F 8ZU





BAREMINERALS COMPLEXION RESCUE DEFENSE RADIANT PROTECTIVE VEIL BROAD SPECTRUM SPF 30 SOFT RADIANCE

titanium dioxide and zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98 132-251
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	32.8 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	124.8 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 1500 (UNII: 1212Z7S33A)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	

POLYSORBATE 60 (UNII: CAL22UVI4M)	
CAMELLIA JAPONICA FLOWER (UNII: KUB8101TNF)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
UNDARIA PINNATIFIDA (UNII: ICV1OK7M1S)	
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)	
COCOA (UNII: D9108TZ9KG)	
LACTOBACILLUS REUTERI (UNII: 9913I24QEE)	
CERAMIDE NP (UNII: 4370DF050B)	
MANGANESE PIDOLATE (UNII: 3S6I84YKIV)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BIO SACCHARIDE GUM-4 (UNII: 9XRL057X90)	
LEVOMENOL (UNII: 24WE03BX2T)	
ALLANTOIN (UNII: 344S277G0Z)	
PHYTOSTERYL/OCTYLDODECYL LAUROYL GLUTAMATE (UNII: 65954KGO9Q)	
LAURYL BETAINE (UNII: Y4P927Q133)	
CETYL STEARATE (UNII: 06RI5UQA7L)	
ISOSTEARYL ISOSTEARATE (UNII: IV0Z586Z4Y)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DECYL ISOSTEARATE (UNII: NRB038QC02)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
MICA (UNII: V8A1AW0880)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
SORBITAN MONOLEATE (UNII: 06XEA2VD56)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
SODIUM METHYL STEAROYL TAURATE (UNII: JFM219LJ55)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPAS) (UNII: Q7UI015FF9)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
SODIUM ACRYLATE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (400000 MW) (UNII: 1DXE3F3OZX)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
STANNIC OXIDE (UNII: KM7N50LOS6)
ALCOHOL (UNII: 3K9958V90M)
LIMONENE, (+/-)- (UNII: 9MC3I34447)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
SODIUM BENZOATE (UNII: OJ245FE5EU)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-251-50	1 in 1 CARTON	06/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	06/01/2018	

Labeler - Bare Escentuals Beauty, Inc. (087008363)

Revised: 9/2018

Bare Escentuals Beauty, Inc.