

**PNV 27-CA/FE/FA- vitamin a acetate, beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, biotin, calcium pantothenate, calcium carbonate, ferrous fumarate, magnesium oxide, zinc oxide, cupric oxide tablet, film coated
Westminster Pharmaceuticals, LLC**

PNV 27-Ca/Fe/FA

Prenatal Multivitamin/Multimineral Tablet

Supplement Facts		
Serving Size: 1 Tablet		
	Amount Per Serving	%DV Pregnant and Lactating Women
Vitamin A (Acetate 3600 IU & Beta Carotene 400 IU)	1200 mcg RAE	92%
Vitamin C (Ascorbic Acid)	80 mg	67%
Vitamin D (as Cholecalciferol)	10 mcg (400 IU)	67%
Vitamin E (as dl-Alpha Tocopheryl Acetate)	7 mg* (15 IU)	37%
Thiamin (as Thiamine Mononitrate)	1.5 mg	107%
Riboflavin	1.6 mg	100%
Niacin (as Niacinamide)	17 mg NE	94%
Vitamin B ₆ (as Pyridoxine HCl)	4 mg	200%
Folate (as Folic Acid)	1667 mcg DFE (1000 mcg folic acid)	278%
Vitamin B ₁₂ (as Cyanocobalamin)	2.5 mcg	89%
Biotin	30 mcg	86%
Pantothenic Acid (as Calcium Pantothenate)	7 mg	100%
Calcium (as Calcium Carbonate)	200 mg	15%
Iron (as Ferrous Fumarate)	60 mg	222%
Magnesium (as Magnesium oxide)	100 mg	25%
Zinc (as Zinc Oxide)	25 mg	192%
Copper (as Cupric Oxide)	3 mg	231%

* Equal to mg alpha-tocopherol

Other ingredients: Microcrystalline cellulose, potassium citrate, croscarmellose sodium, citric acid, stearic acid, povidone K30, acacia, magnesium stearate, hypromellose, fumed silica, titanium dioxide, polyethylene glycol.

PNV 27-Ca/Fe/FA tablets help assure an adequate intake of the vitamins and minerals listed. Folate supplementation may be recommended for individuals who have higher-than normal demands for folate such as pregnant women.

CONTRAINDICATIONS

Supplemental vitamins and minerals should not be prescribed for patients with hemochromatosis or Wilson's disease.

WARNINGS

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

PRECAUTIONS

General

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia assessment, such that hematologic remission can occur while neurological manifestations remain progressive. Pernicious anemia should be excluded before using this product since folic acid may mask the symptoms of pernicious anemia. The calcium content should be considered before prescribing for patients with history of kidney stones. Do not exceed the recommended dose.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic tests (e.g. troponin) and hormone test, and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

DRUG INTERACTIONS

PNV 27-Ca/Fe/FA is not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine. There is a possibility of increased bleeding due to pyridoxine interaction with anticoagulants (e.g., Aspirin, Heparin, Clopidogrel).

ADVERSE REACTIONS

Adverse reactions with iron therapy may include constipation, diarrhea, nausea, vomiting, dark stools and abdominal pain. Adverse reactions with iron therapy are usually transient. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DIRECTIONS FOR USE

Take One (1) tablet daily or as prescribed by a physician.

HOW SUPPLIED

PNV 27-Ca/Fe/FA is an oval shaped, white film-coated tablet debossed "193", supplied in bottles of 100 tablets.

Product Code: 69367-193-01

STORAGE

Store at 20°-25°C (68°-77°F), excursion permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature]. Dispense in a tight, light resistant container as defined in the USP with a child-resistant closure.

KEEP OUT OF REACH OF CHILDREN.

For use on the order of a healthcare practitioner.

To report a serious adverse event contact: 1-844-221-7294

Manufactured for:

Westminster Pharmaceuticals, LLC

Nashville, TN 37217

Rev. 12/24

PRINCIPAL DISPLAY PANEL - 100 Tablet Bottle Label

69367-193-01

Rx

PNV 27-Ca/Fe/FA

(one tablet daily)

Prenatal Multivitamin/

Multimineral Tablet

100 Tablets

Westminster

Pharmaceuticals

69367-193-01
Rx

PNV 27-Ca/Fe/FA
(one tablet daily)

Prenatal Multivitamin/
Multimineral Tablet

100 Tablets

WP Westminster
Pharmaceuticals

Supplement Facts		
Serving Size 1 Tablet	Amount Per Serving	%DV Pregnant and Lactating Women
Vitamin A (Acetate 3600 IU & Beta Carotene 400 IU)	1200 mcg RAE	92%
Vitamin C (Ascorbic Acid)	80 mg	67%
Vitamin E (as Cholecalciferol)	10 mcg (400 IU)	67%
Vitamin E (as d-Alpha-tocopherol Acetate)	7 mg* (15 IU)	37%
Thiamin (as Thiamine Mononitrate)	1.5 mg	107%
Riboflavin	1.6 mg	100%
Niacin (as Niacinamide)	17 mg NE	94%
Vitamin B ₆ (as Pyridoxine HCl)	4 mg	200%
Folate (as Folic Acid)	186.7 mcg DFE (1000 mcg folic acid)	276%
Vitamin B ₁₂ (as Cyanocobalamin)	2.5 mcg	89%
Biotin	30 mcg	88%
Pantothenic Acid (as Calcium Pantothenate)	7 mg	100%
Calcium (as Calcium Carbonate)	200 mg	15%
Iron (as Ferrous Fumarate)	60 mg	22%
Magnesium (as Magnesium oxide)	100 mg	25%
Zinc (as Zinc Oxide)	25 mg	192%
Copper (as Cupric Oxide)	3 mg	231%
*Equal to mg alpha-tocopherol		

Other Ingredients: Microcrystalline cellulose, potassium citrate, croscarmellose sodium, citric acid, stearic acid, povidone K30, acacia, magnesium stearate, hypromellose, tinned silica, titanium dioxide, polyethylene glycol.

STORAGE: Store at 20°-25°C (68°-77°F), excursion permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature]. Dispense in a tight, light resistant container as defined in the USP with a child-resistant closure.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

Manufactured for:
Westminster Pharmaceuticals, LLC
Nashville, TN 37217
Rev. 12/24

3 69367 19301 6

OPEN HERE

PNV 27-Ca/Fe/FA
Prenatal Multivitamin/Multimineral Tablet

PNV 27-Ca/Fe/FA tablets help assure an adequate intake of the vitamins and minerals listed. Folate supplementation may be recommended for individuals who have higher-than-normal demands for folate such as pregnant women.

CONTRAINDICATIONS
Supplemental vitamins and minerals should not be prescribed for patients with hemochromatosis or Wilson's disease.

WARNINGS

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

PRECAUTIONS
General: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B₁₂ is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia assessment, such that hematologic remission can occur while neurological manifestations remain progressive. Pernicious anemia should be excluded before using this product since folic acid may mask the symptoms of pernicious anemia. The calcium content should be considered before prescribing for patients with history of kidney stones. Do not exceed the recommended dose.

Biotin levels higher than the recommended daily allowance may cause interference with some laboratory tests, including cardiovascular diagnostic tests (e.g., troponin and hormone test), and may lead to incorrect test results. Tell your healthcare provider about all prescription and over-the-counter medicines, vitamins, and dietary supplements that you take, including biotin.

DRUG INTERACTIONS
PNV 27-Ca/Fe/FA is not recommended for and should not be given to patients receiving levodopa because the action of levodopa is antagonized by pyridoxine. There is a possibility of increased bleeding due to pyridoxine interaction with anticoagulants (e.g., Aspirin, Heparin, Clopidogrel).

ADVERSE REACTIONS
Adverse reactions with iron therapy may include constipation, diarrhea, nausea, vomiting, dark stools and abdominal pain. Adverse reactions with iron therapy are usually transient. Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DIRECTIONS FOR USE
Take One (1) tablet daily or as prescribed by a physician.

HOW SUPPLIED
PNV 27-Ca/Fe/FA is an oval shaped, white film-coated tablet debossed "193", supplied in bottles of 100 tablets.

Product Code: 69367-193-01

STORAGE
Store at 20°-25°C (68°-77°F), excursion permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature]. Dispense in a tight, light resistant container as defined in the USP with a child-resistant closure.

KEEP OUT OF REACH OF CHILDREN.

For use on the order of a healthcare practitioner.

To report a serious adverse event contact: 1-844-221-7294

Manufactured for:
Westminster Pharmaceuticals, LLC
Nashville, TN 37217
Rev. 12/24

PNV 27-CA/FE/FA

vitamin a acetate, beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, dl, thiamine mononitrate, riboflavin, niacinamide, pyridoxine hydrochloride, folic acid, cyanocobalamin, biotin, calcium pantothenate, calcium carbonate, ferrous fumarate, magnesium oxide, zinc oxide, cupric oxide tablet, film coated

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:69367-193
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
VITAMIN A ACETATE (UNII: 3LE3D9D6OY) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	3600 [iU]
BETA CAROTENE (UNII: 01YAE03M7J) (BETA CAROTENE - UNII:01YAE03M7J)	BETA CAROTENE	400 [iU]
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	80 mg

CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	400 [iU]
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) (.ALPHA.-TOCOPHEROL, DL- - UNII:7QWA1RIO01)	.ALPHA.-TOCOPHEROL, DL-	15 [iU]
THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.5 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	1.6 mg
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	17 mg
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE HYDROCHLORIDE	4 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1 mg
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	2.5 ug
BIOTIN (UNII: 6S06U10H04) (BIOTIN - UNII:6S06U10H04)	BIOTIN	30 ug
CALCIUM PANTOTHENATE (UNII: 568ET80C3D) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	7 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	200 mg
FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	60 mg
MAGNESIUM OXIDE (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM OXIDE	100 mg
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	25 mg
CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	3 mg

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POTASSIUM CITRATE ANHYDROUS (UNII: 86R1NVR0HW)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE K30 (UNII: U725QWY32X)	
ACACIA (UNII: 5C5403N26O)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:69367-193-01	100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		05/14/2025	

Supplement Facts

Serving Size :		Serving per Container :	
Amount Per Serving		% Daily Value	
color			
scoring	1		
shape			
size (solid drugs)	19 mm		
imprint			

Labeler - Westminster Pharmaceuticals, LLC (079516651)