

**MULTI-SYMP TOM DAYTIME- acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled
SAVE-A-LOT FOOD STORES, LTD.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DAY TIME COLD & FLU MULTI-SYMP TOM RELIEF

Drug Facts

<i>Active ingredients (in each softgel)</i>	<i>Purpose</i>
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan Hydrobromide 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches/pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

Sore throat warning:

If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a

doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood-thinning drug Warfarin.

When using this product

- **do not use more than directed.**

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- pain, nasal congestion or cough gets worse or last more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults and for children, even if you do not notice any signs or symptoms.

Directions

- Take only as directed—see **Overdose warning.**
- do not exceed 4 doses per 24 hours.

adults and children 12 years of age and over	swallow 2 softgels with water every 4 hours
children 4 to under 12 years of age	ask a doctor
children under 4 years of age	do not use

If taking Daytime and Nighttime softgels carefully read each label to insure correct dosing

Other information

- store at room temperature 15°-30°C (59°-86°F) and avoid excessive heat
- this product does not contain phenylpropanolamine

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No.6. gelatin, glycerin, polyethylene glycol 400, povidone, propylene glycol, purified water, sorbitol sorbitan, titanium dioxide

Questions or comments?

1-888-333-9792

PRINCIPLA DISPLAY PANEL

COMPARE TO ACTIVE INGREDIENTS IN

VICKS® DAYQUIL®*

NON-DROWSY

DAY TIME

COLD & FLU MULTI-SYMPTOM RELIEF

ACETAMINOPHEN, DEXTROMETHORPHAN HBr, PHENYLEPHRINE HCl

Pain Reliever

Fever Reducer

Cough Suppressant

Nasal Decongestant



85626

LOT: 1004515

EXP: 5193331367067

Drug Facts (continued)

Warnings

- Do not use if you have had an allergic reaction to acetaminophen, dextromethorphan, or phenylephrine.
- Do not use if you are taking any other medicine that contains acetaminophen, dextromethorphan, or phenylephrine.
- Do not use if you are taking any other medicine that contains acetaminophen, dextromethorphan, or phenylephrine.

Directions

Adults and children 12 years of age and older: Take 2 capsules 4 times a day with water. Do not take more than 6 capsules in 24 hours.

Children 6 to 11 years of age: Take 1 capsule 4 times a day with water. Do not take more than 4 capsules in 24 hours.

Children 2 to 5 years of age: Take 1/2 capsule 4 times a day with water. Do not take more than 2 capsules in 24 hours.

Children under 2 years of age: Do not use.

Compare to Vicks® Dayquil® Cold & Flu active ingredients*

NON-DROWSY

Daytime Cold & Flu

Acetaminophen / Aches / Fever / Sore Throat
Dextromethorphan HBr / Cough
Phenylephrine HCl / Nasal Congestion

Actual Size



Multi-symptom Relief of
Aches, Fever, Sore Throat,
Nasal Congestion + Cough

12
Liquid Caps

save a lot 100% MONEY BACK guarantee

DISTRIBUTED BY:
SUN ALCO, CO.
ST. LOUIS, MO 63074
www.dayquil.com

NDC 4496-45-12

being well

*This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademarks Vicks® DayQuil®

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTER UNIT IS INTACT.

MULTI-SYMPTOM DAYTIME

acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46994-659
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE K30 (UNII: U725QWY32X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE (SOFTGELS)	Size	21mm
Flavor		Imprint Code	512
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46994-659-12	1 in 1 CARTON	03/13/2020	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/13/2020	

Labeler - SAVE-A-LOT FOOD STORES, LTD. (095484572)

Revised: 3/2020

SAVE-A-LOT FOOD STORES, LTD.