

NAN SAN EASY FLEX PAIN RELIEVING- menthol lotion
Herba Enterprise Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nan San EASY-FLEX Pain Relieving Lotion

Nan San EASY-FLEX Pain Relieving Lotion

Active Ingredients

Menthol 6%

Purpose

External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with: simple backache, arthritis, strains, bruises, and sprains.

Warnings

For external use only.

Avoid contact with the eyes.

Do not use

- on damaged or broken skin

When using this product

- do not bandage tightly

Stop use and ask a doctor if

condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

Do not use if pregnant or breast-feeding

Keep out of reach of children to prevent accidental poisoning.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily
- Children under 2 years of age: Consult a physician

Other Information

- Store at room temperature under 85 degrees F (30 degrees C)

Inactive Ingredients

Ethanol, Water, Ramulus Cinnamomi, Rhizoma Homalomenae, Rhizoma Sparganii, Radix Notoginseng, Radix Angelicae Dahurica, Lignum Sappan

Manufactured By:

Nan San (HK) Pharmaceutical Factory Limited

Unit C1, 10/f, Hoi Bun Industrial Building, 6 Wing Yip Street,
Kwun Tong, Hong Kong, China.

Distributed By:

Herba Enterprise Inc

San Francisco, CA 94124

Tel: (415) 626-1688

Nan San EASY-FLEX Pain Relieving Lotion 2 fl oz/60ml

<p>Drug Facts 藥品資料</p> <p>Active Ingredient 有效成份 Purpose 用途 Menthol 薄荷 Ethors Analgesic 外用藥</p> <p>Uses For the temporary relief of minor aches and pains of muscles and joints associated with: simple backache, arthritis, strains, bruises, and sprains. 功能及用途: 暫時緩解下列症狀: 肌肉和關節的輕微疼痛、一般關節炎、扭傷、瘀傷和拉傷。</p> <p>Warnings 告誡 For external use only. Avoid contact with the eyes. 本品僅供外用。不可入眼。 Do not use on damaged or broken skin. 不要用於傷口或破損皮膚。</p> <p>When using this product do not bandage tightly. 在使用本品時 綁帶不要紮得太緊。</p> <p>Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. 如有下列症狀: 如使用後狀況沒轉差或用後症狀持續七天以上或症狀好轉後數天內復發, 請停止使用並請教醫生。</p> <p>Do not use if pregnant or breast-feeding 孕婦或母乳餵哺者忌用。</p> <p>Keep out of reach of children to prevent accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away. 將本藥放在遠離兒童的地方, 不要讓兒童取得, 以免兒童意外吞服引起中毒。如不小心吞服應立即與醫生或毒物控制中心聯絡。</p> <p>Directions 用法 Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily. 成人及2歲或以上兒童: 每天在患處使用3至4次。 Children under 2 years of age: Consult a physician. 2歲以下兒童使用前請先諮詢醫生。</p> <p>Other information 其他注意事項 Store at room temperature under 85°F (30°C). 儲放在室溫華氏85°F(攝氏30°C)以下。</p> <p>Inactive Ingredients 輔助成份 Ethanol 酒精, Water 水, Ramulus Cinnamomi 桂枝, Rhizoma Homalomenae 千年健, Rhizoma Sparganii 三棱, Radix Notoginseng 三七, Radix Angelicae Dahuricae 白芷, Lignum Sappan 蘇木。</p>	 <p>Manufactured by: Nan San (HK) Pharmaceutical Factory Limited</p> <p>Unit C1, 10/F, Hoi Bun Industrial Building, 6 Wing Yip Street, Kwun Tong, Hong Kong, China</p> <p>製造商: 香港南山藥廠有限公司</p> <p>製造商地址: 香港九龍觀塘榮業街6號海濱工業大廈10樓C1</p> <p>香港中成藥註冊編號: HKP-02368</p>	<p>NDC 55429-0838-6</p> <p>Nan  San</p> <p>南山牌</p> <p>舒筋露</p> <p>EASY-FLEX (SHU JIN LU) PAIN RELIEVING LOTION</p> <p>EXTERNAL USE ONLY 外用精製(噴劑)</p> <p>Functions: For the temporary relief of minor aches and pains of muscles and joints.</p> <p>Indications: Arthritis, simple backache, strains, bruises, and sprains.</p> <p>功能: 消腫止痛, 舒筋活絡。 主治: 跌打撞傷, 關節痛, 扭傷。</p> <p>Nan San (HK) Pharmaceutical Factory Limited 香港南山藥廠有限公司 Net Contents 2 fl oz (60ML)</p>	 <p>Distributed by: Herba Enterprise Inc San Francisco, CA 94124 Tel: (415) 626-1688</p> <p>If swallowed, serious adverse, consult a medical doctor or contact a Poison Control Center right away. 如不慎吞服或嚴重不適應請教醫生或與毒物控制中心(Poison Control Center)聯絡</p> <p>香港製造</p> <p>Lot. Mfg. Exp.</p> <p>香港衛生署中成藥製造商牌照號碼: PM2003-00092 Made in Hong Kong</p>
--	--	---	--

舒筋露



EASY – FLEX
(SHU JIN LU)

NDC 55429-0838-6

香港中成藥註冊編號 HKP-02368

PAIN RELIEVING LOTION

Active Ingredient : Menthol 6%

Warnings : For external use only. Avoid contact with the eyes. **When using this product**, do not apply to wounds or damaged skin. Do not bandage tightly. **Stop use and ask a doctor if** condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** If swallowed, serious adverse, consult a medical doctor or contact a Poison Control Center right away.

消腫止痛詳見外盒與說明書

This unit is packaged in an outer container. Please see outer container for drug facts information.

NET 2 FL.OZ. (60ml) Made By:

NAN SAN (H K) PHARMACEUTICAL FACTORY LTD

NAN SAN EASY FLEX PAIN RELIEVING

menthol lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55429-0838
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	60 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

WATER (UNII: 059QF0KO0R)

ANGELICA DAHURICA VAR. FORMOSANA WHOLE (UNII: 247A107296)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55429-0838-6	60 mL in 1 BOTTLE, SPRAY		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	06/11/2014	

Labeler - Herba Enterprise Inc (940406812)

Establishment

Name	Address	ID/FEI	Business Operations
Nan San (HK) Pharmaceutical Factory Limited		666458539	manufacture(55429-0838)

Revised: 6/2014

Herba Enterprise Inc