

**SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE E- avobenzone, octinoxate, octocrylene, and oxybenzone cream**  
**SHISEIDO AMERICAS CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE E**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
AVOBENZONE 2.0%	Sunscreen
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
OXYBENZONE 1.5%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

## **Inactive Ingredients**

WATER•GLYCERIN•DIPROPYLENE GLYCOL•BEHENYL ALCOHOL•BUTYLENE GLYCOL•ISOHEXADECANE•SD ALCOHOL 40-B•SILICA•CAPRYLIC/CAPRIC TRIGLYCERIDE•MYRISTYL MYRISTATE•DIMETHICONE•POLYBUTYLENE GLYCOL/PPG-9/1 COPOLYMER•SORBITOL•STEARYL ALCOHOL•PHYTOSTERYL MACADAMIATE•TOCOPHERYL ACETATE•PEG/PPG-17/4 DIMETHYL ETHER•PIPERIDINEPROPIONIC ACID•2-O-ETHYL ASCORBIC ACID•PRUNUS SPECIOSA LEAF EXTRACT•ANGELICA ACUTILOBA ROOT EXTRACT•ISODONIS JAPONICUS LEAF/STALK EXTRACT•CAMELLIA SINENSIS LEAF EXTRACT•ZANTHOXYLUM PIPERITUM PEEL EXTRACT•BEHENETH-20•SUCCINOGLYCAN•TRISODIUM EDTA•SODIUM CITRATE•ALCOHOL•BHT•SODIUM METAPHOSPHATE•CITRIC ACID•TALC•DEXTRIN PALMITATE•TOCOPHEROL•METHYLPARABEN•ETHYLPARABEN•FRAGRANCE•IRON OXIDES•

## **Other information**

- protect this product in this container from excessive heat and direct sun.

## **Questions or comments?**

Call toll free 1-800-906-7503

## **PRINCIPAL DISPLAY PANEL - 50 mL Jar Carton**

**SHISEIDO**

GINZA TOKYO

**FUTURE SOLUTION LX**

Total Protective Cream

**SkingenecellEnmei**

BROAD SPECTRUM SPF 20  
SUNSCREEN

50mL NET WT. 1.7 OZ.

Specially formulated by Shiseido Laboratories, Japan.

Drug Facts	
Active ingredients	AVOBENZONE 2.0% OCTINOXATE 7.4% OCTOCRYLENE 3.0% OXYBENZONE 1.5%
Purpose	Sunscreen Sunscreen Sunscreen Sunscreen

\*\*Patented (France, Italy, Germany, Spain, UK, USA, Hong Kong, China, Taiwan, Korea, Japan).  
\*In vitro test.

NON-COMEDOGENIC, DERMATOLOGIST-TESTED.

•Hybrid Anti-Pollution Powder helps protect skin against various air pollutants.\*

•skin from its source.\*

•Formulated with SHISEIDO's SkingeneCell™\*\* to encourage the vitalizing forces that renew beautiful

and pollutants.

A truly luxurious multi-functional daytime cream that both protects skin and helps renew its vitalizing forces. With its rich, smooth texture, it maintains a deeply hydrated feeling through the day. SHISEIDO's exclusive technology encourages skin's Daytime Defense Factor\* to thrive, bringing out vibrant beauty from within. Skin is defended, even when exposed to daytime aggressors like UV rays, dryness, oxidation

Treasure the life in your skin.

SHISEIDO  
FUTURE SOLUTION LX  
TOTAL PROTECTIVE CREAM E  
BROAD SPECTRUM SPF 20

Total Protective Cream



SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX

Total Protective Cream

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

50mL NET WT. 1.7 OZ.

See our website for more information.  
<http://s1872.com/13920AA>



AAA  
13920-41-5150

7 30852 13920 6

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13920  
www.shiseido.com

90x73x90

1 2 3 4 5 6 7 8 9 0



**Drug Facts (continued)**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor





## SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE E

avobenzone, octinoxate, octocrylene, and oxybenzone cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-328
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1017 mg in 50 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3763 mg in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	1526 mg in 50 mL
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	763 mg in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	

<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>MYRISTYL MYRISTATE</b> (UNII: 4042ZC00DY)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>SORBITOL</b> (UNII: 506T60A25R)
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)
<b>PHYTOSTERYL MACADAMIATE</b> (UNII: 233VSF903M)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>PEG/PPG-17/4 DIMETHYL ETHER</b> (UNII: 4ET18WJG5K)
<b>PIPERIDINEPROPIONIC ACID</b> (UNII: 6L69A7VPHO)
<b>2-O-ETHYL ASCORBIC ACID</b> (UNII: 801M14RK9K)
<b>PRUNUS SPECIOSA LEAF</b> (UNII: Q71D900FVJ)
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)
<b>ZANTHOXYLUM PIPERITUM FRUIT RIND</b> (UNII: 728JDI7G4M)
<b>BEHENETH-20</b> (UNII: BJ4GP2IFLN)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)
<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>SODIUM POLYMETAPHOSPHATE</b> (UNII: P1BM4ZH95L)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>TALC</b> (UNII: 7SEV7J4R1U)
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>ETHYLPARABEN</b> (UNII: 14255EXE39)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-328-50	1 in 1 CARTON	08/01/2017	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:58411-328-51	1 in 1 CARTON	05/01/2021	
2		30 mL in 1 JAR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

---

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

**Establishment**

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-328) , analysis(58411-328)

Revised: 3/2021

SHISEIDO AMERICAS CORPORATION