# INJOY CONSTIPATION RELIEF- polyethylene glycol 3350 powder, for solution L. Perrigo Company

-----

#### **Injoy Constipation Relief Drug Facts**

#### Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

#### **Purpose**

Osmotic Laxative

#### Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

#### **Warnings**

Allergy alert: Do not use if you are allergic to polyethylene glycol

#### Do not use

if you have kidney disease, except under the advice and supervision of a doctor

#### Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

#### Ask a doctor or pharmacist before use if you are

taking a prescription drug

### When using this product

you may have loose, watery, more frequent stools

#### Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- · you get diarrhea
- you need to use a laxative for longer than 1 week

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- use once a day
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- use no more than 7 days
- children 16 years of age or under: ask a doctor

#### Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

#### **Inactive ingredients**

none

#### **Questions or comments?**

1-800-864-9649

#### **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENT OF MIRALAX®

PERRIGO Selfcare™

injoy

Constipation Relief

Polyethylene Glycol 3350 Powder for Solution

Osmotic Laxative

Relieves Occasional Constipation/Irregularity

#### Softens Stool

• Unflavored Powder • Grit Free

Unflavored Powder Dissolves in Any Beverage!

NET WT 8.3 OZ (238 g)

14 ONCE-DAILY DOSES



# INJOY CONSTIPATION RELIEF

polyethylene glycol 3350 powder, for solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-6900	
Route of Administration	ORAL			

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P) POLYETHYLENE GLYCOL 3350 in 17 g

Product Characteristics				
Color	WHITE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0113-6900- 02	1 in 1 CARTON	08/09/2022			
1		238 g in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA090685	08/09/2022			

## Labeler - L. Perrigo Company (006013346)

Revised: 8/2022 L. Perrigo Company