

LIDOCAINE- burn relief aerosol, spray
Foodhold USA

Burn Relief Spray

Active Ingredients

Lidocaine 0.5%

Purpose

External analgesic

Uses

for temporary relief of pain and itching associated with:

- sunburn
- minor burns
- minor cuts
- insect bites
- scrapes
- minor skin irritations

Warnings

For external use only.

Flammable:

Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use

in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

- condition gets worse
- symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake can well
- for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- for children under 2 years of age: consult a doctor
- to apply to face spray in palm of hand and gently apply

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerine, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

Questions?

Call 1-866-964-0939

Principal Display Panel

CareOne

Burn Relief Spray

Lidocaine

Relieves Pain and Itching from Sunburn, Minor Burns and Insect Bites

Cools, Moisturizes and Soothes Sunburned Skin

NET WT 4.5 OZ (127g)

NDC 41520-162-45

CAREone®

Compare to the
Active Ingredient in
Solarcaine®
Cool Aloe Spray®

BURN RELIEF SPRAY

Lidocaine

RELIEVES PAIN AND ITCHING
FROM SUNBURN, MINOR BURNS
AND INSECT BITES

COOLS, MOISTURIZES AND
SOOTHES SUNBURNED SKIN



NET WT
4.5 OZ (127g)

Drug Facts

Active ingredient Purpose
Lidocaine 0.5%.....External analgesic

Uses for temporary relief of pain and itching associated with:
 ■ sunburn ■ minor burns
 ■ minor cuts ■ insect bites
 ■ scrapes ■ minor skin irritations

Warnings

For external use only.

Flammable

Use only as directed. Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use in large quantities, particularly over raw surfaces or blistered areas.

When using this product

■ do not get into eyes
 ■ ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if

■ condition gets worse
 ■ symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

■ shake can well
 ■ for adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
 ■ for children under 2 years of age: consult a doctor
 ■ to apply to face spray in palm of hand and gently apply

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

aloe barbadensis leaf juice, butane, carbomer, diazolidinyl urea, disodium cocoamphodipropionate, disodium EDTA, glycerin, methylparaben, propane, propylene glycol, propylparaben, simethicone, tocopheryl acetate (vitamin E acetate), triethanolamine, water

Questions? Call 1-866-964-0939



* This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Solarcaine®.

DISTRIBUTED BY FOODHOLD U.S.A., LLC LANDOVER, MD 20785
 1-877-846-9949 © 2018 Ahold Licensing Sarl

Quality guaranteed or your money back.

50-022CO-01

MADE IN USA WITH U.S.
AND IMPORTED PARTS

LIDOCAINE

burn relief aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.64 g in 127 g

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DISODIUM COCOAMPHODIPROPIONATE (UNII: 6K8PRP397M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPANE (UNII: T75W9911L6)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

TROLAMINE (UNII: 9O3K93S3TK)

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-162-45	127 g in 1 CAN; Type 0: Not a Combination Product	12/19/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/19/2017	

Labeler - Foodhold USA (809183973)

Revised: 10/2025

Foodhold USA