

LAXATIVE MAXIMUM STRENGTH- sennosides tablet
WinCo Foods, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Winco 44-348

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product,

do not use for a period longer than 1 week.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and over	2 tablets once or twice daily
children 6 to under 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

Other information

- **each tablet contains:** calcium 40 mg, magnesium 5 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide black, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions?

call **1-800-824-1706** Monday-Friday 9am - 4pm MST

Principal Display Panel

* Compare to the active ingredient in EX•LAX[®] Maximum Strength

WinCo[®]

FOODS

**MAXIMUM
STRENGTH**

Laxative

**SENNOSIDES USP 25 mg/
STIMULANT LAXATIVE**

Gentle, Overnight Relief

24

Tablets

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704

** This product is not manufactured or distributed by GSK Consumer Healthcare S.A., distributor of EX•LAX[®] Maximum Strength.

100% SATISFACTION GUARANTEE

Comments & Questions? 800-824-1706

50844 REV0419C34808 WF1911

Drug Facts (continued)
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
Inactive ingredients acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate, dihydrate, FD&C blue #1 aluminum lake, iron oxide

Drug Facts (continued)
 black, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Drug Facts (continued)
 ■ swallow tablet(s) whole; do not crush, break, or chew
 ■ swallow tablet(s) with a glass of water
Directions adults and children 12 years and over twice daily 2 tablets once or children 6 to under 12 years 1 tablet once or twice daily ask a doctor children under 6 years ask a doctor

Other information
 ■ each tablet contains: calcium 40 mg, magnesium 5 mg
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ see end flap for expiration date and lot number

Warnings
 Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.
 Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.
 Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.
 When using this product, do not use for a period longer than 1 week.

Uses ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 6 to 12 hours

Active ingredient (in each tablet) Sennosides USP, 25 mg. Stimulant laxative

Purpose

Drug Facts (continued)
 Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of laxative. These may be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)
Questions? Call 1-800-824-1706 Monday - Friday 9am - 4pm MST

No Print/No Varnish Lot & Exp. Date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704
 *This product is not manufactured or distributed by GSK Consumer Healthcare S.A., distributor of EX•LAX® Maximum Strength.
100% SATISFACTION GUARANTEE
 Comments & Questions? 800-824-1706
 50844 REV0419C34808 WF1911

WinCo FOODS MAXIMUM STRENGTH Laxative

B-2150-348-08 REV0419C34808

WinCo FOODS MAXIMUM STRENGTH Laxative

SENNO SIDES USP 25 mg / STIMULANT LAXATIVE

Gentle, Overnight Relief

24 Tablets

*Compare to the active ingredient in EX•LAX® Maximum Strength

LAXATIVE MAXIMUM STRENGTH

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-217
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IIX) (SENNOSIDES - UNII:3FYP5M0IIX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D6IU)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
SHELLAC (UNII: 46N107B71O)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	BLUE	Score	no score
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	44;348
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:67091-217-24	2 in 1 CARTON	01/02/2003	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	01/02/2003	

Labeler - WinCo Foods, LLC (056098817)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(67091-217)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(67091-217)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(67091-217)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(67091-217)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(67091-217)

Revised: 4/2020

WinCo Foods, LLC