CHILDRENS ALLERGY RELIEF- loratadine tablet, chewable Meijer Distribution Inc

Meijer Distribution, Inc. Children's Allergy Relief Drug Facts

Active ingredient (in each tablet)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

chew or crush tablets completely before swallowing

adults and children 6 years and over	chew 2 tablets daily; not more than 2 tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.4 mg per tablet
- · do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

artificial grape flavor, aspartame, colloidal silicon dioxide, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

meijer_®

COMPARE TO CHILDREN'S CLARITIN® CHEWABLES ACTIVE INGREDIENT NON-DROWSY* | CHILDREN'S

allergy relief

Loratadine Chewable Tablets, 5 mg Antihistamine

Indoor & Outdoor Allergies

24 HOUR

NON-DROWSY* RELIEF OF: SNEEZING; RUNNY NOSE; ITCHY, WATERY EYES; ITCHY THROAT OR NOSE


GRAPE FLAVOR

30 CHEWABLE TABLETS

Ages 2 years and older

*When taken as directed. See Drug Facts Panel.

Actual Size



trademark Clarilin®

st nai bargini avitoriti

notamotni 19d10

per tablet

or kidney disease

2 years of age

children under

6 y ears of age

children 2 to under

adults and children

Drug Facts (continued)

o y ears and over

Directions

consumers with liver

by Bayer HealthCare LLC, owner of the registered

**This product is not manufactured or distributed

c et lutos e, sodium starc h glycotate, stearic ac id

■ store between 20° to 25°C (68° to 77°F)

■ do not use if bister unit is broken or torn

CINGSLIOUS OF COMMENTS? 1-800-719-9260

lake, magnesium stearate, mannitol, microcrystaline

D&C red #27 aluminum lake, FD&C blue #2 aluminum

■ byenyketonutics: contains phenylalanine 1.4 mg

SEK 9 GOCTOL

sek a doctor

■ cµew or crush tablets completely before swallowing


en 1 tablet in 24 hours

enuori 42 ni etaldet S nert

chew 1 tablet daily; notmore

chew 2 tablets daily; not more

artificial grape flavor, aspartame, colbidal slicon dioxide,





away (1-800-222-1222). medical help or contact a Poison Control Center right keep ou tot reach of children. In case of overchse, get professional before use.

If pregnantor breast-feeding, aska health

productoccurs. Seek medical help right away. Stop use and a sk a doctor if an allergic reaction to this

directed. Taking more than directed may cause When using this product do not take more than

different dose.

disease. Your doctor should determine if you need a Yak s do ctor. Detor e nae it kom havelika. o r kidney

puis broduct or any of its ingredients Do not nae it you have ever had an allergic reaction to Marnings

liching of the nose or throat

- Buizæus

 - ason √nnnı ■

tever or other upper respiratory allergies: **USES** temporarily relieves these symptoms due to hay

....gm 2 ənibatsıal en imst ai ditnA (in each tablet) Active ingredient əsodınd

Drug Facts

OPEN OTHER END

Indoor & Outdoor

Allergies

*When taken as directed.

See Drug Facts Panel.

NDC 41250-629-39

COMPARE TO CHILDREN'S CLARITIN® CHEWABLES

ACTIVE INGREDIENT**

meijer NON-DROWSY* | CHILDREN'S

allergy relief

Loratadine Chewable Tablets, 5 mg **Antihistamine**



NON-DROWSY* | CHILDREN'S

allergy relief

Loratadine Chewable Tablets, 5 mg **Antihistamine**

24 HOUR

NON-DROWSY* RELIEF OF: SNEEZING; RUNNY NOSE; ITCHY, WATERY EYES; ITCHY THROAT OR NOSE

> GRAPE **FLAVOR**


Ages 2 years and older

*When taken as directed. See Drug Facts Panel.

Indoor & Outdoor **Allergies**

30 **CHEWABLE** TABLETS





CHILDRENS ALLERGY RELIEF

loratadine tablet, chewable

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	--------------------------	----------

LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) LORATADINE 5 mg

Inactive Ingredients

indicate ing. calcino		
Ingredient Name	Strength	
ASPARTAME (UNII: Z0H242BBR1)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
D&C RED NO. 27 (UNII: 2LRS185U6K)		
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MANNITOL (UNII: 30WL53L36A)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
STEARIC ACID (UNII: 4ELV7Z65AP)		

Product Characteristics

SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)

Color	PURPLE (light)	Score	no score
Shape	ROUND	Size	8mm
Flavor	GRAPE	Imprint Code	L3Y8
Contains			

Packaging

#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-629- 39	30 in 1 CARTON	08/27/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210033	08/27/2019	

Labeler - Meijer Distribution Inc (006959555)

Revised: 5/2025 Meijer Distribution Inc