

BAREMINERALS ORIGINAL FOUNDATION BROAD SPECTRUM SPF 15 FAIRLY LIGHT 03- titanium dioxide powder
BAREMINERALS ORIGINAL FOUNDATION BROAD SPECTRUM SPF 15 MEDIUM 10- titanium dioxide powder
BAREMINERALS ORIGINAL FOUNDATION BROAD SPECTRUM SPF 15 GOLDEN MEDIUM 14- titanium dioxide powder
Orveon Global US LLC

bareMinerals® Original Foundation Broad Spectrum SPF 15

Drug Facts

Active ingredient(s)

Titanium dioxide 25%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months: ask a doctor
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

Protect this product from excessive heat and direct sun

Inactive ingredients

bismuth oxychloride, mica, iron oxides.

Questions or comments?

Call toll free 1-888-795-4747

PRINCIPAL DISPLAY PANEL - 8 g Jar Label - Fairly Light 03

bareMinerals®

ORIGINAL FOUNDATION
Broad Spectrum SPF 15

FAIRLY LIGHT 03

net wt. 8 g / 0.28 oz.

61267

bareMinerals®
 ORIGINAL FOUNDATION
 Broad Spectrum SPF 15
 FAIRLY LIGHT 03

net wt. 8 g / 0.28 oz.

 61267
0 00000 00000 0

Drug Facts

Active ingredient(s) Purpose
 Titanium dioxide 25%.....Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun ▼

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▼

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months: ask a doctor
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad

Drug Facts (continued)


Other information Protect this product from excessive heat and direct sun

Inactive ingredients
 bismuth oxychloride, mica, iron oxides

Questions or comments?
 Call toll free 1-888-795-4747

BAREMINERALS®
 NEW YORK, NY 10017 DIST.
 SHISEIDO EMEA, 75008 PARIS.
 SHISEIDO UK LONDON WC2N 6HT.
 MADE IN USA.

GLUE



PRINCIPAL DISPLAY PANEL - 8 g Jar Label - Medium 10

bareMinerals®

ORIGINAL FOUNDATION
Broad Spectrum SPF 15

MEDIUM 10

net wt. 8 g / 0.28 oz.

61271

bareMinerals®
ORIGINAL FOUNDATION
Broad Spectrum SPF 15
MEDIUM 10

net wt. 8 g / 0.28 oz.



61271



Drug Facts

Active ingredient(s) Purpose
Titanium dioxide 25%..... Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun ▼

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▼

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months: ask a doctor
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad

Drug Facts (continued)

Other information Protect this product from excessive heat and direct sun

Inactive ingredients


bismuth oxychloride, titanium dioxide, mica, iron oxides.

Questions or comments?

Call toll free 1-888-795-4747

BAREMINERALS®
NEW YORK, NY 10017 DIST.
SHISEIDO EMEA, 75008 PARIS.
SHISEIDO UK LONDON WC2N 6HT.
MADE IN USA.

GLUE



PRINCIPAL DISPLAY PANEL - 8 g Jar Label - Golden Medium 14

bareMinerals®

ORIGINAL FOUNDATION
Broad Spectrum SPF 15

GOLDEN MEDIUM 14

net wt. 8 g / 0.28 oz.

61273

bareMinerals®
ORIGINAL FOUNDATION
Broad Spectrum SPF 15
GOLDEN MEDIUM 14

net wt. 8 g / 0.28 oz.



Drug Facts

Active ingredient(s) Purpose
Titanium dioxide 25%.....Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun ▼

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▼

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months: ask a doctor • use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad

Drug Facts (continued)

Other information Protect this product from excessive heat and direct sun

Inactive ingredients


bismuth oxychloride, mica, iron oxides, titanium dioxide.

Questions or comments?

Call toll free 1-888-795-4747

BAREMINERALS®
NEW YORK, NY 10017 DIST.
SHISEIDO EMEA, 75 008 PARIS.
SHISEIDO UK LONDON WC2N 6HT.
MADE IN USA.

GLUE



BAREMINERALS ORIGINAL FOUNDATION BROAD SPECTRUM SPF 15 FAIRLY LIGHT 03

titanium dioxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2000 mg in 8 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-009-08	8 g in 1 JAR; Type 0: Not a Combination Product	08/01/2021	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	08/01/2021	

BAREMINERALS ORIGINAL FOUNDATION BROAD SPECTRUM SPF 15 MEDIUM 10

titanium dioxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-023
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2000 mg in 8 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-023-08	8 g in 1 JAR; Type 0: Not a Combination Product	08/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2021	

BAREMINERALS ORIGINAL FOUNDATION BROAD SPECTRUM SPF 15 GOLDEN MEDIUM 14

titanium dioxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:98132-025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2000 mg in 8 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:98132-025-08	8 g in 1 JAR; Type 0: Not a Combination Product	08/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2021	

Labeler - Orveon Global US LLC (118344494)

Revised: 10/2023

Orveon Global US LLC