

**CHILDRENS TYLENOL- acetaminophen tablet, chewable**  
**Kenvue Brands LLC**

-----  
**Childrens TYLENOL**

***Drug Facts***

**Active ingredient (in each chewable tablet)**

Acetaminophen 160 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has** liver disease

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- **chew or crush tablets completely before swallowing; do not swallow tablets whole**
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (tablets) *</b>
under 24	under 2 years	ask a doctor
24-35	2-3 years	1 tablet
36-47	4-5 years	1½ tablets
48-59	6-8 years	2 tablets
60-71	9-10 years	2½ tablets
72-95	11 years	3 tablets

\* or as directed by a doctor

**Other information**

- store between 20-25°C (68-77°F). Avoid high humidity. Protect from light.

- **do not use if foil inner seal imprinted with "TYLENOL" is broken or missing**

### **Inactive ingredients**

anhydrous citric acid, cellulose acetate, crospovidone, D&C red no. 7 calcium lake, dextrose, flavor, magnesium stearate, povidone, sucralose

### **Questions or comments?**

call **1-800-458-1635** (toll-free) or **215-273-8755** (collect)

### **PRINCIPAL DISPLAY PANEL**

NDC 50580-521-24

Children's

TYLENOL ®

Acetaminophen

Pain Reliever

Fever Reducer

Ibuprofen Free

Aspirin Free

Pain+Fever Ages 2-11

Chewables

Chew or crush tablets completely

before swallowing

160 mg

Per Tablet

24 Chewable Tablets

160 mg each

Actual Size

Bubble Gum Flavor

Important: Read all product information before using.  
Keep this box for important information.

**Drug Facts**

**Active ingredient (in each chewable tablet)** **Purpose**  
Acetaminophen (pain reliever/fever reducer)

**Uses** ■ Temporarily relieves minor aches and pains due to:  
■ live common cold ■ flu ■ headache ■ sore throat  
■ temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes ■ more than 5 doses in 24 hours, which is the maximum daily amount. ■ with other drugs containing acetaminophen.  
**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash.  
If a skin reaction occurs, stop use and seek medical help right away.  
**Store in a cool, dry place.** If your child is allergic to acetaminophen or any of the inactive ingredients in this product, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If your child is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if your child has liver disease.**  
**Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.**

**Pediatricians recommend TYLENOL® for pain and fever**  
**Caregivers have relied on Children's TYLENOL® for over 60 years**



Distributed by:  
**JOHNSON & JOHNSON CONSUMER INC.**  
McNeil Consumer Healthcare Division  
Fort Washington, PA, 19034 USA  
©J&JCI 2021 Pat. www.jjci/pats.com

LOT  
EXP

**Drug Facts (continued)**

When using this product do not exceed recommended dose (see overdose warning)

**Stop use and ask a doctor if:** ■ pain gets worse or lasts more than 3 days  
■ fever gets worse or lasts more than 3 days ■ new symptoms occur  
■ rashes or swelling is present. These could be signs of a serious condition.  
**Keep out of reach of children.**  
**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

■ this product does not contain dextrose or complete warnings for adult use.  
■ do not give more than directed (see overdose warning)  
■ chew or crush tablets completely before swallowing; do not swallow tablets whole  
■ find right dose on chart below. If possible, use weight to dose; otherwise, use age.  
■ repeat dose every 4 hours while symptoms last.  
■ do not give more than 5 times in 24 hours.

Weight (lb)	Age (yr)	Dose (tablets)*
under 24	under 2 years	ask a doctor
24-35 lbs	2-3 years	1 tablet
36-47 lbs	4-5 years	1½ tablets
48-59 lbs	6-8 years	2 tablets
60-71 lbs	9-11 years	2½ tablets
72-95 lbs	11 years	3 tablets


\*or as directed by a doctor

**Drug Facts (continued)**

**Other information** ■ store between 20-25°C (68-77°F). Avoid light humidity. Protect from light. ■ do not use if foil liner seal imprinted with "TYLENOL" is broken or missing.

**Inactive ingredients:** anhydrous citric acid, cellulose acetate, croscarmellose, D-iso menthyl 7-cedaramide, dextrose, flavor, magnesium stearate, polydioxane, sucralose

**Questions or comments?**  
call 1-800-458-1635 (toll-free) or 215-273-8755 (local)



3 00450 51924

5



30054529

62575003

How can we help?  
**1-800-458-1635**

NDC 50580-521-24

**Children's TYLENOL®**

**Acetaminophen** Pain reliever, Fever reducer

Ibuprofen Free, Aspirin Free

**Pain + Fever** Ages 2-11  
**Chewables**

Chew or crush tablets completely before swallowing

**24 Chewable Tablets**  
**160 mg each**



**CHILDRENS TYLENOL**  
acetaminophen tablet, chewable

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:50580-521

<b>Route of Administration</b>	ORAL
--------------------------------	------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CELLULOSE ACETATE (UNII: 3J2P07GVB6)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
CROSPVIDONE (UNII: 2S7830E561)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	TY;160;HALF;HALF
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-521-24	1 in 1 CARTON	02/27/2017	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/27/2017	

**Labeler** - Kenvue Brands LLC (118772437)