

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O80- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O90- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O100- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B10- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B20- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B30- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B40- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B50- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B60- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B70- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B80- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B100- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION BF50- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION BF60- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B90- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION BF10- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION I10- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O10- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O20- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O30- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O40- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O50- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O60- titanium dioxide emulsion
CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O70- titanium dioxide emulsion

SHISEIDO AMERICAS CORPORATION

clé de peau BEAUTÉ RADIANT FLUID FOUNDATION

Drug Facts

Active Ingredients

TITANIUM DIOXIDE 6.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE • WATER • POLYMETHYLSILSESQUIOXANE • GLYCERIN •
TRIMETHYLSILOXYSILICATE • BUTYLENE GLYCOL • TALC • DIISOSTEARYL MALATE •

PEG-10 DIMETHICONE • POLYGLYCERYL-2 DIISOSTEARATE • BARIUM SULFATE •
PEG/PPG-19/19 DIMETHICONE • HYDROGENATED POLYISOBUTENE •
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • TREHALOSE • ARGANIA
SPINOSA KERNEL OIL • GLYCINE • PEG/PPG-14/7 DIMETHYL ETHER • ROSA
ROXBURGHII FRUIT EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • HYDROLYZED
CONCHIOLIN PROTEIN • HYDROLYZED SILK • PERILLA OCYMOIDES LEAF EXTRACT •
ALUMINUM HYDROXIDE • STEARIC ACID • DISTEARDIMONIUM HECTORITE • BIS-
BUTYLDIMETHICONE POLYGLYCERYL-3 • TRISODIUM EDTA • DIMETHICONE
CROSSPOLYMER • DISODIUM STEAROYL GLUTAMATE • ZINC OXIDE •
TRIETHOXYCAPRYLYLSILANE • POLYSORBATE 80 • ALCOHOL • THEANINE •
TOCOPHEROL • HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT • SODIUM
METABISULFITE • PHENOXYETHANOL • SODIUM DEHYDROACETATE • FRAGRANCE •
IRON OXIDES • TITANIUM DIOXIDE • MICA •

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - BF10 - LIGHT BUFF

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

BF 10
LIGHT BUFF
GLO. 16247

縮小サイズ0.85倍 8mmバー
14mm×33mm
7 30852 16247 1



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.
A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive
Light-Empowering Enhancer amplifies your
radiant finish.
- Formulated with **Skin-Empowering Illuminator**,
our exclusive skincare ingredient.
- Reducing the quantity of application will lower
the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses
■ helps prevent sunburn
■ if used as directed with other
sun protection measures (see
Directions), decreases the risk
of skin cancer and early skin
aging caused by the sun

Warnings
For external use only
Do not use on damaged or
broken skin
When using this product keep
out of eyes. Rinse with water to
remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings
Stop use and ask a doctor if
rash occurs
Keep out of reach of children.
If product is swallowed, get
medical help or contact a Poison
Control Center right away.

Directions
For sunscreen use:
■ apply liberally 15 minutes
before sun exposure
■ use a water resistant sunscreen
if swimming or sweating
■ reapply at least every 2 hours
■ **Sun Protection Measures.**
Spending time in the sun
increases your risk of skin
cancer and early skin aging. To
decrease this risk, regularly use
a sunscreen with a Broad
Spectrum SPF of 15 or higher
and other sun protection
measures including:
- limit time in the sun, especially
from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants,
hats, and sunglasses
■ children under 6 months: Ask a
doctor

Inactive Ingredients
DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIPALMISTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIPALMISTEARYL
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

RADIANT FLUID FOUNDATION MATTE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA

Drug Facts (continued)

Inactive Ingredients
TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISODIUM STEAROYL GLUTAMATE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information
■ protect this product in this
container from excessive heat
and direct sun.

**Questions or
Comments?**
Call toll free 1-800-906-7503



<http://cpb1982.com/16248CP>
See our website
for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - I10 - VERY LIGHT IVORY

clé de peau

BEAUTÉ

RADIANT FLUID

FOUNDATION

MATTE

BROAD SPECTRUM

SPF 20

SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mm×33mm

7 30852 16248 8

110

VERY LIGHT IVORY
GLO. 16248



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTONITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



AAA

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O10 - LIGHT OCHER

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mm×33mm

7 30852 16249 5

O10
LIGHT OCHER
GLO. 16249

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTONITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THEANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



**PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O20 - LIGHT MEDIUM
OCHER**

clé de peau
BEAUTÉ


RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

O20
LIGHT MEDIUM OCHER
GLO. 16250

総小サイズ0.85倍 8mmバー
14mm×33mm
7 30852 16250 1



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant, most colorful life.
A liquid foundation inspired by the radiance of a diamond drapes a subtle veil of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses
■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings
Stop use and ask a doctor if rash occurs
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
■ children under 6 months: Ask a doctor

Inactive Ingredients
DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER

RADIANT FLUID FOUNDATION MATTE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA

Drug Facts (continued)

Inactive Ingredients
TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGH FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DISTEARDIMONIUM HECTONITE-BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA

Other Information
■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?
Call toll free 1-800-906-7503



http://cpb1982.com/16248CP
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O30 - MEDIUM OCHER

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mm×33mm

7 30852 16251 8

O30

MEDIUM OCHER
GLO. 16251



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTONITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



AAA

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O40 - LIGHT TAN OCHER

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mm×33mm

7 30852 16252 5

040

LIGHT TAN OCHER
GLO. 16252



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILoba ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTORITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



AAA

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O50 - TAN OCHER

clé de peau
BEAUTÉ


RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

O50
TAN OCHER
GLO. 16253

縮小サイズ0.85倍 8mm/バー
14mm×33mm
7 30852 16253 2



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.
A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive
Light-Empowering Enhancer amplifies your
radiant finish.
- Formulated with **Skin-Empowering Illuminator**,
our exclusive skincare ingredient.
- Reducing the quantity of application will lower
the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses
■ helps prevent sunburn
■ if used as directed with other
sun protection measures (see
Directions), decreases the risk
of skin cancer and early skin
aging caused by the sun

Warnings
For external use only
Do not use on damaged or
broken skin
When using this product keep
out of eyes. Rinse with water to
remove.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings
Stop use and ask a doctor if
rash occurs
Keep out of reach of children.
If product is swallowed, get
medical help or contact a Poison
Control Center right away.

Directions
For sunscreen use:
■ apply liberally 15 minutes
before sun exposure
■ use a water resistant sunscreen
if swimming or sweating
■ reapply at least every 2 hours
■ **Sun Protection Measures.**
Spending time in the sun
increases your risk of skin
cancer and early skin aging. To
decrease this risk, regularly use
a sunscreen with a Broad
Spectrum SPF of 15 or higher
and other sun protection
measures including:
- limit time in the sun, especially
from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants,
hats, and sunglasses
■ children under 6 months: Ask a
doctor

Inactive Ingredients
DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIPALMISTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIPALMISTEARYL
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER

RADIANT FLUID FOUNDATION MATTE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA

Drug Facts (continued)

Inactive Ingredients
TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DIPALMISTEARYL DIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THEAINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA

Other Information
■ protect this product in this
container from excessive heat
and direct sun.

**Questions or
Comments?**
Call toll free 1-800-906-7503



<http://cpb1982.com/16248CP>
See our website
for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O60 - DEEP TAN OCHER

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mm/バー
14mmX33mm

7 30852 16254 9

O60
DEEP TAN OCHER
GLO. 16254

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER- ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGHII FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DISTEARDIMONIUM HECTORITE-BIS-BUTYLDIMETHICONE-POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O70 - MEDIUM DEEP
OCHER**

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mm×14mm
14mm×33mm

7 30852 16255 6

O70

MEDIUM DEEP OCHER
GLO. 16255



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DISOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DISOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGH FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTONITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



AAA

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O80 - DEEP OCHER

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mm×33mm

7 30852 16256 3

○80
DEEP OCHER
GLO. 16256

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIISOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIISOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGH FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DIISOSTEARDIMONIUM HECTONITE-BIS-BUTYLDIMETHICONE-POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O90 - VERY DEEP OCHER

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mmX33mm

7 30852 16257 0

O90

VERY DEEP OCHER
CLO. 16257



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER ▶

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.



AAA

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGH FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DISTEARDIMONIUM HECTONITE-BIS-BUTYLDIMETHICONE-POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website for more information.

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - O100 - RICH DEEP OCHER

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mmX33mm

7 30852 16258 7

○100

RICH DEEP OCHER
GLO. 16258



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER- ▶

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.



AAA

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGHII FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DISTEARDIMONIUM HECTONITE-BIS-BUTYLDIMETHICONE-POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website for more information.

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B10 - LIGHT BEIGE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mm/←
14mm×33mm

7 30852 16260 0

B10
LIGHT BEIGE
GLO. 16260

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIISOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIISOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGH FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DIISOSTEARDIMONIUM HECTONITE-BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B20 - LIGHT MEDIUM
BEIGE**

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mm/バー
14mm×33mm

7 30852 16261 7

B20
LIGHT MEDIUM BEIGE
GLO. 16261

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTORITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THEANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B30 - MEDIUM BEIGE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mmX33mm

7 30852 16262 4

B30
MEDIUM BEIGE
CLO. 16262

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIPALMISTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIPALMISTEARYL-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISODIUM STEAROYL GLUTAMATE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THEAINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B40 - LIGHT TAN BEIGE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mm/バー
14mmX33mm

7 30852 16263 1

B40
LIGHT TAN BEIGE
CLO. 16263

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIPALMISTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIPALMISTEARYL-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DIPALMISTEARYL DIMETHICONE-
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THEAINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B50 - TAN BEIGE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mm×33mm

7 30852 16264 8

B50
TAN BEIGE
GLO. 16264



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTONITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



AAA

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B60 - DEEP TAN BEIGE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mm/バー
14mm×33mm

7 30852 16434 5

B60
DEEP TAN BEIGE
CLO. 16434

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER- ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGH FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DISTEARDIMONIUM HECTORITE-BIS-BUTYLDIMETHICONE-POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B70 - MEDIUM DEEP
BEIGE**

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mm×33mm

7 30852 16435 2

B70
MEDIUM DEEP BEIGE
CLO. 16435

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

**Define your most radiant,
most colorful life.**

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER- ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGHII FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DISTEARDIMONIUM HECTORITE-BIS-BUTYLDIMETHICONE-POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B80 - DEEP BEIGE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mmバー
14mmX33mm

7 30852 16436 9

B80
DEEP BEIGE
GLO. 16436

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTORITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B100 - RICH DEEP BEIGE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

B100
RICH DEEP BEIGE
GLO. 16437

縮小サイズ0.85倍 8mm/14mm
14mm×33mm
7 30852 16437 6



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.
A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive
Light-Empowering Enhancer amplifies your
radiant finish.
- Formulated with **Skin-Empowering Illuminator**,
our exclusive skincare ingredient.
- Reducing the quantity of application will lower
the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses
■ helps prevent sunburn
■ if used as directed with other
sun protection measures (see
Directions), decreases the risk
of skin cancer and early skin
aging caused by the sun

Warnings
For external use only
Do not use on damaged or
broken skin
When using this product keep
out of eyes. Rinse with water to
remove.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings
Stop use and ask a doctor if
rash occurs
Keep out of reach of children.
If product is swallowed, get
medical help or contact a Poison
Control Center right away.

Directions
For sunscreen use:
■ apply liberally 15 minutes
before sun exposure
■ use a water resistant sunscreen
if swimming or sweating
■ reapply at least every 2 hours
■ **Sun Protection Measures.**
Spending time in the sun
increases your risk of skin
cancer and early skin aging. To
decrease this risk, regularly use
a sunscreen with a Broad
Spectrum SPF of 15 or higher
and other sun protection
measures including:
- limit time in the sun, especially
from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants,
hats, and sunglasses
■ children under 6 months: Ask a
doctor

Inactive Ingredients
DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIPALMISTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIPALMISTEARYL
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER

RADIANT FLUID FOUNDATION MATTE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA

Drug Facts (continued)

Inactive Ingredients
TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGH FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTORITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA

Other Information
■ protect this product in this
container from excessive heat
and direct sun.

**Questions or
Comments?**
Call toll free 1-800-906-7503



<http://cpb1982.com/16248CP>
See our website
for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - BF50 - TAN BUFF

clé de peau
BEAUTÉ


RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

BF 50
TAN BUFF
GLO. 16438

縮小サイズ0.85倍 8mm/バー
14mm×33mm
7 30852 16438 3



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.
A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive
Light-Empowering Enhancer amplifies your
radiant finish.
- Formulated with **Skin-Empowering Illuminator**,
our exclusive skincare ingredient.
- Reducing the quantity of application will lower
the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses
■ helps prevent sunburn
■ if used as directed with other
sun protection measures (see
Directions), decreases the risk
of skin cancer and early skin
aging caused by the sun

Warnings
For external use only
Do not use on damaged or
broken skin
When using this product keep
out of eyes. Rinse with water to
remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings
Stop use and ask a doctor if
rash occurs
Keep out of reach of children.
If product is swallowed, get
medical help or contact a Poison
Control Center right away.

Directions
For sunscreen use:
■ apply liberally 15 minutes
before sun exposure
■ use a water resistant sunscreen
if swimming or sweating
■ reapply at least every 2 hours
■ **Sun Protection Measures.**
Spending time in the sun
increases your risk of skin
cancer and early skin aging. To
decrease this risk, regularly use
a sunscreen with a Broad
Spectrum SPF of 15 or higher
and other sun protection
measures including:
- limit time in the sun, especially
from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants,
hats, and sunglasses
■ children under 6 months: Ask a
doctor

Inactive Ingredients
DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIISOSTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIISOSTEARATE-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER ▶

RADIANT FLUID FOUNDATION MATTE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA

Drug Facts (continued)

Inactive Ingredients
TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DISTEARDIMONIUM HECTORITE-
BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THÉANINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information
■ protect this product in this
container from excessive heat
and direct sun.

**Questions or
Comments?**
Call toll free 1-800-906-7503



<http://cpb1982.com/16248CP>
See our website
for more information.



PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - BF60 - DEEP TAN BUFF

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mm/バー
14mm×33mm

7 30852 16439 0

BF 60
DEEP TAN BUFF
GLO. 16439



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-
POLYMETHYLSILSESQUOXANE-
GLYCERIN-TRIMETHYLSILOXYSILICATE-
BUTYLENE GLYCOL-TALC-
DIPALMISTEARYL MALATE-
PEG-10 DIMETHICONE-
POLYGLYCERYL-2 DIPALMISTEARYL-
BARIUM SULFATE-
PEG/PPG-19/19 DIMETHICONE-
HYDROGENATED POLYISOBUTENE-
DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER- ▶

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.



AAA

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-
ARGANIA SPINOSA KERNEL OIL-GLYCINE-
PEG/PPG-14/7 DIMETHYL ETHER-
ROSA ROXBURGHII FRUIT EXTRACT-
ANGELICA ACUTILLOBA ROOT EXTRACT-
HYDROLYZED CONCHOLIN PROTEIN-
HYDROLYZED SILK-
PERILLA OCYMOIDES LEAF EXTRACT-
ALUMINUM HYDROXIDE-STEARIC ACID-
DIPALMISTEARYL DIMETHICONE-
POLYGLYCERYL-3-
TRISODIUM EDTA-
DIMETHICONE CROSSPOLYMER-
DISODIUM STEAROYL GLUTAMATE-
ZINC OXIDE-
TRIETHOXYCAPRYLYLSILANE-
POLYSORBATE 80-ALCOHOL-THEAINE-
TOCOPHEROL-
HYPERICUM ERECTUM
FLOWER/LEAF/STEM EXTRACT-
SODIUM METABISULFITE-
PHENOXYETHANOL-
SODIUM DEHYDROACETATE-FRAGRANCE-
IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website
for more information.

PRINCIPAL DISPLAY PANEL - 35 mL Bottle Carton - B90 - VERY DEEP BEIGE

clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE

BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

縮小サイズ0.85倍 8mm/バー
14mmX33mm

7 30852 16494 9

B90
VERY DEEP BEIGE
GLO. 16494

RADIANT FLUID FOUNDATION MATTE



clé de peau
BEAUTÉ

RADIANT FLUID
FOUNDATION
MATTE
BROAD SPECTRUM
SPF 20
SUNSCREEN

35mL NET WT. 1.1 OZ.

AAA



CLÉ DE PEAU
BEAUTÉ
RADIANT FLUID FOUNDATION MATTE
BROAD SPECTRUM SPF 20
SUNSCREEN

Define your most radiant,
most colorful life.

A liquid foundation inspired by the
radiance of a diamond drapes a subtle veil
of light over a matte finish.

- A hybrid of makeup and skincare, exclusive **Light-Empowering Enhancer** amplifies your radiant finish.
- Formulated with **Skin-Empowering Illuminator**, our exclusive skincare ingredient.
- Reducing the quantity of application will lower the level of sunscreen protection significantly.
- NON-COMEDOGENIC. DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredient Purpose
TITANIUM DIOXIDE 6.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove. ▶

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. -2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE-WATER-POLYMETHYLSILSESQUOXANE-GLYCERIN-TRIMETHYLSILOXYSILICATE-BUTYLENE GLYCOL-TALC-DIOSTEARYL MALATE-PEG-10 DIMETHICONE-POLYGLYCERYL-2 DIOSTEARATE-BARIUM SULFATE-PEG/PPG-19/19 DIMETHICONE-HYDROGENATED POLYISOBUTENE-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER- ▶

Drug Facts (continued)

Inactive Ingredients

TREHALOSE-ARGANIA SPINOSA KERNEL OIL-GLYCINE-PEG/PPG-14/7 DIMETHYL ETHER-ROSA ROXBURGH FRUIT EXTRACT-ANGELICA ACUTILLOBA ROOT EXTRACT-HYDROLYZED CONCHOLIN PROTEIN-HYDROLYZED SILK-PERILLA OCYMOIDES LEAF EXTRACT-ALUMINUM HYDROXIDE-STEARIC ACID-DISTEARDIMONIUM HECTORITE-BIS-BUTYLDIMETHICONE POLYGLYCERYL-3-TRISODIUM EDTA-DIMETHICONE CROSSPOLYMER-DISODIUM STEAROYL GLUTAMATE-ZINC OXIDE-TRIETHOXYCAPRYLYLSILANE-POLYSORBATE 80-ALCOHOL-THEAINE-TOCOPHEROL-HYPERICUM ERECTUM FLOWER/LEAF/STEM EXTRACT-SODIUM METABISULFITE-PHENOXYETHANOL-SODIUM DEHYDROACETATE-FRAGRANCE-IRON OXIDES-TITANIUM DIOXIDE-MICA-

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

QRコード

<http://cpb1982.com/16248CP>
See our website for more information.



CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 080

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-546
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALCOHOL (UNII: 3K9958V90M)	

THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-546-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 090

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-547
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	

TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
TALC (UNII: 7SEV7J4R1U)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)
BIARIUM SULFATE (UNII: 25BB7EKE2E)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-547-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O100

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-548
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	

DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-548-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B10
titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-549
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALCOHOL (UNII: 3K9958V90M)	
THEANINE (UNII: 8021PR16QO)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-549-10	1 in 1 CARTON	07/01/2020	

1	35 mL in 1 BOTTLE; Type 0: Not a Combination Product		
---	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B20

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-550
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-550-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B30

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-551
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of	Strength
-----------------	----------	----------

Ingredient Name	Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL
Inactive Ingredients		
Ingredient Name	Strength	
DIMETHICONE (UNII: 92RU3N3Y1O)		
WATER (UNII: 059QF0KO0R)		
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)		
GLYCERIN (UNII: PDC6A3C0OX)		
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)		
BUTYLENE GLYCOL (UNII: 3XUS85KORA)		
TALC (UNII: 7SEV7J4R1U)		
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)		
BARIUM SULFATE (UNII: 25BB7EKE2E)		
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)		
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
TREHALOSE (UNII: B8WCK70T7I)		
ARGAN OIL (UNII: 4V59G5UW9X)		
GLYCINE (UNII: TE7660XO1C)		
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)		
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)		
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)		
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)		
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)		
ZINC OXIDE (UNII: SOI2LOH54Z)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		
ALCOHOL (UNII: 3K9958V90M)		
THEANINE (UNII: 8021PR16QO)		
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)		
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)		
SODIUM METABISULFITE (UNII: 4VON5FNS3C)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERRIC OXIDE YELLOW (UNII: EX43802MRT)		
FERROSFERRIC OXIDE (UNII: XM0M87F357)		
MICA (UNII: V8A1AW0880)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-551-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B40

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-552
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	

GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-552-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B50

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-553
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALCOHOL (UNII: 3K9958V90M)	
THEANINE (UNII: 8021PR16QO)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-553-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B60
titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-554
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	

PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-554-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B70

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-555
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BIARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALCOHOL (UNII: 3K9958V90M)	
THEANINE (UNII: 8021PR16QO)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

DIMETHICONE (UNII: 92RU3N3Y1O)
WATER (UNII: 059QF0KO0R)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
GLYCERIN (UNII: PDC6A3C0OX)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TALC (UNII: 7SEV7J4R1U)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-555-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B80

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-556
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

TALC (UNII: 7SEV7J4R1U)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)
BARIUM SULFATE (UNII: 25BB7EKE2E)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-556-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B100

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-557
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-557-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION BF50

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-558
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	

WATER (UNII: 059QF0KO0R)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
GLYCERIN (UNII: PDC6A3C0OX)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TALC (UNII: 7SEV7J4R1U)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)
BARIUM SULFATE (UNII: 25BB7EKE2E)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-558-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION BF60

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-559
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	

EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-559-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION B90

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-560
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BIARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALCOHOL (UNII: 3K9958V90M)	
THEANINE (UNII: 8021PR16QO)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:58411-560-10	1 in 1 CARTON	07/01/2020
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION BF10

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-537
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	

PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-537-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 110

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-538
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL
Inactive Ingredients		
Ingredient Name	Strength	
DIMETHICONE (UNII: 92RU3N3Y1O)		
WATER (UNII: 059QF0KO0R)		
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)		
GLYCERIN (UNII: PDC6A3C0OX)		
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
TALC (UNII: 7SEV7J4R1U)		
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)		
BARIUM SULFATE (UNII: 25BB7EKE2E)		
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)		
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
TREHALOSE (UNII: B8WCK70T7I)		
ARGAN OIL (UNII: 4V59G5UW9X)		
GLYCINE (UNII: TE7660XO1C)		
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)		
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)		
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)		
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)		
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)		
ZINC OXIDE (UNII: SOI2LOH54Z)		
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		
ALCOHOL (UNII: 3K9958V90M)		
THEANINE (UNII: 8021PR16QO)		
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)		
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)		
SODIUM METABISULFITE (UNII: 4VON5FNS3C)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
FERROSFERRIC OXIDE (UNII: XM0M87F357)		
MICA (UNII: V8A1AW0880)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-538-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 010

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-539
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BIARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	

ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-539-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O20

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-540
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALCOHOL (UNII: 3K9958V90M)	
THEANINE (UNII: 8021PR16QO)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	

FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-540-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 030

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-541
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	

BARIUM SULFATE (UNII: 25BB7EKE2E)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-541-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION O40

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-542
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BIARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALCOHOL (UNII: 3K9958V90M)	
THEANINE (UNII: 8021PR16QO)	

.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-542-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 050

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-543
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TALC (UNII: 7SEV7J4R1U)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)
BARIUM SULFATE (UNII: 25BB7EKE2E)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-543-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 060

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-544
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TALC (UNII: 7SEV7J4R1U)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TREHALOSE (UNII: B8WCK70T7I)	
ARGAN OIL (UNII: 4V59G5UW9X)	
GLYCINE (UNII: TE7660XO1C)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	

ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-544-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

CLE DE PEAU BEAUTE RADIANT FLUID FOUNDATION 070

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-545
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.72118 g in 35 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

DIMETHICONE (UNII: 92RU3N3Y1O)
WATER (UNII: 059QF0KO0R)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
GLYCERIN (UNII: PDC6A3C0OX)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TALC (UNII: 7SEV7J4R1U)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
POLYGLYCERYL-2 DIISOSTEARATE (UNII: DG195GP57P)
BARIUM SULFATE (UNII: 25BB7EKE2E)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
TREHALOSE (UNII: B8WCK70T7I)
ARGAN OIL (UNII: 4V59G5UW9X)
GLYCINE (UNII: TE7660XO1C)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
ALCOHOL (UNII: 3K9958V90M)
THEANINE (UNII: 8021PR16QO)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
HYPERICUM ERECTUM FLOWERING TOP (UNII: IT0296HQDC)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-545-10	1 in 1 CARTON	07/01/2020	
1		35 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2020	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-537, 58411-538, 58411-539, 58411-540, 58411-541, 58411-542, 58411-543, 58411-544, 58411-545, 58411-546, 58411-547, 58411-548, 58411-549, 58411-550, 58411-551, 58411-552, 58411-553, 58411-554, 58411-555, 58411-556, 58411-557, 58411-558, 58411-559, 58411-560) , manufacture(58411-537, 58411-538, 58411-539, 58411-540, 58411-541, 58411-542, 58411-543, 58411-544, 58411-545, 58411-546, 58411-547, 58411-548, 58411-549, 58411-550, 58411-551, 58411-552, 58411-553, 58411-554, 58411-555, 58411-556, 58411-557, 58411-558, 58411-559, 58411-560)

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION