FIRST AID ANTISEPTIC- povidone-iodine ointment Rugby Laboratories

First Aid Antiseptic Ointment

Drug Facts

Active ingredient

Povidone Iodine USP 10% w/w (available iodine 1%)

Purpose

First aid antiseptic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- over large areas of the body
- longer than 1 week unless directed by a doctor
- in the eyes

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at controlled room temperature 20° to 25°C (68° to 77°F)
- close cap tightly after use


Inactive ingredients

Polyethylene Glycol 400, Polyethylene Glycol 4000

Questions or comments?

1-800-639-3803

Package Labeling:



RUGBY® LABORATORIES Indianapolis, IN 46268 (800) 616-2471 www.major-rugby.com Made in China

TAMPER-EVIDENT: Do not use if foil seal on tube is broken or missing



*Rugby® First Aid Antiseptic Ointment is not manufactured or distributed by Purdue Frederick, owner of the registered trademark Betadine®.





Drug Facts	Drug Facts (continued)	
Active ingredient Purpose Povidone lodine USP 10% w/w (available iodine 1%)First aid antiseptic	If swallowed, get medical help or contact a Poison	
<i>Uses</i> first aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns	Control Center (1-800-222-1222) right away. Directions clean the affected area	
<i>Warnings</i> For external use only.	 apply a small amount of this product on the area 1 to 3 times daily may be covered with a sterile bandage 	
Do not use if you are allergic to any of the ingredients over large areas of the body longer than 1 week unless directed by a doctor in the eyes	Other information store at controlled room temperature 20° to 25°C (68° to 77°F) close cap tightly after use	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns	Close dap tignay and dae Inactive ingredients Polyethylene Glycol 400, Polyethylene Glycol 4000	
Stop use and ask a doctor if ■ condition persists or gets worse	(Questions or comments? 1-800-639-380	



NDC 0536-1271-80

compare to active ingredient in Betadine® Ointment*

first aid antiseptic ointment

povidone iodine USP 10%

first aid to help prevent infection in minor cuts, scrapes, and burns

net wt 1 oz (28.4 g)

TAMPER-EVIDENT: Do not use if foil seal is broken or missing

Active ingredient Povidone lodine USP 10% w/w (available iodine 1%) Purpose First aid antiseptic Uses first aid to help prevent infection in minor: \blacksquare cuts \blacksquare scrapes \blacksquare burns Warnings For external use only. Do not use \blacksquare if you are allergic to any of the ingredients \blacksquare over large areas of the body \blacksquare longer than 1 week unless directed by a doctor \blacksquare in the eyes Ask a doctor before use if you have \blacksquare deep or puncture wounds \blacksquare animal bites \blacksquare serious burns Stop use and ask a doctor if \blacksquare condition persists or gets worse Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Directions \blacksquare clean the affected area \blacksquare apply a small amount of this product on the area 1 to 3 times daily \blacksquare may be covered with a sterile bandage Other information \blacksquare store at controlled room temperature 20° to 25°C (68° to 77°F) \blacksquare close cap tightly after use Inactive ingredients Polyethylene Glycol 400, Polyethylene Glycol 4000

Questions or comments? 1-800-639-3803

*Rugby® First Aid Antiseptic Ointment is not manufactured or distributed by Purdue Frederick, owner of the registered trademark Betadine®.

Distributed by: **RUGBY® LABORATORIES** Indianapolis, IN 46268 (800) 616-2471 www.major-rugby.com Made in China



FIRST AID ANTISEPT	IC				
Product Information					
Product Type	HUMAN OTC DRUG	ltem Code	(Source)	NDC:	0536-1271
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingred	ient Name		Basis of Strength		Strength
POVIDONE-IODINE (UNII: 85H0HZ	U99M) (IODINE - UNII:9679T	C07X4)	IODINE		100 mg in 1 g
Inactive Ingredients					
	Ingredient Name				Strength
POLYETHYLENE GLYCOL 400 (UI	NII: B697894SGQ)				
POLYETHYLENE GLYCOL 4000 (JNII: 4R4HFI6D95)				

Pa	ckaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0536-1271- 80	1 in 1 BOX	11/03/2020	
_		28.4 g in 1 TUBE; Type 0: Not a Combination		
1		Product		
1		Product		
		Product nformation		
1 Ma			Marketing Start Date	Marketing End Date

Labeler - Rugby Laboratories (079246066)

Registrant - Zhejiang Jingwei Pharmaceutical Co., Ltd. (530876549)

Revised: 6/2025

Rugby Laboratories